

RTN 4-26179

**Former Barnstable County Fire Training  
Academy Site**

*Barnstable, MA*

*August 2022*

**IMMEDIATE RESPONSE ACTION STATUS &  
REMEDIAL MONITORING REPORT NO. 63**

---



701 George Washington Hwy  
Lincoln, Rhode Island 02865  
401.333.2382  
[www.BETA-Inc.com](http://www.BETA-Inc.com)

# Former Barnstable County Fire Training Academy Site

*RTN 4-26179*  
*Barnstable, MA*

## IMMEDIATE RESPONSE ACTION STATUS & REMEDIAL MONITORING REPORT NO. 63

---

Prepared by: BETA GROUP, INC.  
Prepared for: Barnstable County

August 2022

## TABLE OF CONTENTS

<b>1.0 INTRODUCTION</b>	<b>1</b>
<b>2.0 GENERAL DISPOSAL SITE INFORMATION</b>	<b>1</b>
2.1 PROPERTY AND SITE DESCRIPTION	1
2.2 LATITUDE AND LONGITUDE / UNIVERSAL TRANSVERSE MERCATOR'S	3
2.3 MASSDEP METHOD 1 CATEGORIES	3
2.3.1 GROUND WATER CATEGORY	3
2.3.2 SOIL CATEGORY	3
<b>3.0 DISPOSAL SITE HISTORY AND OVERVIEW</b>	<b>4</b>
3.1 RELEASE HISTORY AND DESCRIPTION - RTN 4-26179 (PFAS RELEASE)	4
3.2 GROUNDWATER PUMP AND TREAT SYSTEMS	6
3.3 PHASE I INITIAL SITE INVESTIGATION AND TIER CLASSIFICATION	7
3.4 ENVIRONMENTAL SETTING AND SENSITIVE RECEPTORS	7
3.5 FLINTROCK POND ASSESSMENTS	8
3.6 SAMPLING AND ANALYSIS FOR PFAS	9
3.7 PUBLIC INVOLVEMENT	9
3.8 PUBLIC COMMENT DRAFT PHASE II COMPREHENSIVE SITE ASSESSMENT SCOPE OF WORK	9
3.9 PUBLIC INVOLVEMENT – FINAL PHASE II SCOPE OF WORK AND PROJECT UPDATE	10
<b>4.0 PREVIOUSLY COMPLETED AND CONTINUING IRA ACTIVITIES</b>	<b>10</b>
4.1 CONTINUING OPERATION & MAINTENANCE OF GWTS	10
4.1.1 Groundwater Recovery and Treatment for PFAS - Background	10
4.1.2 Health Advisories and Regulatory Standards Used for Comparison	11
4.1.3 implementation of Groundwater Treatment System No. 2	11
4.2 HOT SPOT SOIL REMOVAL	12
4.3 HOT SPOT AREA CAPPING	12
4.4 SITE WIDE CAPPING AND SELECT BUILDING DEMOLITION	12
<b>5.0 IRA ACTIVITIES CONDUCTED JANUARY 2022 TO JUNE 2022</b>	<b>12</b>
5.1 CURRENT OPERATION & MAINTENANCE OF GWPT SYSTEM	12
5.2 REMEDIAL MONITORING REPORT – GWTS #1	13
5.2.1 GWTS # 1 System Monitoring Results	13
5.2.2 GWTS #1 Operational Details	14
5.3 REMEDIAL MONITORING REPORT – GWTS #2	15
5.3.1 GWTS # 2 Monitoring Results	15
5.3.2 GWTS #2 Operational Details	16
5.4 REMEDIAL MONITORING REPORT SUMMARY	17

5.5 QUARTERLY GROUNDWATER MONITORING .....	17
5.6 JANUARY 2022 SITE-WIDE QUARTERLY GROUNDWATER SAMPLING AND ANALYSIS .....	17
5.7 SITE-WIDE GROUNDWATER GAUGING AND ELEVATION SURVEY .....	18
5.8 APRIL 2022 SITE-WIDE QUARTERLY GROUNDWATER SAMPLING AND ANALYSIS .....	19
<b>6.0 IRA EVALUATION.....</b>	<b>21</b>
6.1 ASSESSMENT FOR SUBSTANTIAL RELEASE MIGRATION (SRM) .....	21
6.2 IDENTIFICATION OF CRITICAL EXPOSURE PATHWAYS (CEP) .....	21
6.3 IMMINENT HAZARD (IH) EVALUATION .....	21
6.4 ASSESSMENT OF NEED FOR IMMEDIATE RESPONSE ACTIONS (IRA).....	22
<b>7.0 PUBLIC NOTIFICATIONS.....</b>	<b>22</b>

## LIST OF TABLES

<b>Table 1A</b> – Summary of Groundwater Pump and Treatment System PFAS Analytical Data – System #1 .....	Appended
<b>Table 1B</b> – Summary of Groundwater Pump and Treatment System PFAS Analytical Data – System #2.....	Appended
<b>Table 2A</b> – Summary of Groundwater Pump and Treatment System Operating and Maintenance Data – System #1.....	Appended
<b>Table 2B</b> – Summary of Groundwater Pump and Treatment System Operating and Maintenance Data – System #2.....	Appended
<b>Table 3</b> – Groundwater Elevation and Gauging Data 2018-2020.....	Appended
<b>Table 4A</b> – Summary of Current Groundwater PFAS Analytical Data.....	Appended
<b>Table 4B</b> – Summary of Historic Groundwater PFAS Analytical Data.....	Appended

## LIST OF FIGURES

<b>Figure 1</b> - Site Location Map (USGS Topographic Quadrangle)
<b>Figure 2</b> - Site Plan Detail - FTA Facility
<b>Figure 3</b> - Site Plan
<b>Figure 4</b> – Phase I Site Assessment Map
<b>Figure 5</b> – GWPTS #1 PFAS Concentrations - 2015-2022
<b>Figure 6</b> - ΣFAS Concentrations in PFW-1 from June 2018-June 2022
<b>Figure 7</b> - ΣFAS Concentrations in OW-8A from June 2018-June 2022
<b>Figure 8</b> - ΣFAS Concentrations in MW-12 and MW-22 from June 2018-June 2022
<b>Figure 9A</b> - ΣFAS Concentrations in PC-6A from June 2018-June 2022
<b>Figure 9B</b> - ΣFAS Concentrations in PC-11 from June 2018-June 2022



**Figure 9C** - ΣFAS Concentrations in PC-28 from June 2018-June 2022

**Figure 9D** - ΣFAS Concentrations in PC-30 from June 2018-June 2022

**Figure 10** – Groundwater Plume Map – January 2022

**Figure 11**– Groundwater Contour Map – January 2022

### **LIST OF APPENDICES**

**APPENDIX A** - BWSC TRANSMITTAL FORM 105, 105A, 105B

**APPENDIX B** – LABORATORY REPORTS/CERTIFICATES OF ANALYSIS – GWTS PERFORMANCE  
MONITORING

**APPENDIX C** – LABORATORY REPORTS/CERTIFICATES OF ANALYSIS – QUARTERLY GROUNDWATER  
MONITORING

**APPENDIX D**– PUBLIC NOTIFICATIONS

## 1.0 INTRODUCTION

BETA Group Inc. (BETA) has prepared this Immediate Response Action (IRA) Status and Remedial Monitoring Report (RMR) No. 63 that addresses a release of hazardous materials related to fire-fighting foams and attributed to the former Barnstable County Fire and Rescue Training facility located at 155 South Flint Rock Road in Barnstable, Massachusetts (the FTA or facility). This document has been prepared on behalf of Barnstable County. It is being submitted to the Massachusetts Department of Environmental Protection (MassDEP) – Bureau of Waste Site Cleanup (BWSC) in response to the detection of elevated concentrations of per- and polyfluoroalkyl substances (PFAS), including perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA), in soil and groundwater at the facility and in adjacent areas, in particular to the east, southeast of the facility. This report documents IRA activities at the Site for the period of January 2022 to June 2022. IRA Status and RMR Report No. 63 presents the operational status and performance sampling results for the groundwater pumping and treatment systems at the Site during the reporting period. In addition, this status report describes the activities and results of Site-wide groundwater monitoring conducted in January 2022 and April 2022.

This (IRA) Status and Remedial Monitoring Report (RMR) No. 63 is being submitted to MassDEP as an attachment to the BWSC 105 Immediate Response Action (IRA) and BWSC 105A and 105B IRA Remedial Monitoring Report Transmittal Forms. Completed copies of these forms prior to electronic signature are included in **Appendix A**.

As current owners of the FTA, Barnstable County, as represented by the Barnstable County Board of Regional Commissioners, have been named as the Potentially Responsible Party (PRP) for this release. The contact person for the Disposal Site and release is:

Steve Tebo, Asset and Infrastructure Manager  
Barnstable County  
3195 Main Street  
Barnstable, MA 02630

Telephone: 508-375-6643  
Email: [stebo@barnstablecounty.org](mailto:stebo@barnstablecounty.org)

BETA is performing MCP Response Actions on behalf of the Barnstable County Commissioners. The Licensed Site Professional (LSP) overseeing Response Actions for this release is:

Roger Thibault, P.E., LSP No. 1443  
BETA Group Inc.  
701 George Washington Highway  
Lincoln, RI 02865

Telephone: 401-333-2382  
Email: [rthibault@beta-inc.com](mailto:rthibault@beta-inc.com)

## 2.0 GENERAL DISPOSAL SITE INFORMATION

### 2.1 PROPERTY AND SITE DESCRIPTION

The former Barnstable County Fire and Rescue Training FTA (FTA or facility) is located on South Flint Rock Road in the Town of Barnstable. It appears on the United States Geological Survey (USGS) Topographic Quadrangle – Hyannis, Massachusetts -**Figure 1** – Site Location map, prepared from a portion of the referenced USGS Topographic Quadrangle map. The Site is currently zoned for industrial use.

For the purposes of this and future MCP submittals, the property on which the FTA is located will be referred to as the FTA or facility. FTA or facility will also refer to the remaining or former structures, the land, and the former functions of the FTA.

In accordance with the MCP definition, where contamination attributable to the PFAS releases associated with firefighting foams and training on the FTA have come to be located will be referred to as the Disposal Site or Site.

Following the completion of the capping and select demolition project in November 2021, the 6.2-acre FTA is improved by one primary building: the former fire training building (with two classrooms, administrative offices, and two apparatus bays), and two Quonset hut sheds used for storage of County equipment. Refer to Figure 2. The former live fire training structures and props have been demolished and/or removed from the Site. The FTA is secured by chain link fencing and a locked gate. The FTA is listed on the Town of Barnstable Assessor's on-line records as Map 313, Lot 007. The current owner-of-record is the County of Barnstable, who acquired the facility from the Town of Barnstable in 1983 by deed recorded June 3, 1983, Barnstable Registry of Deeds, Book 3759, Page 39. Utilities servicing the FTA include municipal water, an underground septic system, aboveground electricity and telecommunications.

The FTA was first constructed on land donated to the Town of Barnstable by the Cobb Trust in 1955. The FTA had been used for public safety training since the 1950's. The FTA was formerly used for public safety training by fire departments and fire districts from throughout Barnstable County, fire departments outside of Barnstable County, and other public and private institutions. Live fire training using firefighting foams, including aqueous film forming foams (AFFF), was conducted at the FTA for decades by fire districts and departments that used their own foam brought to the FTA in the apparatus of the organization participating in the training. Foam training exercises at the FTA ceased in 2009 according to FTA officials. Water training activities ceased in June 2019.

Land surrounding the FTA is primarily undeveloped, wooded land within public water supply protection areas. Flintrock Pond occupies approximately 6 acres directly to the west of the FTA. Several public water supply wells and their related facilities are located to the east, southeast, and west of the FTA.

At this time, the preliminary MCP Disposal Site (the Site) associated with RTN 4-26179 is considered to comprise approximately the majority of the FTA, the westerly adjacent Flintrock Pond, and a large woodland area to the southeast of the FTA, approaching Mary Dunn Pond.

The southeastern portion of the Site includes land owned by the Town of Barnstable, which is crossed by two electric power transmission lines running presumably within easements. Private industrial properties and related structures are located approximately 500 to 1,000 feet south of the Site. The Barnstable Municipal Airport is located to the west (runway 15 – 33) and south of the Site and the FTA.

The nearest residential properties are located approximately ¼ mile to the north of the Site. Based on 2010 U.S. Census data, the residential population located within a ½ mile radius of the Site is estimated to be less than 150 people. There are no known Institutions located within 500 feet of the Site. The municipal well pumping facilities referenced above (not part of the FTA) are not staffed full-time.

## 2.2 LATITUDE AND LONGITUDE / UNIVERSAL TRANSVERSE MERCATOR'S

The coordinates for the Site are shown below. For simplicity, these coordinates are for the southerly end of the FTA.

<u>Latitude/Longitude</u>	Latitude: 41° 40' 41.53"N
	Longitude: 70° 17' 7.82"E
<u>UTM Coordinates</u>	Easting: 393,002
	Northing: 4,614,847

## 2.3 MASSDEP METHOD 1 CATEGORIES

### 2.3.1 GROUND WATER CATEGORY

As noted, the Site is located within a Zone II Public Water Supply Protection Area and a Medium-Yield Sole Source Aquifer.

Therefore, MCP Method 1 Ground Water Category 1 (GW-1) applies to the Site. Groundwater at the FTA facility itself Site is also categorized as Method 1 GW-2 because groundwater has been measured at depths less than 15 feet below grade and an occupied building is located within the FTA facility.

All ground waters within the Commonwealth are considered a potential source of discharge to surface waters and shall be categorized, at a minimum, as Method 1 GW-3. Therefore, the applicable Method 1 Ground Water Categories for the Site are GW-1, GW-2 and GW-3.

### 2.3.2 SOIL CATEGORY

Soil categorization is based upon the type of human receptor and three potential exposure criteria: frequency of use, intensity of use, and accessibility of soil. The FTA portion of the Site is occupied by a former fire and rescue training facility. Based on the nature of the facility, children are assumed to be "not present." Adults who work at the site as staff members are assumed to be present at "high frequency." Impacted soils have been identified beneath unpaved and recently paved areas at depths ranging from near the surface to approximately 15 feet below the ground surface. Therefore, impacted soils at the FTA are considered "accessible" (remaining unpaved areas if the soils are impacted by PFAS over MCP risk standards) and "potentially accessible" (paved areas or deeper soil).

Only groundwater impacts at significant depths below the ground surface have been identified at the remainder of the Site (outside of the FTA), which consists of undeveloped, industrially zoned land, a portion of a utility easement, and three unmanned public water supply well stations.

Intensity of use in regard to soil disturbance in the release area for adults at the Site is considered "high" because the area of impact at the FTA could potentially be disturbed during Site activities. However, former on-Site training activities were of relatively short duration with potential high intensity use. Current Site maintenance-related activities are similar in terms of duration and potential intensity. Therefore, for current Site uses, soils at the Site are categorized as Soil Category S-2. The applicable Soil Categories for current Site uses have been identified as S-2/GW-1, S-2/GW-2 and S-2/GW-3.

The applicable Soil Categories for unrestricted future Site uses are S-1/GW-1, S-1/GW-2 and S-1/GW-3.

### 3.0 DISPOSAL SITE HISTORY AND OVERVIEW

The Site has historically been the subject of four MassDEP RTNs: 4-190, 4-11707, 4-20021, and 4-26179. This IRA Plan Modification is being submitted for RTN 4-26179 only. The original RTN, 4-190, is being managed separately; closure has been achieved for the remaining two RTNs.

#### 3.1 RELEASE HISTORY AND DESCRIPTION - RTN 4-26179 (PFAS RELEASE)

In May 2012, USEPA issued their final rule “Revisions to the Unregulated Contaminant Monitoring Rule (UCMR3) for Public Water Systems,” which was a national sampling mandate for “emerging contaminants” in public water supplies. The required sampling list included several PFAS compounds, including but not limited to PFOS and PFOA. In November 2013, samples were collected from Mary Dunn supply wells MD-1, MD-2 and MD-3 and analyzed for PFAS.

At the time of the testing, the US EPA Provisional Health Advisory (HA) was 0.20 micrograms per liter (µg/L) for PFOS. Analytical results revealed evidence of PFOS contamination in all three wells sampled. MD-1 and MD-2 were temporarily removed from service. MD-3 was apparently not in use at that time. A treatment system that utilizes granular activated carbon (GAC) was later implemented for MD-1 and MD-2 [July 2015] by the Hyannis Water Department. In 2016, GAC treatment was also implemented for MD-3. [See below].

In November 2013, Barnstable County personnel also collected soil and groundwater samples from the FTA property, located approximately 1,000 feet west of the Mary Dunn wells, and submitted them for laboratory analysis of PFAS. Groundwater analytical results revealed that FTA groundwater was impacted by PFOS and MassDEP was subsequently notified.

PFOS was also detected in soil at the FTA and in surface water and sediment within the adjacent Flintrock Pond. As summarized in the Notice of Responsibility (NOR) issued by MassDEP on August 4, 2016 (see below), based on the detected PFAS concentrations in soil and groundwater at the FTA and the inferred groundwater flow direction being to the southeast (toward the Mary Dunn wells), MassDEP determined that the releases of PFAS from the use of AFFF at the FTA is a source of PFAS detected in the Mary Dunn wells.

As a voluntary measure, Barnstable County refurbished the former perchlorate pump and treat system located at the FTA to help remediate and contain the PFOS apparently migrating from the facility. The groundwater pumping and treatment system (GWPTS) was re-started using granular activated carbon (GAC) in the former perchlorate treatment vessels for treatment in July 2015. The system utilizes a groundwater recovery well, PRW-4, located approximately 800 feet southeast of the FTA. The groundwater treatment system (GWTS) itself is located in a structure on the FTA grounds.

In August 2015, Barnstable County funded a more detailed hydrogeological assessment, continued implementation of a groundwater pump and treat system to capture PFOS upgradient of the Mary Dunn wells, and additional assessment and immediate response actions. The Cape Cod Commission evaluated subsurface soil and groundwater conditions at the FTA facility as part of the IRA assessment activities. The soil results indicated a broad area of PFOS contamination throughout the subsurface. The highest PFOS concentrations were detected near the southwestern corner of the FTA, a location subsequently referred to as the Hot Spot. Groundwater analytical results from the 2015 assessment revealed PFOS contamination ranging from less than 0.070 µg/L (the US EPA HA from 2016 to 2019) to over 4.0 µg/L. The groundwater samples were collected from monitoring wells across the area between the FTA and the Mary Dunn wells. Like the soil results, the highest PFOS concentrations were detected near the southwestern corner of the FTA.

In May 2016, US EPA revised/lowered its HA for PFAS from 0.20 µg/L of PFOS and PFOA to 0.070 µg/L for either compound or the total of the two. EPA noted that the HA was for drinking water exposures only.

In response to the lowered HA PFAS concentrations, on August 4, 2016, MassDEP issued a Notice of Responsibility (NOR) to Barnstable County and required submittal of an Immediate Response Action (IRA) Plan no later than September 15, 2016. MassDEP requested that the Site owner evaluate potential Imminent Hazards relative to downgradient public and private water supply wells. MassDEP indicated that this evaluation should include identification of all nearby public and private water supply wells, review of any existing analytical data for those wells, and sampling and analysis of any nearby wells that have not been sampled for PFAS. MassDEP also stated that the IRA Plan should include measures to prevent, eliminate, and/or abate any hazards associated with the consumption of drinking water impacted by PFAS above the HA level of 0.070 ug/L. MassDEP also required, as part of IRA activities, the reduction of the mass of PFAS at the FTA and the concentrations of PFAS in groundwater migrating from the FTA facility, such as excavating the soil hot spot and expanding the existing groundwater treatment system to decrease the mass of PFAS in groundwater.

On September 27, 2016, on behalf of Barnstable County, the Cape Cod Commission submitted an IRA Plan to MassDEP to address the PFOS/PFOA impacts. The IRA Plan included an evaluation of imminent hazards to downgradient public and private water supplies, a Hot Spot removal plan, and plans for an interim expansion of the existing groundwater pump and treatment system.

The proposed IRA to address the soil Hot Spot was to excavate up to 200 cubic yards from a 400 square foot area for off-Site disposal. The Hot Spot soil was removed in January 2017, reducing the primary source of PFOS contamination leaching into groundwater. However, post-removal grading and settling of the backfill in the Hot Spot area left it prone to infiltration of runoff from the southern portion of the FTA.

Between December 2016 and February 2018, the Cape Cod Commission submitted monthly IRA Status and Remedial Monitoring Reports (RMRs) to MassDEP for the PFAS release. The RMRs addressed the FTA GWPTS, which recovers and treats approximately 20,000 to 50,000 gallons per day (gpd) of groundwater from well PRW-4. The Site groundwater pump and treat system is working to reduce PFAS concentrations in the aquifer before it reaches the Mary Dunn municipal wells and treatment systems. Refer to Section 3.2 for additional information.

The Mary Dunn wells are equipped with GAC treatment systems to remove PFAS. The Mary Dunn wells as the well as the GAC treatment systems are operated by SUEZ North America under contract with the HWSD. The GAC treatment of the Mary Dunn wells is actively preventing a potential Imminent Hazard to the Hyannis community by removing the PFAS compounds from the water supply. A Settlement Agreement between the Town of Barnstable and Barnstable County requires the County to fund a portion of the costs associated with operating the Mary Dunn wells treatment systems as well as a portion of the capital costs to install the GAC systems. Timely exchange of pumping and performance data related to the treatment of the Mary Dunn well water supplies to verify effectiveness of the IRA is noted in the Settlement Agreement between the parties.

On behalf of Barnstable County, BETA submitted monthly IRA Status reports and RMRs from March 2018 through January 2022. Status reports are now filed on a six-month basis. As detailed in recent IRA Status and RMR reports, including this report, groundwater monitoring data for locations across the Disposal Site confirm that elevated PFAS concentrations are still present in Site groundwater.

Analytical data from select monitoring wells indicate that PFAS concentrations in groundwater sampled in the former Hot Spot area have significantly decreased (following the Phase 1 stormwater improvements repair of the cap under the June 28, 2018 IRA Plan Modification); PFAS concentrations remain stable in groundwater sampled from wells east of the FTA; and PFAS concentrations remain elevated in

groundwater sampled from within the area southeast of the FTA between the facility and the Mary Dunn wells. See Section 5.8 for the most recent ( April and June 2022) groundwater monitoring data.

### 3.2 GROUNDWATER PUMP AND TREAT SYSTEMS

Response actions were conducted in the early 1990s and 2000s to address first petroleum releases and later the detection of perchlorate. To remediate and control migration from the petroleum and perchlorate releases, in 1998 and 2007, respectively, response actions included the installation, upgrade, and/or renovation of a GWPTS (recovery well and treatment system) at the Site. In July 2015 the decommissioned GWTS, formerly used to treat for perchlorate, was renovated and re-started to help remediate and contain the PFAS migration from the FTA; see below. The operational GWPTS was later noted in the NOR issued by MassDEP in August 2016 as part of the on-going IRAs. The NOR also requested that Barnstable County install additional recovery wells or increase the groundwater recovery rate to increase PFAS removal; see discussion of GWTS# 2 below. The approximate locations of key components of the GWPTS that are located on the FTA are shown on **Figure 2 – Site Plan Detail**. The location of the operating recovery well, PRW-4, and the approximate route of the force mains (two, 2-inch polyethylene pipes) are shown on **Figure 3 – Site Plan**.

Refer to Section 4.1 for additional general information and Sections 5.1 and 5.2 for specific operational and performance monitoring results for this IRA and RMR reporting period.

#### GWTS # 1

In July 2015, the primary influent/recovery well pump installed in recovery well PRW-4 was repaired, a new variable frequency drive (VFD) unit pump was installed in the treatment system, and all accompanying electrical components were evaluated and repaired. The system was restarted in July 2015 upon the installation of 1500 pounds (lbs.) of aqueous phase GAC (Filtasorb 400 virgin GAC) into each of the two, existing Siemens treatment vessels. The “capture zone” of PRW-4 was reportedly estimated to be 200 ft. at 40 gallons per minute (gpm). Groundwater is pumped from recovery well PRW-4, through two, 2-inch dia. HDPE, eight-hundred-foot force mains to the treatment building on the FTA; see Figures 2 and 3.

The groundwater is discharged to an equalization tank, then filtered through a 5 or –10-micron size bag filter and pumped through two GAC vessels in series. The treated groundwater is discharged by gravity to several large recharge chambers in a north-central location of the FTA, upgradient of the recovery well and approximately cross-gradient of the highest levels of PFAS contamination detected at the FTA property. See Fig. 2 for the location of the recharge basins. As appropriate to prevent breakthrough of the PFAS6 compounds, the GAC is periodically changed out.

#### GWTS # 2

As noted, the NOR also requested that Barnstable County increase the groundwater recovery and treatment rate to increase PFAS removal from the aquifer. In November 2019, a second, supplemental treatment system was installed, designated as GWTS#2, to treat water from the existing recovery well and better use its extraction capacity. One of the two force mains was re-piped and connected via hose and hard piping to GWTS#2. The system is contained in a mobile structure (former shipping container) and is designed to treat PFAS-impacted groundwater (via adsorption technology with liquid phase granular activated carbon) at a target flow rate of approximately 30 gpm.

Since the inception of treatment for PFAS in 2015, the spent GAC is collected by the supplier, Calgon Carbon Corp., during the changeout procedure and transported to their facility for standard thermal regeneration or destruction. As noted above, the FTA GWPTS uses virgin GAC supplied by Calgon.



Currently, Groundwater Treatment Technologies, LLC (GWTT) is contracted by Barnstable County to provide O&M of the GWTS, including but not limited to bag filter checks and replacements, VFD pump monitoring, carbon vessel backwashing, and GAC replacement oversight.

Additionally, BETA collects monthly samples for PFAS from both systems to check their treatment performance (See section 4.1).

Monthly monitoring of GWTS #2 after the changeout of GAC in July 2021 indicated early breakthrough of PFAS through the primary GAC vessel and elevated PFAS levels in the Midpoint samples in the months following. However, with the exception of the August 2021 sample, the PFAS 6 concentrations in the GWTS #2 Effluent sample were very low (< 2 ng/l) until January 2022.

Due to PFAS breakthrough GWTS #2 was shut down in February 2022 and has remained off-line due to procurement and funding constraints for replacement of the GAC. Refer to Section 5.3 for more detailed information. In July and August 2022 Barnstable County was able to formerly engage an appropriate vendor to perform the carbon change-out that is required. This work has to be carefully coordinated with replacement of the GWTS #1 carbon vessels which are leaking and have reached the end of their service life – see Section 5.2. All replacement and carbon changeout work has been scheduled for August 2022. Following installation of rental GAC vessels in GWTS #1 and complete replacement of the GAC in both systems, the systems will resume normal operation.

### 3.3 PHASE I INITIAL SITE INVESTIGATION AND TIER CLASSIFICATION

In May 2018, a Phase I Initial Site Investigation (ISI) Report and Tier Classification Submittal was submitted to MassDEP by BETA (formerly Nover-Armstrong Associates) on behalf of Barnstable County for the RTN 4-26179 release. The Phase I ISI confirmed that the primary contaminant of concern is PFOS and, to a lesser extent, PFOA. Based on the compiled Phase I Initial Site Investigation data, BETA opined in the Phase I report that continuation of the IRA activities and additional assessment and, potentially, additional remedial Response Actions are warranted at the Disposal Site.

A Phase II Comprehensive Site Assessment Conceptual Scope of Work (SOW) was submitted with the Phase I ISI outlining the scope, nature of investigation, and sample programs proposed to characterize the risk of harm posed to health, safety, public welfare, and the environment (for regulatory closure). The Phase II SOW proposed additional remedial and/or response actions such as continued monitoring of the Site groundwater conditions, potential soil removal or modifications to the existing groundwater treatment system to be implemented in the near future. At a later date, MassDEP indicated that a formal Phase II Comprehensive Site Assessment SOW was required in addition to the Conceptual SOW.

A Tier Classification was submitted to MassDEP concurrently with the Phase I Report. Based on the need to continue remedial actions as IRAs under the current IRA Plan, and on the continuing need to abate a potential Imminent Hazard condition related to impacts to public water supplies, the RTN 4-26179 release was classified as Tier I.

### 3.4 ENVIRONMENTAL SETTING AND SENSITIVE RECEPTORS

BETA's review of the Massachusetts GIS Priority Resources (21E) mapping (**Figure 4**) revealed that the Site is located within a Zone II Public Water Supply Protection Area and a Medium-Yield Sole Source Aquifer. The FTA is situated to the west and most likely upgradient of the Mary Dunn public water supply wells 1, 2, and 3 under pumping conditions. Mary Dunn Wells 1, 2, and 3, owned by the Town of Barnstable through the Hyannis Water Supply Division (HWSD) of the Barnstable Department of Public Works (DPW),



are located within the preliminary Disposal Site boundary due to the detections of PFAS in the groundwater at those wells. There are no known private potable water wells located within 500 feet of the Site.

Mary Dunn Well 3 (MD-3), which is the nearest public water supply well to the facility, has been documented to pump at an average rate of 380 to 450 gallons per minute (gpm). Mary Dunn Wells 1 and 2 (MD-1 and MD-2) are located approximately 1600 feet and 1800 feet, respectively, southwest of the FTA. These wells have been reported to have been pumped at rates of 400 gpm, each.

Airport Well 1, also owned by HWSD, is located further to the southeast of the Site, south of Mary Dunn Pond. Two other public water supply wells, identified as Barnstable Fire District (BFD) wells BFD-2 and BFD-5, are located to the west and most likely upgradient of the Site. The BFD wells are not operated by or part of the Hyannis Water System.

According to the USGS Topographic Quadrangle – Hyannis, Massachusetts, elevations at the Site are approximately 30 to 50 feet above mean sea level (MSL). Topography of the Site can be categorized as generally flat with slight to moderate slopes downward to the west and southeast, toward Flintrock Pond and Mary Dunn Pond, respectively.

The nearest surface water bodies to the Site are Flintrock Pond and an unnamed Pond; Flintrock Pond is located west adjacent to the FTA and the unnamed Pond is located northeast adjacent to the FTA (as depicted in **Figures 2 and 3**). A portion of Flintrock Pond is located within the preliminary MCP Disposal Site Boundary based on the detection of PFAS in sediment and surface water. There are no streams or wetlands located at the Site.

### 3.5 FLINTROCK POND ASSESSMENTS

Per the *Order of Conditions: Special Conditions of Approval (SE3-5606)*, Item 17, the Town of Barnstable Conservation Commission required “new testing results for PFAS in Flintrock Pond.” From November 2019 to October 2020, BETA has conducted surface water and sediment sampling at Flintrock Pond.

Elevated concentrations of the total summed of the five PFAs chemicals (PFOS, PFOA, PFNA, PFHxS, and PFHpA) were documented in the pond sediments and surface water; however, no MassDEP or US EPA regulatory standards or guidelines for sediment and surface water are available for comparison. Later compilations of the PFAS data includes the sixth PFAS compound regulated under the MCP, Perfluorodecanoic Acid (PFDA).

Concentrations of PFAS documented within Pond sediments are dominated by the PFOS and PFHxS compounds and increase with distance from the Pond’s bank. Refer to the previously completed IRA Status Reports submitted to MassDEP for complete information on the assessment to date of Flintrock Pond.

#### Future Assessment

In response to Commission input and to meet MCP requirements, a comprehensive assessment program for the pond is being implemented during the Phase II CSA. Barnstable County has installed cable crossings of the pond that will be used to control movement and location of a small boat to cross the pond, while systematically obtaining sediment samples from relatively consistent and reproducible locations throughout the Pond. The sediment sampling will support the pond’s ecological risk assessment per the requirements of 310 CMR 40.0830 and at 40.0995. The additional sampling, especially spatially, will also support the overall conceptual site model and the selection and implementation of a remedial alternative for the Disposal Site. The proposed program was presented in the final Phase II Comprehensive Site Assessment SOW; see Section 3.8.

### 3.6 SAMPLING AND ANALYSIS FOR PFAS

Following the collection of aqueous and/or soil samples for the analysis of PFAS compounds, BETA submits all samples to Bureau Veritas Laboratories (BV Labs) (formerly Maxxam Analytical) for the analysis of PFAS via USEPA Method 537.1 modified.

BV Labs is an accredited laboratory located in Mississauga, Ontario that has performed the PFAS analyses for all samples collected from the Disposal Site since the assessment for PFAS impacts began. BV Labs reports the concentrations of 23 PFAS compounds from aqueous and soil samples with laboratory detection limits as low as 2.0 ng/L (0.002 µg/L). However, for the purposes of achieving the low laboratory detection limits to compare against the MCP GW-1 Standard of 20 ng/L for the monthly performance samples collected at the treatment systems, BV Labs is only able to report 21 PFAS compounds; two of the fluorotelomers are not reported.

Upon receipt of a laboratory report, BETA reviews the concentration data as well as the laboratory case narrative and quality assurance report. BETA summarizes and tabulates the analytical results of six PFAS compounds (PFOS, PFOA, PFNA, PFHxS, PFHpA, and PFDA) based on the MassDEP MCP PFAS risk standards (December 2019). BETA presents the tabulated data and includes the laboratory analytical reports (or Certificates of Analysis) for that reporting period in the monthly IRA Status and RMR reports; the summary data tables, and laboratory analytical reports are included as attachments to these reports.

### 3.7 PUBLIC INVOLVEMENT

In January 2019, a petition from a group of residents of Barnstable and Hyannis, MA was received, requesting that the Site be designated a Public Involvement Plan (PIP) Site. In response, Barnstable County designated the Site as a PIP site and began PIP activities in accordance with 310 CMR 40.01404. Notification of the Site Designation and the initial public meeting was provided to all petitioners and the Town of Barnstable officials in writing in February 2019. On May 2, 2019, a public meeting was held, and the Draft Public Involvement Plan (PIP) was presented and distributed. Public comments (as they relate to the response actions implemented for the release of PFAS at the Site and are in accordance with 310 CMR 40.01404) were incorporated into the final Plan, which was finalized on June 27, 2019.

### 3.8 PUBLIC COMMENT DRAFT PHASE II COMPREHENSIVE SITE ASSESSMENT SCOPE OF WORK

As noted in 3.3, MassDEP indicated that a formal Phase II Comprehensive Site Assessment (CSA) SOW was required for the RTN 4-26179 PFAS Release Site. On July 16, 2021, a Public Comment Draft Phase II Comprehensive Site Assessment (CSA) Scope of Work was submitted via eDEP. It was made available for public comment on July 20, 2021. The Draft Phase II CSA SOW document described the comprehensive assessment activities proposed to meet the Phase II objectives at 310 CMR 40.0833. A Public Information Meeting was held virtually on August 18, 2021. Public comments were accepted on the Draft Phase II CSA SOW until August 26, 2021. Several sets of public comment were received. The significantly revised and expanded final Phase II CSA SOW was submitted to MassDEP on March 23, 2022. The public comments received on the Draft Phase II CSA Scope of Work were addressed and incorporated into the final Phase II CSA Scope of Work, as appropriate and feasible.

### 3.9 PUBLIC INVOLVEMENT – FINAL PHASE II SCOPE OF WORK AND PROJECT UPDATE

On June 9, 2022, a virtual public meeting was held to present the implementation of the Final Phase II CAS SoW, to provide an update on the capping and demolition project of the former FTA, and to provide an update of the groundwater conditions across the site. Questions and comments were taken at the end of the meeting.

## 4.0 PREVIOUSLY COMPLETED AND CONTINUING IRA ACTIVITIES

Since the submittal of the IRA Plan in September 2016, remedial response actions and assessment activities have continued to address the PFAS impacts at the Site.

This section summarizes previously completed and continuing IRA response actions at the Site. Details regarding these IRA response actions can be found in previous IRA Status submittals. Details of IRA activities during the current reporting period are presented in Section 5.0.

### 4.1 CONTINUING OPERATION & MAINTENANCE OF GWTS

#### 4.1.1 GROUNDWATER RECOVERY AND TREATMENT FOR PFAS - BACKGROUND

Barnstable County and the Cape Cod Commission implemented response actions to refurbish and re-start a decommissioned groundwater pump and treatment system at the Site in 2015. Details regarding the refurbishment and initial operation of this pump and treatment system were included in the September 2016 IRA Plan. Following the mobilization and start-up of a second groundwater treatment system in November 2019, the system refurbished in 2015 has been referred to as GWTS #1, or the primary system in MCP filings. Cape Cod Commission oversaw and documented the GWPTS performance on behalf of Barnstable County from July 2015 through February 2018. The Cape Cod Commission also conducted groundwater monitoring and oversaw operation and maintenance of the recovery well, PRW-4.

Monthly performance monitoring samples have been collected since GWTS #1 startup in July 2015, from the influent (PRW-4), midpoint, and effluent sample locations. Since November 2019, performance samples have been collected monthly from both GWTS # 1 and GWTS #2.

Periodic monitoring of the system is required to maintain operation of the VFD and recovery well pump including carbon exchanges, regular backwashing of the carbon vessels, force mains cleanouts, and replacement of the recovery well pumps. This work is currently performed by a wastewater treatment system operator, Groundwater Treatment and Technology (GWTT), under contract to the County. Since November 2019, GWTT maintains and operates both GWTS#1 and GWTS#2 systems.

IRA activities related to the operation and maintenance of the GWPTS conducted during earlier reporting periods have been described in detail in previously completed IRA Status Reports submitted to MassDEP. Refer to those submittals for complete information. The previously submitted documents are available in MassDEP Sites Database; refer to the follow link to access these reports.

<https://eeaonline.eea.state.ma.us/portal#!/wastesite/4-0026179>.

On behalf of Barnstable County, BETA has submitted the IRA monthly remedial monitoring reports and status reports summarizing pump and treat system operations for the respective reporting period since March 2018. These submittals have presented a running, summary data table for the PFAS analytical data including the monthly system samples and the respective laboratory analytical report. As noted

previously, the laboratory reports for monthly GWTS performance monitoring provide the results for 21 PFAS compounds in order to allow for lower laboratory reporting limits.

#### 4.1.2 HEALTH ADVISORIES AND REGULATORY STANDARDS USED FOR COMPARISON

During the initial two years of the GWPTS operation (July 2016 through June 2018), the USEPA revised Health Advisory (HA) of 0.070 µg/L for two PFAS chemicals, Perfluorooctanoic acid (PFOA) and Perfluorooctanesulfonic acid (PFOS), was used for comparison to the analytical results of GWPTS performance samples. The HA (revised downward to 0.070 µg/L in July 2016) applied to each compound individually or for the total concentration of the two (PFOS and PFOA). Subsequently, MassDEP adopted the USEPA HA. The USEPA considers its HA to still be in effect. However, for MCP purposes it has been superseded by MassDEP guidelines and regulatory actions.

On June 11, 2018, MassDEP's Office of Research and Standards (ORS) issued an updated ORS Guideline/HA that applied to the individual concentrations, or the total summed of five PFAS chemicals: PFOS, PFOA, Perfluorononanoic Acid (PFNA), Perfluorohexanesulfonic Acid (PFHxS), and Perfluoroheptanoic Acid (PFHpA). From June 11, 2018, until December 2019, individual concentrations of any of these five compounds or the total concentrations of all were compared to the MassDEP ORS HA of 0.070 µg/L.

On April 19, 2019, MassDEP released the Public Comment Draft of proposed revisions to the MCP, which included proposed Method 1 groundwater risk standards for the five PFAS compounds, plus an additional PFAS compound, Perfluorodecanoic Acid (PFDA). A Method 1 GW-1 risk standard of 0.020 µg/L was proposed for the individual concentrations of any of these six compounds or the total concentrations of all six. In December 2019, MassDEP published final MCP Method 1 risk standards for the PFAS6 compounds with an effective implementation date of December 27, 2019. From May 2019 through the current reporting period, tabulated treatment system analytical results have been compared to the six regulated PFAS compounds. The final MCP PFAS risk standards for groundwater include the 6 PFAS compounds of concern (PFAS6) listed above and the 0.020 µg/L<sup>1</sup> which is the GW-1 numerical risk standard for each compound or for the total of the PFAS6. These MCP risk standards are included in all relevant tables in the monthly and quarterly monitoring reports.

Except where noted (due to older data), total PFAS concentrations reported and discussed in this report are the sum of concentrations of the PFAS6 compounds included in the final MCP risk standards of December 27, 2019.

#### 4.1.3 IMPLEMENTATION OF GROUNDWATER TREATMENT SYSTEM NO. 2

In November 2019, the County procured (rented) and started a second treatment system, GWTS #2, in an effort to increase the treatment capacity of groundwater available hydraulically from PRW-4. As a result, groundwater conveyed from PRW-4 was split and re-piped to both GWTS #1 and GWTS #2. Therefore, although there are two treatment systems, they both treat water from one source, recovery well PRW-4. Collectively, the recovery well and the two treatment systems are referred to as the groundwater pump and treatment system (GWPTS).

---

<sup>1</sup> Concentrations of PFAS are presented in the data tables of this report in nanograms per liter (ng/L), also referred to as parts per trillion (ppt) and are reported by the laboratory in those units. However, the published MCP Method GW-1 numerical risk standards for PFAS compounds (PFOS, PFOA, PFNA, PFHpA, PFHxS, and PFDA) are presented in or micrograms per liter (µg/L), also referred to as parts per billion (ppb). In the relevant sections of this report, results are shown in both units.

## **4.2 HOT SPOT SOIL REMOVAL**

Barnstable County and the Cape Cod Commission oversaw the excavation of 200 cubic yards of PFAS impacted soils from the former “Hot Spot” area (a 400 square foot area) for off-Site disposal in January 2017. Details regarding the Hot Spot soil removal were included in the January 2017 IRA Status Report.

## **4.3 HOT SPOT AREA CAPPING**

From December 2018 through February 2019, Barnstable County implemented the regrading and temporary capping of the southwest corner of the FTA, including the former Hot Spot area, with related stormwater controls, termed the Phase I Stormwater Management Improvements/IRA Plan Modification. Additional details regarding the Phase I Stormwater Management Improvements were included in the February 2019 Reporting Period IRA Status No. 27 Report.

## **4.4 SITE WIDE CAPPING AND SELECT BUILDING DEMOLITION**

In response to a directive from MassDEP, an IRA Plan Modification was finalized in December 2019 for Sitewide capping and stormwater improvements. In 2020 to 2021, final design was completed, and approval was obtained for capping of the majority of the former Fire Training Academy and the demolition of former live-fire training buildings and all training props at the Site. The plans were submitted for approval to the Town of Barnstable via a Notice of Intent in February 2020. Final design approval and an Order of Conditions was obtained in November 2020 and January 2021 respectively. IRA Plan Modification No. 3 was also finalized in June 2021 to include selected building demolition into the project.

The County received public bids for the project in April 2021. The capping project was awarded in July 2021. Construction began in August 2021 and was substantially completed in October 2021. The former live fire training buildings and other fire training props and features were demolished and disposed of off-Site. Approximately 650 tons of PFAS contaminated demolition debris and materials associated with these structures were transported to and disposed of at the US Ecology / Wayne Disposal, Inc. disposal facility in Belleville, MI in September 2021. Approximately 59,000 square feet (SF) of unpaved portions of the FTA were capped with 3.5-inches of hot mix asphalt pavement following installation of a stormwater management system and regrading of the facility. Additional details, photographic documentation of the completed cap, and waste disposal documentation were provided in IRA Status Report No. 60 for the November 2021 reporting period.

# **5.0 IRA ACTIVITIES CONDUCTED JANUARY 2022 TO JUNE 2022**

## **5.1 CURRENT OPERATION & MAINTENANCE OF GWPT SYSTEM**

During the January to June 2022 reporting period, the primary treatment system (GWTS #1) was in operation approximately 172 days and secondary system (GWTS #2) was in operation for approximately 43 days. During the current reporting period, the overall system and both treatment systems incurred several unscheduled shutdowns.

On January 29, 2022, due to inclement winter weather, the Site lost power and subsequently the systems shutdown. Power to the systems was restored on February 1, 2022. GWTS #2 was shut down on February 18, 2022 as a result of breakthrough observed during the previous monthly reporting period (January 2022). Groundwater that was flowing into GWTS #2 was routed into GWTS #1 while GWTS #2 waits for a carbon changeout. Due to contractual and administrative funding constraints, GWTS #2 remained off-line

throughout the remainder of the reporting period. During routine system checks on May 13, 2022, it was discovered that the recovery well (PRW-4) pump had failed, and no water was being brought into the GWTS #1. The system was shut down for service and the system was turned back on May 16, 2022.

Between January and June 2022, GWTS #1 was sampled 6 times (once per month) and GWTS #2 was sampled in January 2022 prior to the system shutdown.

## 5.2 REMEDIAL MONITORING REPORT – GWTS #1

### 5.2.1 GWTS #1 SYSTEM MONITORING RESULTS

As noted, system samples were collected from the Influent (PRW-4), Midpoint, and Effluent ports monthly – on January 25, 2022, February 24, 2022, March 22, 2022, April 21, 2022, May 26, 2022, and June 21, 2022. The samples were submitted to Bureau Veritas Laboratories (formerly Maxxam Analytics) of Mississauga, Ontario (Bureau Veritas) for the laboratory analysis of Total PFAS via USEPA Method 537 M. For the analysis of the treatment system performance samples, Bureau Veritas uses a low-level detection variant of the US EPA 537M to achieve the lowest method detection limits (MDLs) and reportable detection limits (RDLs) to allow for comparison to the MCP Method 1 GW-1 risk standards. This method provides RDLs in the range of 2 to 4 ng/L and MDLs below 1 ng/L for the list of PFAS analytes reported by the laboratory. Bureau Veritas reports the results for 21 PFAS compounds, including two (2) PFAS precursor fluorotelomers. Details are presented in the laboratory report.

Refer to the attached **Table 1A**, for a summary of the GWTS #1 PFAS analytical data. The complete laboratory report is attached in **Appendix B**.

Recovery well PRW-4 is the source of the Influent groundwater. The individual concentrations of the six Massachusetts regulated PFAS (PFAS6) compounds in the Influent (PRW-4) samples for each monthly sampling round are listed on Table 1A. The sum of the six Massachusetts regulated PFAS (PFAS6) concentrations in the Influent (PRW-4) samples for each monthly sampling round was:

- 796 ng/L - January 25, 2022
- 831 ng/L - February 24, 2022
- 860 ng/L - March 22, 2022
- 686 ng/L - April 21, 2022
- 601 ng/L - May 26, 2022, and
- 621 ng/L - June 21, 2022.

The monthly totals are well above the GW-1 risk standards. However, the total PFAS6 concentrations in the Influent has continued in a downward trend since November 2020. Five of the six regulated PFAS compounds were detected at concentrations exceeding the MCP GW-1 risk standard (20 ng/L/0.020 µg/l); PFDA was detected at a concentration below the MCP GW-1 standard. PFNA was detected slightly below the MCP GW-1 standard in February, May and June 2022. Based on the splitting of flow from PRW-4 to both groundwater treatment systems until the GWTS #2 was shut down in February 2022, the Influent analytical results apply to GWTS #2, as well as GWTS #1 (only applicable to the January 2022 sampling round in this reporting period).

The PFAS6 compounds were detected at concentrations above the laboratory reporting limits in the January 2022 to June 2022 Midpoint samples -see Table 1A. Four of the six regulated PFAS compounds were detected at concentrations exceeding the MCP GW-1 risk standard (20 ng/L/0.020 µg/l) in some of the monthly sampling events; PFOS and PFHxS were both detected above MCP GW-1 limits in January, February, March, April and May 2022, PFOA was detected above GW-1 limits in February 2022, PFHpA was detected above MCP GW-1 limits in all six sampling rounds except for May 2022. PFNA and PFDA



were detected but at concentrations below the MCP GW-1 standard in all six-monthly samples. The sum of the PFAS6 compounds in the monthly Midpoint samples were:

- 351 ng/L - January 25, 2022
- 809 ng/L - February 24, 2022
- 157 ng/L - March 22, 2022
- 394 ng/L - April 21, 2022
- 26 ng/L - May 26, 2022, and
- 167 ng/L - June 21, 2022.

These concentrations were above the GW-1 risk standard, indicating PFAS breakthrough of GAC vessel #1.

The PFAS6 compounds were not detected in the Effluent sample above the laboratory reporting limits, which were sufficiently low to allow for comparison to the GW-1 risk standard. Furthermore, the remaining 15 PFAS compounds reported in the full laboratory report were below the laboratory's method detection limits (MDLs) in the Effluent sample; the MDLs ranged from 0.37 to 0.81 ng/L. Refer to the **Table 1A** and the complete laboratory reports in **Appendix B** for the concentrations of the remaining unregulated PFAS compounds as well as the laboratory RDLs and MDLs.

#### 5.2.2 GWTS #1 OPERATIONAL DETAILS

The attached **Table 2A** presents the GWTS #1 performance data. As presented on Table 2A, the system was off from January 29, 2022, to February 4, 2022, due to loss of power from inclement weather on January 29, 2022. The system was also offline from May 13, 2022 to May 16, 2022, when it was discovered that the recovery well (PRW-4) pump had failed during routine a routine system check. No water was being pumped into the GWTS #1 system. The county mobilized an electricians to the site and it was determined that it was a faulty relay. The relay was replaced, and the system was returned back to operation. Therefore, the system was in operation approximately 172 days during the January 2022 to June 2022 reporting period.

The combined estimated, instantaneous Influent flow rates (for GWTS #1 January 2022 to June 2022 and for GWTS #2 in January 2022 and part of February 2022) ranged from approximately 53.6 gpm to 6.2 gpm (these are approximate monthly averages for the combined instantaneous flow rates). Due to the method used to estimate the instantaneous influent flow rate (timing of rise of groundwater in the GWTS #1 Equalization Tank with both force mains discharging to it), the values noted above and shown on **Table 2A** in the Combined Instantaneous Estimated Flow Rate column apply to both systems, combined, until February 2022 when GWTS #2 was taken off-line and all Influent flow went to GWTS #1.

Therefore, during the normal mode of operation, with the flow from each force main flowing to only one system, it is assumed that roughly 50% of the instantaneous influent rates stated above actually flows to GWTS #1 for treatment. Those values are shown on **Table 2A** in the Estimated Instantaneous Flow Rate column.

As shown on Table 2A, the monthly average Estimated Instantaneous Influent Flow Rate for GWTS #1 (alone) for January 2022 was approximately 24.6 gpm. After February 18, 2022 all water was routed into GWTS #1 rather than being split between the 2 systems and Table 2A values reflect that special circumstance. The Instantaneous Influent Flow Rates are indicative of the output of PRW-4 and conveyance capacity of the influent force mains from the well to the treatment systems.

For the January 2022 to June 2022 reporting periods, the overall (average) system flow rates and gallons of groundwater treated are based on the Effluent flow meter/totalizer readings reported for the system. The monthly total gallons of groundwater treated during the January 2022 to June 2022 ranged from

approximately 0.403 million gallons (January 2022) to 0.786 million gallons (March 2022) with monthly average effluent flow rates that ranged from of 9.7 gpm to 19.5 gpm. The total gallons treated by GWTS #1 for the January to June 2022 reporting period was approximately 3.71 million gallons.

Based on the approximate gallons treated and total influent concentrations of PFAS each month a total of approximately 0.103 kilograms of PFAS were estimated to have been removed from the groundwater by GWTS #1 during the January to June 2022 reporting period. Results for each month are provided on Table 2A appended.

The average Effluent flow rates for the January 2022 portion of the reporting period are low compared to previous months; the lower flow rates reflect the reduced effluent pumping rate set at the main transfer pump in response to the leaking of treated water from the above-ground (exterior) cleanout on the Effluent gravity drain. The leaking observed indicated potential pipe damage and back up of flow in the drain. In response, the O&M contractor (GWTT) in consultation with BETA and the County reduced the speed of the transfer pump, thus reducing the treatment system flow rate.

After significant scheduling delays due to a work backlog, a pipe cleaning/jetting contractor was able to visit the Site on January 25, 2022. The contractor conveyed a camera through the effluent piping and determined that there was no visible damage or blockage within the piping. The contractor noted some slight settling along approximately 57 feet of the piping located north of the GWTS#1 building. Although backup was observed within the clean out drainage piping, it did not overflow. As a result, the County, BETA, and GWTT agreed to increase the instantaneous effluent flow rate at GWTS#1 up to approximately 40 gpm on January 25, 2022. GWTT will continue to monitor the system's effluent drainage piping in the event overflow begins again and to determine the cause of the backup or build-up of backpressure.

## 5.3 REMEDIAL MONITORING REPORT – GWTS #2

### 5.3.1 GWTS #2 MONITORING RESULTS

As previously mentioned, BETA collected performance samples from GWTS #2 system on January 25, prior to the system being shut down on February 18, 2022. Samples collected from the Influent (PRW-4), Midpoint, and Effluent ports were submitted to Bureau Veritas for the laboratory analysis of Total PFAS via USEPA Method 537 M. As noted above, recovery well PRW-4 is the source of the Influent groundwater to both groundwater treatment systems. Therefore, the Influent analytical results apply to GWTS #2, as well as GWTS #1.

The attached **Table 1B**, summarizes the GWTS #2 PFAS analytical data. The complete laboratory report is attached in **Appendix B**.

As previously mentioned, the tabulated treatment system analytical results from GWTS #2 are reported and compared to the PFAS6 compounds and their respective MCP Method 1 GW-1 Standards. The total sum of the six PFAS concentrations in the January 25, 2022 Influent sample was 795.5 ng/L (0.796 µg/L), well above the GW-1 risk standards. Five of the six regulated PFAS compounds were detected at concentrations exceeding the new MCP GW-1 risk standard (0.020 µg/l or 20 ng/L).

The PFAS6 compounds were detected at concentrations above the laboratory reporting limits in the January 2022 Midpoint sample; four of the PFAS6 compounds, PFOS, PFOA, PFHxS, and PFHpA, were detected at concentrations above the GW-1 risk standard. The sum of the PFAS6 compounds (from this Midpoint sample) was 718.6 ng/L, well above the GW-1 risk standard and indicating PFAS breakthrough of carbon in vessel #1.

The PFAS6 compounds were detected in the Effluent sample above the laboratory reporting limits and well above the applicable GW-1 risk standards (740.8 ng/L), thus indicating that full breakthrough of the



carbon had occurred within the system. Upon receipt of these results, BETA informed the system operator to shut down GWTS#2 until a carbon change can be achieved. The results were not received until after the January 2022 reporting period; the shutdown is discussed further below. The January 25, 2022 performance sampling results are summarized in **Table 1B**, and a copy of the laboratory report is in **Appendix B**.

### 5.3.2 GWTS #2 OPERATIONAL DETAILS

The attached **Table 2B** summarizes the GWTS #2 performance details. The system was off from January 29, 2022, to February 4, 2022, due to loss of power from inclement weather on January 29, 2022. The system was shut down again on February 18, 2022, as a result of breakthrough observed during the previous monthly reporting period (January 2022). All Influent groundwater was then routed into GWTS #1. Therefore, the system was operational for approximately 43 days during the January to June 2022 reporting period.

Due to contractual and administrative funding constraints, the system remained off-line throughout the remainder of the reporting period. In August 2022, the GAC was removed from two GWTS #2 vessels and the internal discharge piping was inspected. No damage or problems with the vessels were observed.

At the time of the filing of this status report, GWTS #2 remains off-line until the contractual status of its rental, operation and maintenance are resolved. New GAC has been procured and the system is ready to be re-filled and re-started. BETA, the County, and the GAC vendor, Carbon Filtration Systems of Johnston, RI will continue to coordinate the carbon re-filling and re-start of the system. GWTS #2 will be re-started as soon as administratively feasible. .

As described in previous sections, during the normal mode of operation, with the flow from each force main flowing to only one system, it is assumed that roughly 50% of the instantaneous influent rates discussed above for GWTS #1 *actually* flow to GWTS #2 for treatment. Based on that assumption, for the January 2022 reporting period, the calculated average estimated instantaneous flow rate for GWTS #2 was approximately 24.6 gpm. As noted in the GWTS #1 performance review above, during this reporting period, the instantaneous influent flow rates (total to both systems) remained fairly consistent.

The overall (average) system flow rate and gallons of groundwater treated were based on the Effluent Flow Rate/net totalizer readings reported for the system by the GWTT; approximately 0.628 million gallons of groundwater were estimated to be treated during the abbreviated operational time for GWTS #2 for this reporting period, at an approximate Average Effluent Flow Rate of 122 gpm. Effluent flow rates and gallons of groundwater treated are considerably lower than expected in comparison to the increase in influent flow rates. As discussed in 4.2.2, the treatment/flow rate of GWTS #1 had to be turned down significantly in response to leaking and backup in the effluent drain. This resulted in GWTS #1 not able to meet the demand of the increased influent flow rates from the pump at PRW-4 (after rehabilitation in November 2021). As a result, the high-level alarm in the GWTS #1 EQ tank is triggered more frequently. This alarm shuts off the pump at PRW-4 that conveys groundwater to both GWTS#1 and GWTS#2. The pump remains off until GWTS #1 can drawdown the volume retained in the EQ tank. During the reporting period, this drawdown took longer than in other periods because of the intentionally reduced treatment rate. This mismatch between influent and effluent flow rates in GWTS #1 and the control system setup also resulted in a significant reduction in influent to and average treatment rate (Effluent Rate) through GWTS #2.

Based on 0.628 million gallons treated, approximately 0.0011 kilograms of PFAS were estimated to have been removed from the groundwater by GWTS #2 during this abbreviated operational reporting period.

## 5.4 REMEDIAL MONITORING REPORT SUMMARY

During the January to June 2022 reporting period, treatment system GWTS #1 was in operation for all or portions of 172 days. GWTS #2 was in operation for all or portions of 43 days. The overall (average) system flow rate and gallons of groundwater treated, based on the available Effluent flow totalizer readings for both systems, was approximately 4.34 million gallons.

**Figure 5** depicts the concentration trends observed in groundwater at the extraction well PRW-4, as measured as the Influent to the groundwater treatment systems. In addition, the Midpoint concentrations for GWTS #1 are graphed. Due to the nature of the laboratory data reported from 2015 until December 2019, this graph depicts the total concentration of the PFOS and PFOA compounds only. Following a spike in concentrations in mid-2019, PFOS and PFOA concentrations have generally decreased, or have remained relatively stable at PRW-4. The detected concentrations remain elevated relative to the GW-1 risk standards.

## 5.5 QUARTERLY GROUNDWATER MONITORING

Groundwater monitoring activities related to the documented PFAS Release on Site have been ongoing since November 2013. BETA, formerly Nover-Armstrong Associates, was contracted by Barnstable County to provide LSP and environmental services in April 2018 and has conducted groundwater monitoring activities since June 2018.

In November 2018, BETA proposed a long-term monitoring sampling plan for Site-wide groundwater monitoring on a quarterly and annual basis. Following discussion, MassDEP approved of the sampling plan that included sampling of twelve (12) wells during three quarterly sampling events and sampling an additional eight (8) wells (for a total of twenty (20)) during the annual sampling round.

A copy of the plan can be found in previous IRA Status report submittals, including IRA Status Report and RMR No. 35 for the October 2019 reporting period. Additional monitoring points are added to either the quarterly or annual sampling round, as warranted to meet specific objectives or provide additional coverage.

BETA has conducted quarterly groundwater assessments since January 2019 under the approved program. The January 2019 event was selected as the original annual monitoring program for 2019 utilizing the selected 20 monitoring wells. In order to support the design of the proposed groundwater recovery expansion (an IRA Plan Modification), it was decided to move the annual monitoring round up to October 2019, and to add several wells to the sampling program. Since that time, the expanded annual list of monitoring wells has been sampled in October or November.

## 5.6 JANUARY 2022 SITE-WIDE QUARTERLY GROUNDWATER SAMPLING AND ANALYSIS

The January 2022 sampling event was reported in the January IRA Status Report No. 62. For completeness, the activities and results of the January 2022 sampling event are reported again in this six-month status report.

From January 25 to 26, 2022, BETA conducted a quarterly groundwater monitoring event based on the MassDEP approved sampling plan. A total of 13 monitoring wells were sampled for the laboratory analysis of total PFAS by EPA Method 537 Modified. On those dates the following monitoring wells were sampled: HSW-6, PFW-1, PFW-5, OW-8A, PC-1, PC-6A, PC-11, PC-16d, PC-28, PC-30, PC-38, MW-12S, and MW-22. **Figure 2** and **Figure 3** depict sampling locations.

Monitoring wells located within the immediate vicinity of the FTA property were gauged prior to sampling. Groundwater gauging data and groundwater elevation data are included in **Table 3**, appended.

Monitoring wells HSW-6, PFW-1, PFW-5, OW-8A, are located on the FTA property; HSW-6 is located within the former Hot Spot remediation area and PFW-1 is located downgradient of the former Hot Spot remediation area. PFW-5 and OW-8a are located cross-gradient of the Hot Spot area on the FTA property. Monitoring well PC-38 is located approximately 750 feet southeast of the FTA property.

The downgradient monitoring wells (MW-12S, MW-22, PC-1, PC-11, and PC-6A), located between the FTA and the recovery well (PRW-4), were selected based on previous results to evaluate current conditions within the main PFAS plume.

Monitoring wells PC-16d, PC-28, PC-30, are located in the probable downgradient direction from recovery well PRW-4.

The PFAS analytical data for the most recent January 2022 sampling round are included in **Table 4A**. A copy of the laboratory report/certificate of analysis for the (January 2022) sampling event is included in **Appendix C**. The laboratory report in Appendix C presents all analytical results for all reported PFAS compounds, including laboratory detection and reporting limits. As previously discussed, effective December 27, 2019, MCP groundwater risk standards for 6 PFAS compounds, (PFOS, PFOA, PFHpA, PFNA, PFHxS, and PFDA) apply to the Site with a GW-1 risk standard of 20 ng/l for the total and/or any single compound. These risk standards are included on **Table 4A** and **Table 4B**.

Individual concentrations of (one or more) regulated PFAS6 compounds and Total Concentrations of the PFAS6 detected in the samples from the January 2022 sampling event were above the MCP GW-1 risk standards, except at PC-38. As noted, the results for the additional 17, unregulated PFAS compounds reported by the laboratory are included in the attached laboratory report (Appendix C).

Table 4A and 4B summarizes the sampling dates and PFAS6 concentrations detected during all sampling events at the Site. All previous laboratory reports were included with previously submitted status reports. Overall, PFAS concentrations detected in groundwater during the January 2022 quarterly round of groundwater assessment are similar to historic ranges. Although the total PFAS6 concentrations documented in groundwater are significantly above the current, applicable MCP Method 1 risk standards, concentrations have trended towards a significant decrease in some areas of the Site since PFAS assessment activities started in 2015, especially in the Hot Spot/ Phase 1 cap area. To date, assessment at the Site has revealed PFAS contamination within shallow soils and the immediate vadose zone. Exceptions to the general trend are discussed below.

BETA's review of the January 2022 groundwater data compared to historic sampling events indicate that concentrations of PFAS documented in groundwater within the Disposal Site are primarily decreasing or relatively stable; however, there are some exceptions. Data trends are figures are discussed below in Section 5.8; they were also presented and discussed in the January IRA Status Report No. 62.

## 5.7 SITE-WIDE GROUNDWATER GAUGING AND ELEVATION SURVEY

BETA gauged depth to groundwater in the monitoring wells located on and within 100 feet of the FTA and in selected monitoring wells east and southeast of the FTA on January 25, 2022 and April 21, 2022. **Table 3** presents a tabulated summary of the seasonal groundwater elevation data (from 2018-2022) for selected monitoring points across the Disposal Site.

Groundwater flow has historically been inferred to be to the south-southeasterly from the former FTA. Refer to **Figure 11** for a depiction of the calculated groundwater elevation contours from the January 2022 gauging event. This 2022 data indicate a continuation of the historic pattern near the FTA but a more easterly flow pattern away from the facility. The gauging results indicate moderate influence from the

operating recovery well, PRW-4. Groundwater elevations near and across the power line easement exhibit an erratic pattern; the cause or causes of this pattern are unknown.

## 5.8 APRIL 2022 SITE-WIDE QUARTERLY GROUNDWATER SAMPLING AND ANALYSIS

On April 20 and 21, 2022, BETA conducted a quarterly groundwater monitoring event based on the MassDEP approved sampling plan. A total of 14 monitoring wells were sampled for the laboratory analysis of total PFAS by EPA Method 537 Modified. On those dates the following monitoring wells were sampled: PFW-1, PFW-2, PFW-5, OW-8A, PC-1, PC-6A, PC-11, PC-16d, PC-28, PC-30, PC-34s, MW-3s, MW-12s, and MW-22. **Figure 2** and **Figure 3** depict sampling locations. In addition, two equipment rinsate samples and two duplicates were submitted for PFAS analysis for quality control purposes.

Monitoring wells located within the immediate vicinity of the FTA property were gauged prior to sampling. Groundwater gauging data and groundwater elevation data are included in **Table 3**, appended.

Monitoring wells PFW-1, PFW-2, PFW-5, OW-8a, and MW-3s are located on the FTA property; PFW-6 is located within the former Hot Spot remediation area and PFW-1 is located downgradient of the former Hot Spot remediation area. PFW-5, OW-8a, and MW-3s are located cross-gradient of the Hot Spot area on the FTA property. Monitoring well PC-34s is located immediately south of the FTA property near Flintrock Pond.

The downgradient monitoring wells (MW-12S, MW-22, PC-1, PC-11, and PC-6A), located between the FTA and the recovery well (PRW-4), were selected based on previous results to evaluate current conditions within the main PFAS plume.

Monitoring wells PC-16d, PC-28, PC-30, are located in the probable downgradient direction from recovery well PRW-4.

The PFAS analytical data for the most recent April 2022 sampling round are included in **Table 4A**. A copy of the laboratory report/certificate of analysis for the (April 2022) sampling event is included in **Appendix C**. As previously discussed, effective December 27, 2019, MCP groundwater risk standards for 6 PFAS compounds, (PFOS, PFOA, PFHpA, PFNA, PFHxS, and PFDA) apply to the Site with a GW-1 risk standard of 20 ng/l for the total and/or any single compound. These risk standards are included on **Table 4A** and **Table 4B**. The laboratory report in Appendix C presents all analytical results for all reported PFAS compounds, including quality control samples, and lists the laboratory detection and reporting limits.

Individual concentrations of (one or more) regulated PFAS6 compounds and Total Concentrations of the PFAS6 detected in the samples from the April 2022 sampling event were above the MCP GW-1 risk standards. As noted, the results for the additional 15, unregulated PFAS compounds reported by the laboratory are included in the attached laboratory report (Appendix C).

Table 4A and 4B summarizes the sampling dates and PFAS6 concentrations detected during all sampling events at the Site. Laboratory reports for sampling events prior to this reporting period (including the January 2022 report) were included with previously submitted status reports. Overall, PFAS concentrations detected in groundwater during the April 2022 quarterly round of groundwater assessment are similar to historic ranges. Although the total PFAS6 concentrations documented in groundwater are significantly above the current, applicable MCP Method 1 risk standards, concentrations have trended towards a significant decrease in some areas of the Site since PFAS assessment activities started in 2015, especially in the Hot Spot/ Phase 1 cap area. Exceptions to the general trend are discussed below.

As noted, BETA's review of the April 2022 groundwater data compared to historic sampling events indicate that concentrations of PFAS documented in groundwater within the Disposal Site are primarily decreasing or relatively stable; however, there are some exceptions.

**Figures 6 through 9**, attached and discussed below, are graphical presentations of total (sum of) PFAS6 concentrations for selected monitoring wells in representative locations across the Disposal Site. It should be noted that the graphs depict discrete periodic sampling events at varying intervals from initial sampling in April 2015 and at quarterly intervals (typically) since January 2019. In addition, due to the range of PFAS concentrations, the graphs have different scales on the vertical axes for PFAS concentrations.

**Figure 6** depicts the concentration trends observed in groundwater at monitoring well PFW-1. Since the implementation of the Phase I stormwater improvements during the winter of 2018/2019, which included installing an impermeable cap over the former Hot Spot removal area and adjacent areas and diverting stormwater, PFAS concentrations have generally decreased significantly through mid-to late-2019 and have since remained relatively steady at elevated levels relative to the GW-1 risk standards. A slight increase in concentrations was observed from the July 2021 sampling event to the April 2022 sampling event. This fluctuation appears to be within the range established since July 2020. The recent fluctuation may be due to building demolition and the preparation for the cap in August through October 2021. The former live fire training buildings were demolished in relatively close proximity to PFW-1 and all facility equipment and apparatus were removed from the area that PFW-1 is located in. During construction, the area was regraded for the installation of hot mixed asphalt pavement.

**Figure 7** depicts the significantly downward trend of PFAS6 concentrations observed in groundwater monitoring well OW-8A, through the October 2020 quarterly sampling event; since October 2020 concentration trends have varied. A noticeable increase in PFAS6 concentrations from the October 2020 to the January 2021 sampling event was observed; subsequently, PFAS6 concentrations in OW-8A were detected at least 700 ppt less than concentrations observed from January 2021 to July 2021. A significant spike in PFAS6 concentrations was detected in the November 3, 2021 sample. Although the cause of these fluctuations is not known, it is BETA's opinion that variable precipitation amounts may be influencing the concentration shifts. Lower concentration amounts may be attributed to lower-than-average precipitation rates. The concentration spikes observed in the November 2021 event may be attributed to significantly increased precipitation that fell from September to October 2021 (before paving was completed) or possibly to disruption related to Site demolition and capping. The PFAS6 concentrations in the January 2022 sample decreased significantly to within the previously observed range, which may be attributed to the completion of the cap in early November 2021. The April 2022 sampling indicated an increase in PFAS6 concentrations compared to the January 2022 results; the cause of the spike and the variability since July 2021 is not known. However, the April 2022 concentration was within historical range of PFAS concentrations between 2018 to present at the Site.

MW-12 and MW-22 are located between the FTA and recovery well PRW-4, but along a more northerly line towards Mary Dunn Well No. 3. PFAS concentrations documented in wells MW-12 and MW-22 have continued to exhibit relatively stable concentration trends. These trends are depicted in **Figure 8**.

PFAS concentrations documented in wells located farther southeast and downgradient of the FTA, specifically PC-6A, PC-11, PC-28, PC-16D, and PC-30, have long term variable trends. Figures 9A, 9B, 9C and 9D depict PFAS concentration trends in PC-6A, PC-11, PC-28, and PC-30 respectively.

PC-6A (**Figure 9A**) shows variable concentrations. Concentrations observed since the spring of 2019 were relatively stable with a relative decreasing trend through July 2021. However, there has been an upward trend since July 2021, including the April 2022 results. The cause of this upward trend is unknown but may be indicative of plume migration to the southeast.



As depicted on **Figure 9B**, groundwater concentrations at PC-11 have been relatively stable since the significantly decreasing after October 2020. PC-11 is located directly between the south end of the FTA and recovery well PRW-4.

Groundwater concentrations at PC-28 are depicted on **Figure 9C**; PC-28 is located east and downgradient of recovery well PRW-4. PFAS 6 concentrations were significantly higher in October 2020 and January 2021 than previously detected. In the April 2021, November 2021, and January 2022 samples detected PFAS6 concentrations trended around 1,000 ng/l. PFAS6 concentrations were significantly lower in the July 2021 sample and increased above 1,000 ng/L again in the April 2022 sample.

As shown on **Figure 9D**, since February 2020, PFAS6 concentrations at PC-30 have exhibited an overall decreasing trend.

Utilizing the total sum of the six regulated PFAS compounds, concentration data were interpolated to depict an approximate concentration plume map based on the January 2022 monitoring results. **Figure 10** depicts the concentration plume for the January 2022 monitoring results; the highest concentrations within the PFAS contaminant plume appear to be concentrated south and east and within approximately 200 feet of the FTA and in the vicinity of PRW-4. The lowest concentrations (below the Method 1 GW-1 standards) are on the outer northeastern and southeastern edges of the plume. Of note, public comments on the Phase II CSA Scope of Work included the observation that PFAS6 concentrations greater than the MassDEP GW-1 risk standard and Maximum Contaminant Level of 20 ng/l have been regularly documented in water produced by the Mary Dunn 1, 2 and 3 municipal wells, but Figure 10 does not show the plume extending to those wells. The validity of that comment has been noted. Barnstable County and BETA have not received updated PFAS analytical data for the Mary Dunn wells since July 2021. In future IRA Status Reports and other relevant MCP submittals, plume mapping will be updated to be consistent with updated data provided for the municipal wells.

## 6.0 IRA EVALUATION

In accordance with the MCP, this section presents evaluations of potential IRA conditions at the Site.

### 6.1 ASSESSMENT FOR SUBSTANTIAL RELEASE MIGRATION (SRM)

Due to the documentation that PFAS has most likely migrated more than 200 feet downgradient and has been detected in a public water supply well and surface water body, the Site meets the criteria for a Condition of Substantial Release Migration (SRM), as defined by 310 CMR 40.0006.

### 6.2 IDENTIFICATION OF CRITICAL EXPOSURE PATHWAYS (CEP)

No Critical Exposure Pathways, as defined by 310 CMR 40.0006, currently exist at the Disposal Site.

### 6.3 IMMINENT HAZARD (IH) EVALUATION

Based on the concentrations of PFOS exceeding the USEPA HA level in the Mary Dunn wells in 2013, the Cape Cod Commission identified the presence of an Imminent Hazard (IH) condition pursuant to 310 CMR 40.0321(2)(c). Raw groundwater produced by the Mary Dunn wells contains PFAS 6 concentrations in excess of Massachusetts Maximum Contaminant Levels (MMCL) for public drinking water supplies.

The GAC treatment of the Mary Dunn Wells is assumed to be actively preventing a potential Imminent Hazard to the Hyannis community by removing the PFAS 6 compounds from the water supply. The Mary Dunn wells are monitored on a regular basis by the Hyannis Water Department to ensure that exposure

to humans is less than the USEPA HA, the MassDEP MCP GW-1 standards effective on December 27, 2019 and the final MMCL standard. MassDEP finalized the MMCLs for PFAS in January 2021; the final MMCL for PFAS in drinking water is 20 ng/l and applies to the sum or individual concentrations of the 6 regulated PFAS compounds.

#### **6.4 ASSESSMENT OF NEED FOR IMMEDIATE RESPONSE ACTIONS (IRA)**

The operation of the on-Site groundwater pumping and treatment system to reduce PFAS concentrations downgradient of the FTA will continue as an IRA. Continuation of assessment IRAs is warranted; specifically, periodic monitoring of groundwater at the Site and monitoring the PFAS treatment of the output of the Hyannis Water District/Town of Barnstable operated Mary Dunn Wells.

However, Site-wide assessment will be proceeding under the Phase II Comprehensive Site Assessment (CSA) Scope of Work (SOW); the Final Phase II CSA Scope of Work was submitted to MassDEP on March 23, 2022. Additional technologies to treat / remove PFAS from soil and groundwater at the FTA will be evaluated at a later time as part of the MCP Phase III evaluation of remedial alternatives.

In addition, planned expansion of groundwater extraction and treatment, as mandated by MassDEP, was described conceptually in the final December 2019 IRA Plan Modification. The final design and implementation of that component of the IRA Plan Modification is being re-evaluated in terms of feasibility of implementation as an IRA and potential overlap and duplication with MCP Phase III and Phase IV (remedy implementation) work to be conducted immediately following the completion of the Phase II CSA.

#### **7.0 PUBLIC NOTIFICATIONS**

Copies of public notification letters regarding the proposed IRA activities sent to officials of the Town of Barnstable in accordance with MCP 310 CMR 40.1403(3) (a) requirements are included as **Appendix D**. Per the Final PIP, email and written notifications regarding the submittal of this IRA Plan Modification to MassDEP and the availability of the Plan at the Site repository will be sent to those listed on the PIP Mailing List.

As previously mentioned, MassDEP communicated to the County and BETA that based on the current project status, monthly submissions of IRA status and remedial monitoring reports (RMR) would no longer be required. Upon further discussion with MassDEP, it was established that a six-month submittal schedule for IRA Status and RMR reports will be acceptable. This IRA Status RMR-No. 63 for the January to June 2022 reporting period will be the first report submission within this new schedule.

However, quarterly updates regarding clean up and remediation activities of the PFAS release at the Site will be provided to the public, more specifically those listed on the Public Involvement mailing list. These updates will be in the form of written notices and/or public meetings.

Written correspondence will be sent to those listed on the PI Mailing List notifying them of the submission of this IRA Status report and availability of this report for review.

## TABLES



**Table 1A - Summary of Groundwater Pump and Treatment System Total PFAs Analytical Data - GWTS #1**  
**Barnstable County Fire and Rescue Training Academy**  
**155 Flint Rock Road, Barnstable, MA**  
**RTN 4-26179**

SAMPLE ID	INFLUENT (PFW-4)												MIDPOINT												EFFLUENT																							
	PFOS (ng/L)				PFOA (ng/L)				PFNA (ng/L)				PFHxS (ng/L)				PFHpA (ng/L)				PFDA (ng/L)				PFOS (ng/L)				PFOA (ng/L)				PFNA (ng/L)				PFHxS (ng/L)				PFHpA (ng/L)				PFDA (ng/L)			
	20 ng/L												20 ng/L												20 ng/L																							
SAMPLE DATE																																																
4/1/2015	760	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
7/17/2015	5600	460	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
8/4/2015	5900	550	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
9/30/2015	17000	840	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
10/15/2015	9900	560	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
11/12/2015	9000	BRL (<2000)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
1/6/2016	7600	260	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
1/21/2016	5200	160	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
2/3/2016	3500	140	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
2/17/2016	4500	140	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
3/8/2016	3700	140	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
3/23/2016	5000	150	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
4/14/2016	4800	140	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
4/28/2016	6300	BRL (<200)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
5/12/2016	6800	BRL (<200)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
5/25/2016	6900	BRL (<210)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
6/16/2016	7800	160	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
7/6/2016	7600	270	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
8/11/2016	13000	160	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
Carbon change conducted after sample collection on 08/11/16.																																																
8/18/2016	9500	210	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
9/8/2016	9500	190	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
9/8/2016	9500	190	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
10/6/2016	17000	250	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
10/20/2016	7200	130	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
11/3/2016	7900	110	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
11/17/2016	5400	99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
12/1/2016	5300	100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
12/14/2016	5700	95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
1/4/2017	4900	95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
2/16/2017	2800	88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
3/1/2017	3700	120	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
3/23/2017	3800	87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
5/3/2017	2400	86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
Carbon change conducted on 04/13/17.																																																
4/19/2017	3200	110	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
5/18/2017	3000	110	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
6/1/2017	3200	110	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
6/27/2017	2600	99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
7/18/2017	3500	97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
Carbon change conducted on 8/09/17.																																																
8/16/2017	3000	110	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
8/28/2017	2900	100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
10/2/2017	3200	85	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
10/11/2017	4000	110	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
11/5/2017	2400	77	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
11/20/2017	2000	64	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
12/7/2017	1600	64	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
2/5/2018	2100	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
2/14/2018	2100	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
System shutdown on 2/14/18 due to transfer pump failure; system restart on 4																																																

**Table 1B - Summary of Groundwater Pump and Treatment System Total PFAS Analytical Data -GWTS #2**  
**Barnstable County Fire and Rescue Training Academy**  
**155 Flint Rock Road, Barnstable, MA**  
**RTN 4-26179**

SAMPLE ID	INFLUENT (PRW-4)						MIDPOINT						EFFLUENT					
USEPA Method 537.2	PFOS (ng/L)	PFOA (ng/L)	PFNA (ng/L)	PFHxS (ng/L)	PFHpA (ng/L)	PFDA (ng/L)	PFOS (ng/L)	PFOA (ng/L)	PFNA (ng/L)	PFHxS (ng/L)	PFHpA (ng/L)	PFDA (ng/L)	PFOS (ng/L)	PFOA (ng/L)	PFNA (ng/L)	PFHxS (ng/L)	PFHpA (ng/L)	PFDA (ng/L)
MCP Method 1 GW-1 Standard 3*	20 ng/L						20 ng/L						20 ng/L					
MCP Method 1 GW-1 Standard <sup>15</sup>	20 ng/L						20 ng/L						20 ng/L					
SAMPLE DATE																		
System Startup on 11/11/19.																		
11/12/2019	4200	53	85	200	59	15	BRL (<5.2)	BRL (<7.4)	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)	BRL (<5.2)	BRL (<7.4)	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)
11/15/2019	--	--	--	--	--	--	BRL (<5.2)	BRL (<7.4)	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)	BRL (<5.2)	BRL (<7.4)	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)
11/19/2019	--	--	--	--	--	--	BRL (<5.2)	44	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)	BRL (<5.2)	42	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)
12/17/2019 <sup>16</sup>	1500	43	51	180	54	10	BRL (<5.2)	BRL (<7.4)	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)	BRL (<5.2)	BRL (<7.4)	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)
1/17/2020	2200	57	60	220	69	13	BRL (<5.2)	BRL (<7.4)	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)	BRL (<5.2)	BRL (<7.4)	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)
2/13/2020	3100	74	66	310	92	17	BRL (<5.2)	BRL (<7.4)	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)	BRL (<5.2)	BRL (<7.4)	BRL (<4.9)	BRL (<5.2)	BRL (<7.1)	BRL (<4.1)
3/3/2020	3300	72	64	300	81	14	5.6	BRL (<0.23)	BRL (<0.48)	BRL (<0.33)	BRL (<0.37)	BRL (<0.18)	BRL (<0.43)	BRL (<0.23)	BRL (<0.48)	BRL (<0.33)	BRL (<0.37)	BRL (<0.18)
4/28/2020	1900	52	42	210	56	42	64	2.2	1.7	9.7	3.0	0.27	0.47	BRL (<0.23)	BRL (<0.48)	BRL (<0.33)	BRL (<0.37)	BRL (<0.18)
5/21/2020	1800	46	40	200	50	11	76	2.8	2.0	10	3.6	0.52	BRL (<0.43)	BRL (<0.23)	BRL (<0.48)	BRL (<0.33)	BRL (<0.37)	BRL (<0.18)
6/24/2020	1400	41	41	160	49	19	39	2.9	2.3	12	4.3	1.1	0.84	BRL (<0.49)	BRL (<0.80)	BRL (<0.53)	BRL (<0.51)	BRL (<0.64)
7/28/2020	1700	44	43	200	52	12	84	3.8	3.3	17	5.7	0.76	BRL (<0.43)	BRL (<0.49)	BRL (<0.80)	BRL (<0.53)	BRL (<0.51)	BRL (<0.64)
8/27/2020	1400	42	38	170	48	9	6.1	BRL (<0.49)	BRL (<0.80)	1.2	0.61	BRL (<0.64)	BRL (<0.43)	BRL (<0.49)	BRL (<0.80)	BRL (<0.53)	BRL (<0.51)	BRL (<0.64)
9/23/2020	2000	46	50	200	57	14	18	0.79	0.86	2.4	1.3	BRL (<0.64)	BRL (<0.43)	BRL (<0.49)	BRL (<0.80)	BRL (<0.53)	BRL (<0.51)	BRL (<0.64)
10/20/2020	2300	49	50	230	63	15	7.5	0.64	BRL (<2.0)	1.4	1.0	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
11/24/2020	2300	59	43	240	71	18	120	3.2	2.4	17	5.0	0.92	1.5	0.52	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
12/21/2020	1400	51	42	200	60	9.0	190	7.5	5.2	23	9.3	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
1/27/2021	1000	47	36	170	49	7.7	190	11	7.3	37	13	1.5	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
2/23/2021	2300	67	54	290	80	14	52	3.5	2.4	12	4.7	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
3/12/2021	1100	54	43	210	57	11	370	18	15	70	22	3.3	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
4/21/2021	690	28	25	100	32	7.6	120	7	5.3	22	9.3	1.7	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
4/21/2021	690	28	25	100	32	7.6	120	7	5.3	22	9.3	1.7	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
5/20/2021	970	32	38	130	37	10	BRL (<0.43)	BRL (<0.49)	BRL (<0.80)	BRL (<0.53)	BRL (<0.51)	BRL (<0.64)	42	3.1	2.4	9.1	4.9	BRL (<0.64)
System performance samples were not collected for the June 2021 Reporting Period because the System was shutdown as a result of breakthrough observed during the previous reporting period (May 2021).																		
Carbon change conducted on 07/06/2021; system restarted on 07/09/2021.																		
7/23/2021	720	26	29	95	30	9.3	310	11	12	39	13	4.5	BRL (<2.0)	0.51	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
8/25/2021	570	14	17	79	24	BRL (<3.9)	530	14	16	80	21	BRL (<3.9)	25	BRL (<5.0)	BRL (<5.1)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
9/20/2021	480	19	19	90	28	5.1	530	19	22	91	28	6.7	1.6	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
11/2/2021	560	19	21	90	30	6.2	540	17	19	85	28	6.2	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
11/17/2021	640	21	22	97	34	6.9	2.5	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	0.88	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)
12/16/2021	570	19	20	92	30	6.4	1.3	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	BRL (<2.0)	1	0.53	BRL (<2.0)	BRL (<2.0)	0.9	BRL (<2.0)
1/25/2022	600	23	20	110	37	5.5	530	21	19	110	34	4.6	550	22	18	110	36	4.8
System performance samples were not collected for the February 2022 Reporting Period because the System was shutdown (2/18/22) as a result of breakthrough observed during the previous reporting period (January 2022).																		

Notes:

- Concentrations presented in ng/L - nanograms per Liter - parts per trillion
- MassDEP's Office of Research and Standards (ORS) expanded upon the USEPA's Health Advisory and created the ORS Guideline that applies to the total summed of five PFAS chemicals, PFOS, PFOA, PFNA, PFHxS, and PFHpA, effective June 11, 2018.
- Concentrations of the PFAS compound, PFDA, are presented based on the April 19, 2019, MassDEP draft of new/proposed groundwater standards for PFAS that includes a sixth, PFAS compound, PFDA. However the concentration of PFDA is not included in total PFAS removal calculations.
- BRL - Below Laboratory Reporting Limits; reporting limit shown in parentheses.
- Concentrations in **bold** exceed applicable MassDEP ORS Guideline
- PFOS - Perfluorooctanesulfonic acid
- PFOA - Perfluorooctanoic Acid
- PFNA - Perfluorononanoic Acid
- PFHxS - Perfluorohexanesulfonic acid
- PFHpA - Perfluoroheptanoic Acid
- PFDA - Perfluorodecanoic Acid
- : Concentration data not available and/or sample was not collected on that date.
- Per MCP Regulations, the system was sampled one day, three days, and seven (7) days following the initial week of startup (11/11/19).
- On December 13, 2019, MassDEP published the newly established clean up standards for PFAS in soil and groundwater. These standards were effective as of December 27, 2019 and apply to the total sum of six PFAS chemicals, PFOS, PFOA, PFNA, PFHxS, PFHpA, and PFDA. Concentrations of the six PFAS compounds presented in the table were not compared to the new MassDEP standards until the January 2020 monthly system sample collection.
- The December monthly sample was collected from the system's effluent stream on 12/17/2019 following the receipt of the laboratory results from the 11/19/2019 sampling event on 12/16/2019. The effluent was resampled again to ensure significant breakthrough was not occurring from the secondary carbon vessel.

Table 2A - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 1 (GWTS #1)  
Barnstable County Fire and Rescue Training Academy  
155 Flint Rock Road, Barnstable, MA  
RTN 4-26179

[illegible]

Table 2A - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 1 (GWTS #2, Barnstable County Fire and Rescue Training Academy  
155 Flint Rock Road, Barnstable, MA  
RTN 4-26179

[illegible]

Table 2A - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 1 (GWTS #2, Barnstable County Fire and Rescue Training Academy  
155 Flint Rock Road, Barnstable, MA  
RTN 4-26179

Date	Operator	System Operating on	Inlet Gas Flow Differential (Change in gpm)				Outlet Gas Flow Differential Pressure (gpm)				4" Relief Tank (Flow Rate gpm)				Reboiler	Stripper	Estimator Year (gpm)	System Operating on	System Operating on	Comments		
			Pre	Post	Design 1	Design 2	Design 3	Design 4	Combined Estimated Inlet Flow (gpm)	Estimated Inlet Flow (gpm)	Stripper Operating on	Inlet, Outlet Flow Rate (gpm)	Instantaneous Flow Rate (gpm)	Stripping (gpm)							Reboiler (gpm)	Average Estimated Flow Rate (gpm)
4/10/2018	ST	Yes	--	--	--	40	28	40	28	2.25	54.4	NA	1	--	--	--	--	0.002	Yes	No	Completed system pressure checks and changed bag filters.	
4/10/2018	ST	Yes	--	--	--	40	28	--	--	--	NA	3	--	--	--	--	--	--	0.002	Yes	No	Completed system pressure checks.
4/10/2018	ST	Yes	--	--	--	50	40	50	50	2.25	58.0	NA	--	--	--	--	--	--	0.004	Yes	No	Completed system pressure checks and changed bag filters.
4/10/2018	GHTT	No	--	--	--	40	30	--	--	--	NA	9	--	18.85	--	--	--	--	0.003	Yes	No	Completed system pressure checks and changed bag filters. Reboiler setpoint for 30 minutes, inspected the transfer pump and removed noise from inside the reboiler.
4/10/2018	ST	Yes	--	--	--	50	35	25	25	--	NA	10	--	--	--	--	--	--	0.003	Yes	No	Completed system pressure checks and changed bag filters.
4/11/2018	ST	Yes	--	--	--	40	25	35	35	--	NA	11	--	--	--	--	--	--	0.003	Yes	No	Completed system pressure checks and changed bag filters.
4/11/2018	GHTT	No	--	--	--	40	30	40	40	--	50.0	NA	3	--	--	--	--	--	0.002	Yes	No	Completed system pressure checks and changed bag filters.
4/11/2018	GHTT	Yes	--	--	--	55	45	55	55	4.08	50.0	NA	15	--	--	--	--	--	0.003	Yes	No	Completed system pressure checks and changed bag filters.
4/12/2018	GHTT	Yes	--	--	--	58	55	25	40	2.5	48.0	NA	10	--	--	--	--	--	0.003	Yes	No	Completed system pressure checks and changed bag filters.
4/12/2018	GHTT	Yes	--	--	--	47	35	50	50	4.08	4.00	NA	13	--	23.4	--	--	--	0.003	Yes	No	Completed system pressure checks and changed bag filters.
4/12/2018	GHTT	Yes	--	--	--	58	50	55	40	--	NA	26	--	20.3	--	--	--	--	0.003	Yes	No	Completed system pressure checks and changed bag filters, conducted general housekeeping duties.
4/12/2018	GHTT	No	--	--	--	--	--	--	--	--	NA	29	--	--	--	--	--	--	0.003	Yes	No	System off on order due to contact relay failure for transfer pump operation, system restarted at 14:29 on contact relay was replaced.
4/13/2018	GHTT	Yes	--	--	--	55	35	45	50	2.18	56.2	NA	5	--	52.93	--	--	--	0.003	Yes	No	Completed system pressure checks and changed bag filters.
4/13/2018	GHTT	Yes	--	--	--	58	38	50	55	2.05	58.8	NA	7	--	31.57	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters.
4/14/2018	GHTT	No	--	--	--	--	--	--	--	--	NA	--	--	--	--	--	--	--	0.003	Yes	No	Completed system pressure checks and changed bag filters.
4/15/2018	GHTT	No	--	--	--	55	38	--	--	--	NA	10	--	--	--	--	--	--	0.003	Yes	No	Completed system pressure checks and changed bag filters.
4/15/2018	MEM	No	--	--	--	57	30	57	60	1.83	66.0	NA	14	--	33.38	--	--	--	0.004	Yes	No	Inspected bag filter, replaced bag filter. System shutdown due to power outage from truckloads. Shutdowns added 15 minute electronic delay of the control panel in the system shell, creating 15 minute delay before bag filter at RW-4000 on 4/15/2018. "Lost Switch" fault.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Power surge from riggeed voltage at electric equipment "Tied" the electric delay at control panel to system shell. Electrician diagnosed delay at system panel at 11:10. Electrician changed out 4/16/2018. 4 panel to lower voltage at later time. Completed system pressure checks and changed bag filters.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--	--	--	58	35	58	60	2.063	58.8	NA	17	--	25.36	--	--	--	0.007	Yes	No	Completed system pressure checks and changed bag filters. Supplied material to allow 15 minute delay on RW-4000 convertible pump flow switch.
4/16/2018	GHTT	Yes	--																			

Table 2A - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 1 (GWTS #1)  
Barnstable County Fire and Rescue Training Academy  
115 Fleet Back Road, Barnstable, MA  
01916-0019

Date	Operator	System Operating as Intended	Influent Bag Filter Differential Pressure (psi)		Post-Filter Chamber Differential Pressure (psi)		4" Influent Test Valve (psi)		Influent Flow Rate (gpm)*	Estimated Instantaneous Effluent Flow Rate (gpm)*	Days System Operating	Instantaneous Effluent Flow Rate (gpm)*	Estimated Instantaneous Effluent Flow Rate (gpm)*	Total Gallons Treated	Average Effluent Flow Rate (gpm)*	Estimated Total PEs Removed (kg)	System Operating as Intended	System Sampled	Comments				
			Pre	Post	Single P1	Single P2	Single P3	Single P4												Combined Instantaneous Estimated Influent Flow Rate (gpm)*	Estimated Instantaneous Effluent Flow Rate (gpm)*		
05/12/2023	GWTT	Yes	--	--	50	28	18	19	NA	NA	NA	1	--	NA	322420	--	--	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 42 Hz to 31 Hz. Operator noticed a loud sound on discharge pipe at L2AC #1 as well as a low flow alarm on the system. System was manually turned off and inspected after the VFD was adjusted. Operator suspected an obstruction (i.e. pipe clog or sediment) was in L2AC#1 receiving flow and had sound on the discharge line. 4000gpd.			
05/12/2023	GWTT	Yes	--	--	--	--	--	--	NA	NA	NA	2	--	NA	322980	2560	0.0005	Yes	No	System was shut off at 8:50 during excavation of the effluent discharge piping. The discharge piping was repaired and the system was restarted at 10:05. The bag filters were changed.			
05/12/2023	GWTT	Yes	--	--	27	34	23	20	NA	NA	NA	3	--	NA	323100	500	1.3	0.0002	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 31 Hz to 33 Hz.		
05/12/2023	GWTT	Yes	--	--	32	30	19	30	NA	NA	NA	10	--	NA	328370	3800	6.7	0.0015	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 33 Hz to 33 Hz.		
05/12/2023	GWTT	Yes	--	--	26	30	27	30	NA	NA	NA	14	--	NA	335100	7400	14.4	0.0007	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 33 Hz to 30 Hz.		
05/16/2023	GWTT	Yes	--	--	39	27	19	35	NA	NA	NA	10	--	NA	336170	13000	10.4	0.0002	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 30 Hz to 31 Hz.		
05/16/2023	GWTT	Yes	--	--	33	27	19	35	NA	NA	NA	1	--	NA	340000	7200	8.4	0.0002	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 31 Hz to 33 Hz.		
05/22/2023	GWTT	Yes	--	--	40	28	25	42	NA	NA	NA	20	--	NA	294170	37100	22.5	0.0126	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 43 Hz to 40 Hz.		
05/22/2023	GWTT	Yes	--	--	44	34	25	42	1.38	22.8	NA	27	--	NA	212380	8000	18.5	0.0117	Yes	No	Conducted system checks, changed bag filters, Global Cycle on due to exceed pump out the contents from the GC tank, bag filter unit, tubes containing water from L2AC vessel backwash. The VFD was adjusted from 40 Hz to 34 Hz. Pressure gauge at P1 was replaced. System sampled on 02/02/23.		
Totals - October 2023**																							
10/1/2023	GWTT	Yes	--	--	53	2	13	13	5.00	36.3	NA	4	NA	32130	23300	400	1.9	--	Yes	No	Conducted system checks, changed bag filters, and adjusted the VFD frequency.		
10/1/2023	GWTT	Yes	--	--	24	8	15	17	4.38	28.50	NA	4	NA	45137	23300	300	0.9	--	Yes	No	Conducted system checks, changed bag filters, and the VFD was adjusted from 30 Hz to 28 Hz.		
10/1/2023	GWTT	Yes	--	--	25	50	30	27	5.70	35.1	0.66	7	NA	4410	29010	--	--	--	Yes	No	Conducted system checks, changed bag filters, changed VFD from 28 Hz to 28 Hz as per report.		
10/1/2023	GWTT	Yes	--	--	32	38	31	35	5.70	35.1	0.66	11	35	NA	21190	7700	13.4	0.0017	Yes	No	Conducted system checks, changed bag filters, VFD set at 30 Hz. System was under flow was up, temporary GWTF inspection system started. System sampled on 10/1/23.		
10/1/2023	GWTT	Yes	--	--	32	31	31	35	4.87	27.4	0.57	18	41	NA	20000	7000	16.6	0.0064	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 30 Hz to 30 Hz as per report.		
10/1/2023	GWTT	Yes	--	--	40	39	42	46	4.43	27.0	0.13	17	37	NA	21730	8270	19.1	0.0091	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 30 Hz to 30 Hz as per report.		
10/1/2023	GWTT	Yes	--	--	35	35	35	35	5.50	36.0	0.75	14	31	NA	20610	14610	10.5	0.0058	Yes	No	Conducted system checks, changed bag filters, VFD set at 30 Hz. Forward ridge out of bottom of right glass on GC tank.		
10/1/2023	GWTT	Yes	--	--	40	32	43	46	5.00	35.0	0.15	20	42	NA	24600	9140	22.1	0.0113	Yes	No	Conducted system checks, changed bag filters, VFD set at 30 Hz.		
10/1/2023	GWTT	Yes	--	--	40	32	43	46	5.00	35.0	0.15	20	42	NA	20010	14610	10.5	0.0051	Yes	No	Conducted system checks, changed bag filters, VFD set at 30 Hz.		
Totals - November 2023**																							
11/1/2023	GWTT	Yes	--	--	--	--	--	--	--	--	--	2	--	NA	20000	8000	8.8	0.004	Yes	No	System shutdown at 10:00 for storm water catchment.		
11/1/2023	BETA	No	--	--	--	--	--	--	52	60	4.95	26.9	13.5	2	--	NA	24000	0	0.0	0.000	Yes	No	Bag filters changed prior to system restart. System (P1) #4 and system restarted at 11:12 following the storm main de-scale and pumping operations. Collected and bag filter checks after system restart.
11/1/2023	GWTT	Yes	--	--	53	25	12	18	5.17	42.0	0.0	14	50	NA	27000	1060	17.6	0.001	Yes	No	Conducted system checks, flow into system #2 about P1#4 due to high level alarm. Changed the bag filters, and adjusted the VFD from 40 Hz to 40 Hz.		
11/1/2023	GWTT	Yes	--	--	59	22	18	63	5.12	42.0	0.0	7	50	NA	28540.0	14000	27.4	0.002	Yes	No	Conducted system checks, changed bag filters, adjusted VFD to 40 Hz to increase the discharge/effluent flow rate. GWTT communicated that carbon system should be backfilled since the differential pressure between (P1 and P1) is 0 gpm.		
11/1/2023	GWTT	Yes	--	--	64	66	45	71	1.95	42.8	0.8	14	11	--	48.0	30030.0	14000	25.7	0.003	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 40 Hz to 40 Hz (P1) at departure. GWTT noted the pressure on the carbon vessels was exceeding their maximum limit.	
11/1/2023	GWTT	Yes	--	--	68	70	56	74	2.02	40.6	0.3	14	--	48.0	32300.0	11000	27.7	0.004	Yes	Yes	Conducted system pressure checks, changed bag filters, adjusted the VFD from 40 Hz to 50 Hz (P1) GWTT noted the pressure on the carbon vessels was exceeding their maximum limit. System sampled on 11/1/23.		
11/1/2023	GWTT	Yes	--	--	65	62	41	67	NA	NA	NA	18	--	48.0	32300.0	11000	20.3	0.004	Yes	Yes	Conducted system pressure checks and changed bag filters and adjusted the VFD from 40 Hz to 47 Hz. Water waste from storm main decoupe pressure imposed from backflow to Global Cycle.		
11/1/2023	GWTT	Yes	--	--	NA	NA	NA	NA	NA	NA	NA	21	--	NA	--	--	--	--	No	No	System shutdown for carbon changeout at 08:00. Spent carbon removed from both vessels and replaced with new virgin carbon.		
11/1/2023	GWTT	No	--	--	NA	NA	NA	NA	2.25	54.4	27.2	20	--	NA	31072.0	7000	54.4	0.012	Yes	No	System restarted and re-equilibrated at 08:00 following carbon changeout and carbon system. Conducted system pressure checks, changed bag filters, adjusted VFD to 23 Hz system departure.		
11/1/2023	GWTT	Yes	--	--	59	54	6	13	4.42	50.6	0.5	20	--	52.00	240040.0	147770	24.8	0.004	Yes	No	Conducted system checks and changed bag filters, VFD at 20 Hz.		
Totals - December 2023**																							
12/1/2023	GWTT	Yes	--	--	58	6	14	15	2.27	50.4	0.5	1	--	40.00	20000.0	17000	29.6	0.001	Yes	No	Conducted system checks and changed bag filters, and adjusted VFD.		
12/1/2023	GWTT	Yes	--	--	59	11	14	15	2.82	42.0	0.0	5	--	40.00	30040.0	10470	24.2	0.002	Yes	No	Conducted system checks and changed bag filters, and adjusted VFD.		
12/1/2023	GWTT	Yes	--	--	23	12	17	20	3.00	40.0	0.0	10	--	40.00	30070.0	11700	20.4	0.002	Yes	No	Conducted system checks and changed bag filters, VFD at 27 Hz.		
12/1/2023	GWTT	Yes	--	--	21	16	18	21	3.35	36.0	0.0	13	--	30.00	30000.0	8000	20.7	0.004	Yes	No	Conducted system checks and changed bag filters.		
12/1/2023	GWTT	Yes	--	--	21	20	23	26	3.62	33.8	0.0	17	--	24.00	28000.0	9000	16.3	0.004	Yes	Yes	Conducted system checks and changed bag filters. Adjusted VFD to 31 Hz. Flashed new sludge/settlement out of bottom of right glass on GC holding tank.		
12/2/2023	GWTT	Yes	--	--	28	21	26	27	3.07	30.0	0.0	20	--	27.00	40010.0	7000	14.9	0.005	Yes	No	Conducted system checks and changed bag filters.		
12/2/2023	GWTT	Yes	--	--	28	27	27	29	3.10	29.0	0.0	28	--	30.00	41000.0	8400	14.7	0.005	Yes	No	Conducted system checks and changed bag filters.		
12/2/2023	GWTT	Yes	--	--	26	24	25	28	3.75	25.1	0.0	27	--	30.00	420070.0	10070	12.9	0.005	Yes	No	Conducted system checks and changed bag filters.		
12/3/2023	GWTT	Yes	--	--	28	23	26	30	3.80	38.0	0.0	30	--	30.00	420070.0	6000	11.6	0.005	Yes	No	Conducted system checks, changed bag filters, changed right glass on GC tank, about 4.5 inches of sludge accumulated on bottom.		
Totals - January 2024**																							
1/1/2024	GWTT	Yes	--	--	28	22	16	30	4.00	35.9	7.7	4	--	30.00	42000	10000	10.9	0.003	Yes	No	Conducted system checks and changed bag filters.		
1/1/2024	GWTT	Yes	--	--	26	25	24	28	3.90	35.5	7.8	7	--	30.00	40000	14010	7.9	0.001	Yes	No	Conducted system checks and changed bag filters.		
1/1/2024	GWTT	Yes	--	--	26	25	26	30	3.80	31.5	5.5	15	--	40.00	40000	1000	4.8	0.001	Yes	No	Conducted system checks and changed bag filters. Backfilled primary L2AC vessel, adjusted transfer pump from 28 to 22 Hz after backwash.		
1/1/2024	GWTT	Yes	--	--	8	8	7	9	2.20	9.4	5.0	10	--	40.00	40000	1000	4.4	0.002	Yes	Yes	Conducted system checks and changed bag filters. Adjusted transfer pump from 28 to 22 Hz, recycled backwash water into GWTS #2 for treatment.		
1/2/2024	GWTT	Yes	--	--	52	6	9	9	16.63	7.4	3.7	18	--	40.00	35400	3600	5.1	0.002	Yes	No	Conducted system checks and changed bag filters.		
1/2/2024	GWTT	Yes	--	--	60	8	9	11	22.67	5.4	2.7	21	--	40.00	40700	1400	3.8	0.002	Yes	No	Conducted system checks and changed bag filters.		
1/2/2024	GWTT	Yes	--	--	15	5	13	15	2.05	46.2	2.1	24	--	40.00	48000	1500	4.4	0.002	Yes	No	Conducted system checks and changed bag filters. Bag filters packed with significant non-soluble sediments, influent flow rate into GC tank significantly increased, high pH non-soluble material from backflow from accumulation in the storm main. Adjusted VFD from 23 Hz to 20 Hz.		
1/2/2024	GWTT	Yes	--	--	20	50	30	34	2.60	47.1	23.6	20	--	37.00	45000	3000	10.1	0.005	Yes	No	Conducted system checks and change bag filters. Increase discharge flow through VFD from 30 Hz to 35 Hz. Pressure readings at primary L2AC vessel halting, need for a backwash.		
1/2/2024	GWTT	Yes	--	--	28	50	13	15	5.55	40.0	24.0	28	--	32.00	45000	3000	12.8	0.007	Yes	No	Conducted system checks and change bag filters. Conducted a backwash on primary L2AC vessel. Total instantaneous effluent flow rate was measured at 9 gpm after backwash. Adjusted VFD from 35 Hz to 30 Hz.		
Totals - January 2024**																							
1/3/2024	GWTT	Yes	--	--	21	6	12	14	2.83	40.2	21.6	2	--	40.00	44000	8000	20.6	0.001	Yes	Yes	Conducted system checks, changed bag filters, pumped water from large water tank through GWTS #2. System sampled on 1/3/2024.		
1/3/2024	GWTT	Yes	--	--	39	10	16	19	3.00	40.0	20.4	6	--	30.00	47000	7000	13.6	0.002	Yes	No	Conducted system checks, changed bag filters, adjusted VFD from 20 Hz to 20 Hz.		
1/3/2024	GWTT	Yes	--	--	25	10	11	15	3.00	40.0	20.4	5	--	10.00	47000	4170	14.3	0.001	Yes	No	Conducted system checks, changed bag filters, at departure, instantaneous effluent flow rate at 5 gpm (P1).		
1/3/2024	GWTT	Yes	--	--	23	8	13	15	3.33	37.0	18.8	13	--	10.00	48000	1310	10.8	0.005	Yes	No	Conducted system checks, changed bag filters.		
1/3/2024	GWTT	Yes	--	--	23	8	14	17	3.75	32.7	16.2	18	--	10.00	48000	7000	8.3	0.005	Yes	No	Conducted system checks, changed bag filters.		
1/3/2024	GWTT	Yes	--	--	21	9	18	21	3.00	34.0	17.0	20	--	40.00	50000	8000	14.5	0.006	Yes	No	Conducted system checks, changed bag filters, backfilled the primary L2AC vessel, adjusted the VFD from 30 Hz to 25 Hz, 42 GPM. Stormwater agriculture bag filter added and set at 20 Hz to 20 Hz.		
1/3/2024	GWTT	Yes	--	--	17	9	11	17	3.00	40.0	20.4	24	--	40.00	50000	1000	10.5	0.005	Yes	No	Conducted system checks, had to change the bag filters before the accumulated iron oxide sediment in the GC tank is getting pulled into the transfer pump affecting total gallons treated. Right glass on GC tank was flushed. Adjusted VFD from 25 Hz to 20 Hz.		
1/3/2024	GWTT	Yes	--	--	NA	17	17	28	3.80	40.0	20.4	30	--	40.00	50000	6700	15.2	0.006	Yes	No	Conducted system checks, changed bag filters and increased the VFD from 20 Hz to 20 Hz.		
1/3/2024	GWTT	Yes	--	--	NA	14	14	18	3.37	37.1	18.8	30	--	40.00	50000	1000	17.5	0.011	Yes	No	Conducted system checks, changed bag filters and increased the VFD from 20 Hz to 40 Hz.		
Totals - March 2024**																							

Table 2A - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 1 (GWTS #1)  
Barnstable County Fire and Rescue Training Academy  
155 Flint Rock Road, Barnstable, MA  
RTN 4-26179

[illegible]

Table 2A - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 1 (GWTS #1)  
Barnstable County Fire and Rescue Training Academy  
155 Flint Rock Road, Barnstable, MA  
RTN 4-26179

[illegible]



Table 2A - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 1 (GWTS #1)  
Barnstable County Fire and Rescue Training Academy  
155 Flint Rock Road, Barnstable, MA  
RTN 4-26179

Date	Operator	System Operating	Influent Reg flow difference (m³/sec)		Raw effluent changed (m³/sec)		Post effluent changed (m³/sec)		4° effluent (mg/l)	Combined Effluent Flow Rate (m³/sec)	Effluent Ammonia Nitrogen (mg/l)	Dry System Operating	Influent Effluent Flow Rate (m³/sec)	Intermittent Effluent Flow Rate (m³/sec)	Total Nitrate (ppm)	Net carbon usage	Average Effluent Flow Rate (m³/sec)	Estimated Total NH3 Removal (kg)	System Operating on Standby	System Sampled	Comments
			Pre	Post	Stage 1	Stage 2	Stage 3	Stage 4													
5/10/2018	GERTT	Yes	--	--	31	29	25	26	14.5	9.9	6.9	8	--	10.00	1340026	2272	4.0	0.0000	Yes	No	Conducted system checks and changed bag filters.
5/10/2018	GERTT	Yes	--	--	31	29	25	26	14.5	9.4	6.2	7	--	10.00	1340033	14789	3.4	0.0000	Yes	No	Conducted system checks and changed bag filters.
5/10/2018	GERTT	Yes	--	--	31	32	27	32	14.7	62.7	21.4	10	--	10.00	1340063	24800	5.8	0.0000	Yes	No	Conducted system checks and changed bag filters.
5/10/2018	GERTT	Yes	--	--	37	33	30	37	2.80	64.9	21.4	18	--	10.00	1371032	60217	6.0	0.0006	Yes	No	Conducted system checks and changed bag filters. Adjusted UTO to transfer pump from 38 to 40 mins.
5/10/2018	GERTT	Yes	--	--	31	35	38	34	2.90	66.4	20.1	15	--	10.00	1378000	73678	7.9	0.0010	Yes	No	Conducted system checks and changed bag filters.
5/10/2018	GERTT	Yes	--	--	34	36	39	36	3.25	31.7	16.8	15	--	10.00	1381045	62705	10.9	0.0036	Yes	No	Conducted system checks and changed bag filters.
5/10/2018	GERTT	Yes	--	--	34	32	38	36	1.72	33.9	16.1	18	--	10.00	1381070	15425	12.8	0.0020	Yes	No	Conducted system checks and changed bag filters and backwashed primary carbon vessel.
Totals May 2018													36.9	35.4	36	36.9	34496	7.9	0.0011		
6/10/2018	GERTT	Yes	--	--	36	35	32	37	4.42	26.5	13.3	8	--	10.00	1392000	105719	15.4	0.0025	Yes	No	Conducted system checks and changed bag filters.
6/10/2018	GERTT	Yes	--	--	36	32	37	38	1.60	25.1	14.5	8	--	10.00	1397000	122715	10.0	0.0006	Yes	No	Conducted system checks and changed bag filters.
6/10/2018	GERTT	Yes	--	--	33	36	38	37	4.48	21.6	12.2	11	--	10.00	1398000	72807	16.0	0.0056	Yes	No	Conducted system checks and changed bag filters.
6/10/2018	GERTT	Yes	--	--	35	38	38	38	5.17	25.7	12.8	18	--	10.00	1399004	170884	10.9	0.0010	Yes	No	Conducted system checks and changed bag filters. Adjusted UTO to transfer pump from 38 to 40 mins.
6/10/2018	GERTT	Yes	--	--	35	38	44	38	8.63	33.7	14.9	15	--	10.00	1394003	215443	10.3	0.0014	Yes	No	Conducted system checks and changed bag filters. Adjusted UTO to 40 mins setting. High effluent flow rate observed at 30 mins. Build-up of iron scale sediment in FC tank affecting FC bag filters and on-circu GAC vessel is getting filled with iron scum.
6/10/2018	GERTT	Yes	--	--	42	40	38	38	14.00	33.8	17.0	15	--	10.00	1396000	105228	18.3	0.0023	Yes	No	Conducted system checks and changed bag filters twice, jumped the currents from CANTAS 40 tank into CANTAS to promoucheur remaining water.
6/10/2018	GERTT	Yes	--	--	41	38	38	38	8.97	38.9	13.4	18	--	10.00	1394000	74382	17.2	0.0024	Yes	No	Conducted system checks and changed bag filters.
Totals June 2018													36.4	34.5	38	36.4	70206	26.1	0.0080		
7/10/2018	GERTT	Yes	--	--	36	36	38	38	4.33	22.9	14.8	8	--	10.00	1371000	47438	15.6	0.0008	Yes	No	Conducted system checks and changed bag filters.
7/10/2018	GERTT	Yes	--	--	36	--	38	--	--	--	--	--	--	--	1399000	133900	10.8	0.0009	Yes	No	Real system down for carbon change. System will off for GAC to replace.
7/10/2018	GERTT	Yes	--	--	--	--	--	--	4.93	26.2	14.3	8	--	10.00	1399000	13390	9.4	0.0001	Yes	No	Realized system after carbon change. Conducted system checks and changed bag filters. Increased UTO to 20min and split flow rate down to 50T/HR.
7/10/2018	GERTT	Yes	--	--	32	5	8	10	4.96	26.6	12.9	10	--	10.00	1399001	78475	13.6	0.0008	Yes	No	Conducted system checks and changed bag filters. System completed in 100T/HR.
7/10/2018	GERTT	Yes	--	--	33	6	9	9	4.60	19.1	9.4	17	--	17.00	1401008	110227	10.9	0.0002	Yes	No	Conducted system checks and changed bag filters.
7/10/2018	GERTT	Yes	--	--	35	7	12	14	6.61	26.4	13.3	18	--	10.00	1398768	82380	9.6	0.0010	Yes	No	Conducted system checks and changed bag filters. Increased UTO to 20mins.
7/10/2018	GERTT	Yes	--	--	39	10	9	4	1.90	21.4	12.7	17	--	10.00	1391078	76902	13.3	0.0017	Yes	No	Conducted system checks and changed bag filters. Reduced discharge flow rate via UTO to 25 Hz. Backwashed primary GAC vessel.
Totals July 2018													36.2	33.0	27	36.2	44242	13.7	0.0018		
8/10/2018	GERTT	Yes	--	--	36	5	5	18	1.64	23.0	12.3	9	--	10.00	1391044	44242	7.2	0.0002	Yes	No	Conducted system checks and changed bag filters.
8/10/2018	GERTT	Yes	--	--	36	10	13	18	1.68	23.0	12.3	10	--	10.00	1397079	61215	8.2	0.0003	Yes	No	Conducted system checks, changed bag filters, flushed split flow to G2 tank, increased discharge flow from 20min to 30min.
8/10/2018	GERTT	Yes	--	--	39	10	12	18	4.68	26.2	13.1	8	--	10.00	1398000	15007	12.6	0.0007	Yes	No	Conducted system checks and changed bag filters.
8/10/2018	GERTT	Yes	--	--	38	15	14	19	1.17	23.7	11.9	13	--	10.00	1398000	55620	11.4	0.0007	Yes	No	Conducted system checks and changed bag filters.
8/10/2018	GERTT	Yes	--	--	33	10	13	18	4.96	23.0	12.3	10	--	10.00	1394001	71415	7.4	0.0007	Yes	No	Conducted system checks and changed bag filters. Increased discharge flow rate via UTO from 30 Hz to 33 Hz.
8/10/2018	GERTT	Yes	--	--	33	10	13	18	4.97	23.0	12.3	10	--	10.00	1394001	17385	1.0	0.0002	Yes	No	Conducted system checks and changed bag filters. System completed in 100T/HR.
8/10/2018	GERTT	Yes	--	--	34	14	13	17	3.37	26.1	13.0	17	--	10.00	1394003	34893	8.1	0.0008	Yes	No	Conducted system checks and changed bag filters.
8/10/2018	GERTT	Yes	--	--	37	18	20	28	4.79	23.9	11.9	10	--	10.00	1391072	54519	12.6	0.0014	Yes	No	Conducted system checks and changed bag filters. Increased discharge flow rate via UTO from 33 Hz to 38 Hz.
Totals August 2018													36.3	33.5	31	36.3	49914	9.1	0.0011		
9/10/2018	GERTT	Yes	--	--	36	36	8	10	1.98	21.4	12.7	17	--	10.00	1397000	64671	11.8	0.0010	Yes	No	Conducted system checks and changed bag filters. Backwashed primary GAC vessel. Reduced discharge flow rate via UTO from 40 Hz to 38 Hz.
9/10/2018	GERTT	Yes	--	--	39	8	9	15	3.61	26.3	13.0	7	--	17.00	1397000	63118	11.0	0.0007	Yes	No	Conducted system checks, changed bag filters, installed a new ammonia absorption device on the primary carbon vessel, no backwashed this time as observed and well tank was emptying.
9/10/2018	GERTT	Yes	--	--	39	12	15	16	4.00	19.9	9.9	10	--	17.00	1397000	40765	9.4	0.0003	Yes	No	Conducted system checks and changed bag filters.
9/10/2018	GERTT	Yes	--	--	39	12	15	18	7.23	17.0	8.3	18	--	10.00	1398000	13885	9.4	0.0004	Yes	No	Conducted system checks and changed bag filters.
9/10/2018	GERTT	Yes	--	--	32	15	18	24	1.84	23.0	12.3	17	--	10.00	1398002	34021	9.1	0.0004	Yes	No	Conducted system checks and changed bag filters. Increased discharge flow rate via UTO from 30 Hz to 34 Hz.
9/10/2018	GERTT	Yes	--	--	36	28	26	42	1.76	23.0	12.3	17	--	10.00	1398000	17415	12.4	0.0004	Yes	No	Conducted system checks and changed bag filters. Increased discharge flow rate via UTO from 34 Hz to 40 Hz.
9/10/2018	GERTT	Yes	--	--	35	4	10	10	4.39	17.7	8.39	15	--	10.00	1398000	80215	15.5	0.0010	Yes	No	Conducted system checks and changed bag filters. Backwashed primary GAC vessels.
9/10/2018	GERTT	Yes	--	--	36	12	13	16	7.67	16.4	8.2	17	--	10.00	1400078	17301	14.4	0.0016	Yes	No	Conducted system checks and changed bag filters.
Totals September 2018													36.3	32.5	30	36.3	66617	10.8	0.0011		
10/10/2018	GERTT	Yes	--	--	29	18	28	16	1.90	21.5	12.8	15	--	10.00	1401001	72384	12.6	0.0003	Yes	No	Conducted system checks and changed bag filters. Discharge flow rate via UTO to 38 Hz.
10/10/2018	GERTT	Yes	--	--	32	20	25	19	7.42	16.1	8.09	15	--	10.00	1400000	47450	11.7	0.0003	Yes	No	Conducted system checks and changed bag filters. Second system running with 40 Hz GAC, and HR through due to corrosion. Temporarily coordinated the basins to replace system operation. Two bag filter basins closed.
10/10/2018	GERTT	Yes	--	--	39	20	16	20	4.60	18.6	9.40	18	--	10.00	1400000	100715	10.0	0.0003	Yes	No	Conducted system checks and changed bag filters. Increased discharge flow rate via UTO from 38 Hz to 40 Hz.
10/10/2018	GERTT	Yes	--	--	39	20	16	24	4.61	19.0	9.10	13	--	10.00	1401000	14779	2.6	0.0002	Yes	No	Conducted system checks and changed bag filters.
10/10/2018	GERTT	Yes	--	--	39	20	16	24	4.61	19.4	9.4	15	--	10.00	1401000	13885	3.2	0.0003	Yes	No	Conducted system checks and changed bag filters.
10/10/2018	GERTT	Yes	--	--	32	20	25	9	8.86	17.8	8.9	19	--	10.00	1401000	15840	3.2	0.0004	Yes	No	Conducted system checks and changed bag filters. Backwashed primary GAC vessel and decreased discharge flow rate via UTO from 40 Hz to 32 Hz.
10/10/2018	GERTT	Yes	--	--	15	5	2	8	7.60	17.0	8.7	12	--	10.00	1400000	15554	12.4	0.0010	Yes	No	Conducted system checks and changed bag filters.
10/10/2018	GERTT	Yes	--	--	17	8	9	14	7.24	17.0	8.5	16	--	17.00	1400000	61391	10.6	0.0010	Yes	No	Conducted system checks and changed bag filters.
10/10/2018	GERTT	Yes	--	--	19	12	12	18	8.97	15.0	7.49	18	--	10.00	1401000	43320	10.1	0.0011	Yes	No	Conducted system checks and changed bag filters.
Totals October 2018													37.3	34.2	31	37.3	42264	9.5	0.0012		
11/10/2018	GERTT	Yes	--	--	36	16	16	30	9.67	12.7	6.9	2	--	10.00	1401000	61115	10.6	0.0001	Yes	No	Conducted system checks and changed bag filters.
11/10/2018	GERTT	Yes	--	--	36	16	16	35	10.17	13.0	6.9	1	--	10.00	1401078	42651	9.9	0.0002	Yes	No	Conducted system checks and changed bag filters.
11/10/2018	GERTT	Yes	--	--	31	15	16	22	9.66	13.3	6.3	8	--	10.00	1400001	23897	5.5	0.0001	Yes	No	Conducted system checks and changed bag filters.
11/10/2018	GERTT	Yes	--	--	38	15	16	20	10.16	12.9	6.4	10	--	10.00	1400001	27500	4.9	0.0002	Yes	No	Conducted system checks and changed bag filters.
11/10/2018	GERTT	Yes	--	--	38	16	14	19	11.01	13.0	6.1	10	--	10.00	1400001	13100	10.0	0.0001	Yes	No	Conducted system checks and changed bag filters.
12/10/2018	GERTT	Yes	--	--	31	17	--	--	11.13	11.9	10.0	18	--	10.00	1400000	7595	0.8	0.0006	Yes	No	System shutdown for maintenance and replacement on 10/14 and 10/15 on 11/27/2018 system restarted on 12/10/2018. New bag filter and new UTO installed on 11/21/2018. 100T/HR flow from the Raw tank into 40min GAC. 40min to primary carbon. Bag filter through due to corrosion. Temporarily coordinated self closing through the inflow. Increased UTO to 40mins.
12/10/2018	GERTT	Yes	--	--	36	16	16	25	12.19	12.7	6.1	10	--	10.00	1400000	33875	5.7	0.0005	Yes	No	Conducted system checks and changed bag filters.
12/10/2018	GERTT	Yes	--	--	36	16	16	28	11.13	11.9	10.0	18	--	10.00	1400000	7601	11.8	0.0010	Yes	No	Conducted system checks and changed bag filters.
Totals November 2018													36.9	34.9	35	36.1	38818	7.5	0.0009		

Table 2A - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 1 (GWTS #1)  
Barnstable County Fire and Rescue Training Academy  
155 Flint Rock Road, Barnstable, MA  
RTN 4-26179

Date	Operator	System Operating on	Inflow Reg. High Differential Pressure (psi)		Four-Hour Chlorine Differential Pressure (psi)				4-Hour Total Flow Rate (MGD)	Inflow Reg.		Inlet System Operating	Four-Hour Chlorine Differential Pressure (psi)		Average Effluent Flow Rate (MGD)	Estimated Total Flow Rate (MGD)	System Sampled on	System Sampled	Comments		
			Pre	Post	Sample 1	Sample 2	Sample 3	Sample 4		Combined Inflow Reg. Flow Rate (MGD)	Internal Inflow Reg. Flow Rate (MGD)		Inlet System Flow Rate (MGD)	Combined Inflow Reg. Flow Rate (MGD)						Effluent Flow Rate (MGD)	
1/1/2021	GWTT	Yes	--	--	--	22	36	15	29	2.03	65.2	65.1	3	--	60.00	1680031	10385	11.6	0.0003	Yes	Conducted system checks and changed flow filters.
1/1/2021	GWTT	Yes	--	--	--	31	31	39	30	2.05	66.9	29.9	7	--	60.00	1681061	89020	12.0	0.0004	Yes	Conducted system checks and changed flow filters.
1/1/2021	GWTT	Yes	--	--	--	31	31	31	31	2.08	168.8	29.4	9	--	60.00	1680688	23764	11.7	0.0000	Yes	Conducted system checks and changed flow filters. Global Control conducted a pump out of the exterior tanks and EC2 tanks. 3,500 gallons were removed for better absorption/ treatment.
1/1/2021	GWTT	Yes	--	--	--	41	36	36	36	2.05	65.2	65.1	13	--	60.00	1680660	100231	17.4	0.0000	Yes	Conducted system checks and changed flow filters. Increased the discharge flow rate from 40% to 60%.
1/1/2021	GWTT	Yes	--	--	--	23	15	15	15	2.00	67.7	65.0	16	--	60.00	1680611	76391	17.2	0.0011	Yes	Conducted system checks and changed flow filters. Effluent clean and plan is testing.
1/1/2021	GWTT	No	--	--	--	18	17	18	18	3.33	1.4	26.1	17	--	60.00	1510284	42173	7.3	0.0000	No	System was shutdown on 1/1/2021 due to leaking external effluent clean out piping. When piping from 1681 was relocated to GWTT4, GWT4 returned the system on 1/2/2021 and inspected clean out piping. Cleanout piping appeared to have lost material at the fitting. System's flow rate changed. Big flows changed and conducted system checks.
1/1/2021	GWTT	No	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	No	System was shutdown on 1/2/2021 due to leaking external effluent clean out piping.
1/1/2021	GWTT	Yes	--	--	--	9	9	9	9	2.17	165.5	26.3	18	--	60.00	1510258	4767	6.6	0.0000	Yes	System repaired, lowered down discharge flow rate to maintain overflow at effluent chemical pump. Inspected exchange beams and observed normal operation. Flow rate entering 4 was 9.9 MGD.
1/1/2021	GWTT	Yes	--	--	--	23	17	18	12	2.18	161.4	26.1	21	--	60.00	1510634	49833	11.5	0.0007	Yes	Conducted system checks and changed flow filters. Adjusted transfer pump VSD to 34 to maintain discharge flow rate and stop leaking at effluent chemical pump.
Total - December 2021										65.7	25.4	21	27.5	42612	14.0	0.0012					
1/10/21	GWTT	Yes	--	--	--	33	19	29	29	2.28	167.6	26.8	4	--	17.00	1510671	75126	13.0	0.0000	Yes	Conducted system checks and changed flow filters. High level alarm at the EC2 tank triggered occasionally.
1/10/21	GWTT	Yes	--	--	--	25	8	25	16	2.26	167.7	25.3	10	--	20.00	1510266	7589	8.2	0.0003	Yes	Conducted system checks and changed flow filters.
1/10/21	GWTT	Yes	--	--	--	10	9	10	10	2.52	159	26.4	11	--	20.00	1680970	47502	11.7	0.0017	Yes	Conducted system checks and changed flow filters.
1/10/21	GWTT	Yes	--	--	--	30	10	20	20	2.54	162.1	26.2	10	--	20.00	1680943	42027	7.6	0.0009	Yes	Conducted system checks and changed flow filters.
1/10/21	GWTT	Yes	--	--	--	30	10	25	25	2.37	167.7	26.9	11	--	20.00	1680903	40853	9.5	0.0006	Yes	PM# 49 on site due to high level alarm. Conducted system checks and changed flow filters.
1/10/21	GWTT	Yes	--	--	--	24	16	23	23	2.67	163.9	33.2	34	--	20.00	1510684	11033	14.3	0.0016	Yes	Conducted system checks and changed flow filters. Increased discharge/effluent flow rate from 34 to 10.26 MGD. System sampled on 1/10/2021
1/10/21	GWTT	Yes	--	--	--	42	12	25	25	3.73	161.1	23.3	36	--	20.00	1580600	43127	7.7	0.0004	Yes	Conducted system checks and changed flow filters. Increased discharge/effluent flow rate from 34 to 60 MGD.
1/10/21	GWTT	No	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	No	System was shutdown due to power from main steam on 1/10/2021. Heat was off and system was frozen. Attempts were made to thaw steam from the pump and associated piping. Not successful, see frozen.
Total - January 2022										49.3	24.6	26	26.7	40317	6.7	0.0011					
1/10/21	GWTT	No	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	No	Power was returned to the Site on 1/11/2021. GWT4 and Curby pumps installed heaters inside the system to allow/heat the flow from components for system restart.
1/10/21	GWTT	Yes	--	--	--	26	6	26	18	2.40	163.9	26.8	5	--	20.00	1680915	36251	10.2	0.0001	Yes	Restarted system after these conditions, no damage observed. Conducted system checks and changed flow filters.
1/10/21	GWTT	Yes	--	--	--	45	12	29	28	2.45	163.7	27.2	4	--	27.00	1680906	70120	16.2	0.0003	Yes	Conducted system checks and changed flow filters. Backchecked primary carbon vessel - suspected that carbon layer is present from the primary vessel to the secondary vessel. 3
1/10/21	GWTT	Yes	--	--	--	45	10	26	26	2.76	160.9	27.0	8	--	27.00	1510664	82779	14.4	0.0004	Yes	Conducted system checks and changed flow filters. Backchecked primary carbon vessel - suspected that carbon layer is present from the primary vessel to the secondary vessel. 3
1/10/21	GWTT	Yes	--	--	--	45	10	16	16	1.97	160.6	32.2	11	--	47.00	1680916	52651	15.5	0.0007	Yes	Conducted system checks and changed flow filters.
1/10/2021	GWTT	Yes	--	--	--	48	13	17	20	2.25	171.9	164.5	15	--	20.00	1580919	90274	15.7	0.0000	Yes	Conducted system checks and changed flow filters. GWTT4's shut down waiting for a Carbon Catalyst, all effluent water was directed through GWTT4E1 only.
1/10/2021	GWTT	Yes	--	--	--	48	12	25	27	3.22	161.1	161.1	18	--	20.00	1680824	100912	17.4	0.0017	Yes	Conducted system checks and changed flow filters. Backchecked secondary carbon vessel. System sampled 2/16/22
1/10/2021	GWTT	Yes	--	--	--	46	9	24	26	2.65	161.7	167.7	25	--	20.00	1680907	117726	15.6	0.0016	Yes	Conducted system checks and changed flow filters. Increased VSD to 43%.
Total - February 2022										55.4	25.4	26	26.7	40467	15.5	0.0017					
1/10/21	GWTT	Yes	--	--	--	10	10	10	10	3.45	163.9	163.9	4	--	20.00	1680900	87160	15.3	0.0003	Yes	Conducted system checks and changed flow filters. Backchecked primary carbon vessel.
1/10/21	GWTT	Yes	--	--	--	49	7	16	17	3.62	163.9	163.9	7	--	20.00	1680910	73121	17.4	0.0007	Yes	Conducted system checks and changed flow filters.
1/10/21	GWTT	Yes	--	--	--	10	10	10	10	3.47	163.4	163.4	10	--	20.00	1680885	83961	16.7	0.0017	Yes	Conducted system checks and changed flow filters. Backchecked secondary carbon vessel.
1/10/2021	GWTT	Yes	--	--	--	10	9	12	14	3.95	161.0	163.0	16	--	20.00	1647671	92220	16.7	0.0000	Yes	Conducted system checks and changed flow filters.
1/10/2021	GWTT	Yes	--	--	--	10	10	10	10	3.73	163.0	163.0	16	--	20.00	1647670	90494	17.2	0.00119	Yes	Conducted system checks and changed flow filters. Adjust VSD.
1/10/2021	GWTT	Yes	--	--	--	13	19	20	21	3.86	161.5	161.5	21	--	37.00	1647665	95575	22.0	0.0016	Yes	Conducted system checks and changed flow filters. Backchecked primary carbon vessel. System sampled 3/22/22
1/10/2021	GWTT	Yes	--	--	--	14	14	24	24	3.47	161.1	161.1	24	--	60.00	1670898	108654	25.2	0.0012	Yes	Conducted system checks and changed flow filters. Pump out backwash tank through treatment system.
1/10/2021	GWTT	Yes	--	--	--	11	10	20	20	5.17	152.7	157.7	20	--	20.00	1680483	139426	24.2	0.0020	Yes	Conducted system checks and changed flow filters.
Total - March 2022										25.3	21.5	30	35.6	76648	18.2	0.0022					
1/10/21	GWTT	Yes	--	--	--	11	21	8	8	1.86	169.9	169.9	3	--	30.00	1716047	123422	21.4	0.0009	Yes	Conducted system checks and changed flow filters.
1/10/2021	GWTT	Yes	--	--	--	44	26	18	18	4.73	162.7	162.7	4	--	20.00	1716058	80561	16.7	0.0003	Yes	Conducted system checks and changed flow filters.
1/10/2021	GWTT	Yes	--	--	--	44	20	12	14	8.13	161.1	161.1	9	--	20.00	1716062	93519	16.3	0.0000	Yes	Conducted system checks and changed flow filters. Backwash primary carbon vessel, decrease VSD (40-45%)
1/10/2021	GWTT	Yes	--	--	--	29	10	10	10	9.97	153.3	153.3	11	--	20.00	1716056	17589	13.3	0.0055	Yes	Conducted system checks and changed flow filters. Pump out backwash tank via side line system.
1/10/2021	GWTT	Yes	--	--	--	30	30	26	27	12.17	153.0	153.0	10	--	27.00	1716059	43954	14.0	0.0000	Yes	Conducted system checks and changed flow filters.
1/10/2021	GWTT	Yes	--	--	--	29	20	10	10	14.97	81.5	81.5	16	--	20.00	1716019	20585	9.2	0.0000	Yes	Conducted system checks and changed flow filters.
1/10/2021	GWTT	Yes	--	--	--	29	20	10	10	16.83	61.2	61.2	13	--	20.00	1716038	40999	7.1	0.0000	Yes	Conducted system checks and changed flow filters. Delivered GWS line of new bag. System samples taken 8-20-22
1/10/2021	GWTT	Yes	--	--	--	46	10	17	20	12.25	117.7	117.7	25	--	12.00	1716012	24857	5.6	0.0005	Yes	Conducted system checks and changed flow filters. System samples were taken from the side line pipe during flow testing and changing the bag filters. This caused increased effluent flow rate and large pressure differential. The readings were taken after the second bag filter.
1/10/2021	GWTT	Yes	--	--	--	46	8	20	21	2.40	160.0	160.0	20	--	20.00	1716029	12524	15.5	0.0014	Yes	Conducted system checks and changed flow filters. Pump out backwash tank via side line system.
Total - April 2022										26.6	20.0	30	39.1	10696	13.5	0.0016					

Table 2A - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 1 (GWTS #1)  
Barnstable County Fire and Rescue Training Academy  
155 Fleet Beach Road, Barnstable, MA  
01916-20170

Date	Operator	System Operating as Intended	Influent Bag Filter Differential Pressure (psi)		Pre-Filter Chamber Differential Pressure (psi)		Post-Filter Chamber Differential Pressure (psi)		4" Influent Test (psi)	Influent		Days System Operating	Instantaneous Effluent Flow Rate (gpm) <sup>1</sup>	Effluent			Estimated Total PAFs Removed (kg)	System Operating as Intended	System Sampled	Comments	
			Pre	Post	Range Pre	Range Post	Range Pre	Range Post		Combined Instantaneous Influent Flow Rate (gpm) <sup>4</sup>	Estimated Instantaneous Effluent Flow Rate (gpm) <sup>5</sup>			Total Solids (ppm)	Net Solids Treated (gpm)	Average Effluent Flow Rate (gpm) <sup>3</sup>					
5/8/2023	GWTT	Yes	--	--	40	50	33	35	5.17	36.7	36.7	2	--	30.00	1751962	6263	16.5	0.00311	Yes	No	Conducted system checks and changed bag filters.
5/9/2023	GWTT	Yes	--	--	40	50	34	37	5.17	36.7	36.7	6	--	37.00	1766860	6709	16.2	0.00305	Yes	No	Conducted system checks and changed bag filters.
5/10/2023	GWTT	Yes	--	--	40	50	36	38	5.19	40.0	40.0	8	--	37.00	1770460	7370	16.8	0.00308	Yes	No	Conducted system checks and changed bag filters. Turned off spare heater.
5/16/2023	GWTT	Yes	--	--	--	--	--	--	--	--	--	13	--	--	1778766	16404	--	--	No	No	Recovery went failed and is not bringing water into the system, transfer pump is in "bad". Pressure and flow couldn't be taken due to lack of water in holding tank. Bag filters were changed. Went pump out into "off" position at departure.
5/16/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	Yes	No	System restarted 5/16/2023
5/16/2023	GWTT	Yes	--	--	40	50	32	34	5.00	40.0	40.0	17	--	44.00	1786276	6848	4.3	0.00308	Yes	No	Conducted system checks and changed bag filters. Backwash primary carbon vessel, empty chudge from sight glass (poured into green chudge/backwash tank and SDS).
5/20/2023	GWTT	Yes	--	--	40	50	34	37	5.03	40.0	40.0	20	--	50.00	1790267	7923	16.4	0.00344	Yes	Yes	Conducted system checks and changed bag filters. Pumped backwash from test sash into system. System sampled 5/20/2023.
5/22/2023	GWTT	Yes	--	--	40	50	35	38	5.28	37.3	37.3	23	--	37.00	1803966	10037	17.4	0.00360	Yes	No	Conducted system checks and changed bag filters.
5/24/2023	GWTT	Yes	--	--	40	50	38	39	5.40	31.0	30.0	26	--	46.00	1810861	8091	15.8	0.00370	Yes	No	Conducted system checks and changed bag filters. Backwash secondary carbon vessel.
Totals - May 2023 <sup>6</sup>											36.3	35.2	30	36.9		10460	16.2	0.0027			
6/5/2023	GWTT	Yes	--	--	40	57	36	39	5.72	33.0	33.0	4	--	40.00	1830367	6740	22.6	0.00306	Yes	No	Conducted system checks and changed bag filters. delivered SDS box of new bag filters.
6/6/2023	GWTT	Yes	--	--	40	50	38	39	6.07	30.0	30.0	6	--	36.00	1833764	6747	22.6	0.00303	Yes	No	Conducted system checks and changed bag filters. Pumped back from test sash into system.
6/10/2023	GWTT	Yes	--	--	40	54	39	39	6.08	30.0	30.0	10	--	39.00	1840065	9447	16.4	0.00303	Yes	No	Conducted system checks and changed bag filters.
6/13/2023	GWTT	Yes	--	--	40	55	36	36	5.97	30.0	30.0	15	--	33.00	1849069	75278	17.4	0.00307	Yes	No	Conducted system checks and changed bag filters.
6/15/2023	GWTT	Yes	--	--	40	55	36	38	6.40	35.1	35.1	17	--	33.00	1850868	6555	13.4	0.00374	Yes	No	Conducted system checks and changed bag filters.
6/16/2023	GWTT	Yes	--	--	40	55	38	40	5.17	34.0	34.0	20	--	37.00	1861071	19020	13.8	0.00306	Yes	Yes	Conducted system checks and changed bag filters. Backwash primary carbon vessel. Flush iron chudge out of bottom of sight glass on SS tank. System sampled 6/16/23.
6/19/2023	GWTT	Yes	--	--	40	50	36	38	5.88	31.0	31.0	26	--	40.00	1870373	10090	18.3	0.00308	Yes	No	Conducted system checks and changed bag filters. Backwash secondary carbon vessel. Pump down outside backwash tank through treatment system.
6/27/2023	GWTT	Yes	--	--	40	50	34	34	6.05	30.0	30.0	27	--	40.00	1879865	73300	16.7	0.003170	Yes	No	Conducted system checks and changed bag filters.
6/30/2023	GWTT	Yes	--	--	40	50	37	39	6.35	29.1	29.1	30	--	38.00	1888068	91887	21.3	0.00340	Yes	No	Conducted system checks and changed bag filters.
Totals - June 2023 <sup>7</sup>											30.5	31.0	30	38.9		70924	17.6	0.0021			

1. GE - Coastal Engineering - GWTT - Groundwater Treatment Technologies  
2. Prior to November 2020, the instantaneous influent (IN) and effluent (OUT) flow rates are calculated based on the cross-sectional volume per vertical foot of the influent tank, and measured flow (MG) into or during (BTU) of the tank. The diameter of the influent tank is approximately 78 inches. The cross-sectional volume of the tank is approximately 12.1 cubic feet per vertical foot. Thus, the flow rate calculation factor is approximately 12.5 gallons per cubic foot. Since 12/7/2023 (Following the replacement of the effluent tank), ONLY INP flow rates from PFAW-6 are calculated based on an approximation. This Combined instantaneous flow rate represents the combined flow within both flow main pipes from recovery well PFAW-4 and since the startup of GWTSAC on 12/1/23, approximately 50% of the Combined instantaneous Influent Flow Rate represents the instantaneous Effluent Flow Rate of GWTSAC.  
3. Prior to November 2023 the total mass of PAFs removed is calculated based on the calculated effluent flow rate, the number of days the system has been operating, and the average total influent PAFs concentration for the month. Since November 2020, the total mass of PAFs removed is calculated based on the effluent flow rate.  
4. NA - or - Not Available  
5. NA - Not Measured  
6. As of April 1, 2020, the system's O&M data recorder was changed to include the differential pressure readings from the bag filter unit's pressure sensors before and after the bag filters are changed/removed if available.  
7. Due to November 2020, the average effluent flow rate could not be used for calculations measured from September to March 4/1/2021 due to a backflow in the site data on the SS tank from accumulated iron scale encrustations in the bottom of the tank. The iron scale encrustations were removed from the SS tank on Oct. 28, 2020.  
8. Following the replacement of the bag filter units and the installation of GWTSAC on November 7, 2020, instantaneous effluent flow rates are estimated by extrapolating 50% of the Combined instantaneous Influent Flow rate values.  
9. Instantaneous Effluent Flow Rate is recorded as the instantaneous flow rate is calculated as indicated from the calculated flow meter on the system's effluent discharge piping. readings is collected after bag filter change and/or backwashing.  
10. The Average effluent flow rate is calculated from the real action Total Gallons Treated obtained from the system's effluent oxidation flow meter and data that the system was in operation.  
11. Prior to Nov. 7, 2020, calculated average effluent flow rates exclude estimated PAFs removed rate were calculated based on the measured effluent reading. The calculated flow rate reading on the effluent discharge alone was not reliable as flow rates less than 40 GPM.  
12. Therefore the data are shared to indicate that they are approximations only and for this reason the July through October data are also considered approximations.  
13. As of September 2020, the "Totals" column shows INP by itself include the Average instantaneous Influent Flow Rate. Total Gallons Treated, Average Influent Flow Rate, and Estimated PAFs Removed for the respective monthly monitoring period.  
14. Average system values shown for the effluent flow rate. Prior to November 7, 2020, which shown from left to right included the Average instantaneous Influent Flow Rate, Total Gallons Treated, Average instantaneous Effluent Flow Rate, and Estimated PAFs Removed for the respective monthly monitoring period.  
15. The calculated Total Gallons Treated and Average Effluent Flow Rate are based on combined readings from each monitoring date and the table are representative of the monthly-like monitoring period. The average effluent flow rate calculated from the flow monitoring data are based on measurements from the last monitoring date of the previous monitoring period.  
16. February 18, 2022 GWTSAC was shut down waiting for a Carbon Chemical. all water was routed through GWTSAC. The estimated instantaneous Influent Flow Rate was not divided between the 2 vessels and therefore matches the Combined instantaneous Influent Flow Rate.

**Table 2B - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 2 (GWTS #2)**  
 Barnstable County Fire and Rescue Training Academy  
 155 Fleet Rock Road, Barnstable, MA  
 01974-26179

Date	Operator	System Operating as Intended	Days System Operating	Transfer Pump Pres. (psi)			Pre-Filter Changeout Differential Pressure (psi)			Post-Filter Changeout Differential Pressure (psi)			Carbon Vessels, Pre-change out (psi)		Carbon Vessels, Post-change out (psi)		Instantaneous Estimated Influent <sup>2</sup>	EFFLUENT				Estimated Total PFA Removal (%)	System Operating as Intended	System Sampled	Comments
				Gauge P1	Gauge P2	Gauge P3	Gauge P2	Gauge P3	Gauge P4	Gauge P5	Gauge P4	Gauge P5	Flow Rate (GPM) <sup>3</sup>	Totalizer (Gal)	Instant. Flow Rate (GPM) <sup>4</sup>	Net Gallons Treated <sup>5</sup>		Average Effluent Flow Rate (GPM) <sup>6</sup>							
11/11/2019	GWTT	Yes	1	38	0	0	0	0	0	<2	0	2	2	12.56	41690	32.00	0.0	—	0.0032	Yes	No		Influent flow stream from PFW 4 split and started system #2. Conducted system checks, changed bag filters after initial flush.		
11/12/2019	GWTT	Yes	4	40	24	2	5	2	2	2	2	2	2	34.00	45165	34.00	34165.0	8.043	0.0008	Yes	Yes		Conducted system pressure checks and changed the bag filters. System shutdown temporarily to calculate influent flow rate at GWTPS #1. Collected system startup samples on 11/12/2019 and 11/12/2019.		
11/18/2019	GWTT	Yes	7	—	32	2	6	6	2	2	4	4	4	44.00	49120	33.00	38626.0	9.175	0.0036	Yes	No		Conducted system pressure checks and changed the bag filters. System shutdown temporarily to calculate influent flow rate at GWTPS #1. Collected system startup samples on 11/18/2019.		
11/20/2019	GWTT	Yes	11	40	31	4	7	7	4	4	6	5	12.50	54022	34.00	57742.0	10.025	0.0028	Yes	No		Conducted system pressure checks and changed the bag filters. System shutdown temporarily to calculate influent flow rate at GWTPS #1. Collected system startup samples on 11/20/2019.			
11/25/2019	GWTT	Yes	14	40	15	6	7	7	4	5	5	6	12.50	59423	33.00	45801.0	10.556	0.0037	Yes	No		Conducted system pressure checks and changed the bag filters.			
11/26/2019	GWTT	Yes	18	40	18	6	8	8	3	3	4	4	6	6	58	64510	34.00	54527.0	9.466	0.0044	Yes	No		Conducted system pressure checks and changed the bag filters.	
Totals - November 2019 <sup>10</sup>				18										23.51		35	20230	8.91	0.0040						
1/2/2020	BETA	Yes	2	—	—	—	—	—	—	—	—	—	—	—	66500	—	12750.0	8.8	—	0.0000	No	Yes		System shutdown at 12:00 for fence main de-scale process; system locked out and tagged out.	
1/3/2020	BETA	No	2	40	—	—	—	—	7	7	—	—	4	4	22.70	68700	30.00	200.0	0.07	0.0000	Yes	No		System restarted at 12:12 upon finishing the de-scale purging process and restarted PFW 4.	
1/3/2020	GWTT	No	4	35	—	—	14	13	—	—	—	—	10	8	25.0	78766	47.00	21386.0	7.35	0.0009	Yes	No		System off upon arrival and bag filters were completely clogged with iron sediments. Bag filters had to be changed after 20 minutes of operation. GWTT observed a high amount of solids floating in the EQ tank and pumped down the EQ tank and observed significant iron sediment residue on the bottom of the tank. GWTT notified BETA that they would raise the floats in EQ tank to help lessen the agitation of the sludge and cause more into the bag filters. System was on high level alarm and continued to shut off PFW 4, which shut off system #1 due to significant iron scale sediment accumulation in EQ tank.	
1/3/2020	GWTT	Yes	7	37	39	8	18	18	7	5	14	8	25.0	81300	46.00	125188.0	24.35	0.00171	Yes	No		Conducted system checks, changed bag filters. Raising floats in EQ tank has not affected the iron sediment at the bottom.			
1/13/2020	GWTT	Yes	11	38	43	11	21	20	10	5	18	7	25.0	94307	43.00	130792.0	23.70	0.0020	Yes	No		Conducted system checks, changed bag filters.			
1/13/2020	GWTT	Yes	14	45	43	13	23	22	10	3	21	5	25.0	103390	43.00	135593.0	24.49	0.0044	Yes	No		Conducted system checks, changed bag filters. EQ tank "High Level" alarm triggered.			
1/16/2020	GWTT	Yes	18	42	33	14	20	20	10	4	18	6.00	25.0	114998	43.00	90688.0	17.29	0.0012	Yes	No		Conducted system checks and changed the bag filters. System shutdown temporarily for pump out of iron scale sediment accumulation in EQ tank.			
1/22/2020	GWTT	Yes	21	—	—	—	—	—	—	—	—	—	—	—	120949	58	60551.0	14.04	0.00296	Yes	No		System shutdown at 08:00 for carbon changeout conducted on System #1.		
1/24/2020	GWTT	Yes	22	38	30	15	19	19	18	14	6	18	7	24.2	120820	42.00	171.0	0.04	0.00001	Yes	No		System restarted at 09:30 AM following carbon changeout conducted on System #1. Conducted system checks and changed bag filters.		
1/24/2020	GWTT	Yes	26	38	38	13	22	22	12	5	20	7	24.00	132024	40.00	111094.0	19.27	0.00030	Yes	No		Conducted system pressure checks and changed the bag filters. Reset pump control floats in EQ tank back to original depths (following the removal of iron sediments at bottom of the tank).			
Totals - December 2019 <sup>11</sup>				27										24.48		41	67476	13.3	0.005						
1/2/2020	GWTT	Yes	3	43	35	11	20	20	10	4	18	6	—	—	142335	42.00	135401.0	17.8	0.00076	Yes	No		Conducted system checks, changed bag filters.		
1/2/2020	GWTT	Yes	40	37	15	19	19	19	11	5	18	8	20.00	157790	42.00	84775.0	18.7	0.0039	Yes	No		Conducted system checks, changed bag filters.			
1/2/2020	GWTT	Yes	10	38	29	15	19	19	13	5	17	6	20.40	160395	43.00	95446.0	16.6	0.00297	Yes	No		Conducted system checks, changed bag filters.			
1/13/2020	GWTT	Yes	13	38	26	16	19	19	18	6	6	8	18.28	167440	43.00	71905.0	16.6	0.00309	Yes	No		Conducted system checks, changed bag filters.			
1/17/2020	GWTT	Yes	17	—	28	16	20	20	15	6	18	7	18.94	170919	43.00	30089.0	13.2	0.0031	Yes	No		Conducted system checks, changed bag filters.			
1/20/2020	GWTT	Yes	20	38	25	16	15	13	15	6	18	7	15.44	168830	48.00	120917.0	13.4	0.00382	Yes	No		Conducted system checks, changed bag filters. Backwashed primary (GAC vessel).			
1/24/2020	GWTT	Yes	24	35	19	9	11.5	11.5	6	7	8	8	11.93	187340	48.00	64330.0	11.2	0.00383	Yes	No		Conducted system checks, changed bag filters.			
1/24/2020	GWTT	Yes	24	35	19	9	11.5	11.5	6	7	8	8	10.85	187340	48.00	0.0	409100	—	—	—	—	Yes	No		Conducted system checks, changed bag filters, pumped backwash water through system's influent stream.
1/27/2020	GWTT	Yes	27	35	16	10	12	12	11	7	7	9	8.88	185176	48.00	43446.0	9.3	0.00383	Yes	No		Conducted system checks, changed bag filters.			
1/27/2020	GWTT	Yes	31	30	18	10	12	12	9	8	8	7	9.01	194200	48.00	46301.0	8.0	0.00356	Yes	No		Conducted system checks, changed bag filters.			
Totals - January 2020 <sup>12</sup>				31										14.88		41	69128	14.4	0.004						
1/2/2020	GWTT	Yes	4	2	18	10	12	12	9	8	8	7	1.56	200933	46.00	84580	6.4	0.00013	Yes	No		Conducted system checks, changed bag filters.			
1/7/2020	GWTT	Yes	7	36	14	11	12	12	8	7	8	6	7.75	202387.5	46.00	22545	5.5	0.00076	Yes	No		Conducted system checks, changed bag filters.			
1/12/2020	GWTT	Yes	11	35	14	12	12	12	9	8	10	8	5.53	204888	47.00	26020	4.5	0.00099	Yes	No		Conducted system checks, changed bag filters.			
1/14/2020	GWTT	Yes	13	36	12	12	14	12	10	8	10	8	4.97	205009	46.00	42081	2.0	0.00099	Yes	No		Conducted system checks, changed bag filters. Pumped backwash water from GWTS #1 through system.			
1/20/2020	GWTT	Yes	18	36	15	12	13	14	9	8	9	8	3.88	209350	57.00	21781	3.0	0.00209	Yes	Yes		Conducted system checks, changed bag filters.			
1/21/2020	GWTT	Yes	21	36	15	13	14	13	10	8	10	8	2.70	209454	48.00	12204	2.8	0.00117	Yes	Yes		Conducted system checks, changed bag filters.			
1/24/2020	GWTT	Yes	24	37	43	5	16	16	2	2	13	7	23.11	110800	47.00	14026	3.2	0.00156	Yes	Yes		Conducted system checks, changed bag filters. Bag filters packed with significant iron-scale sediments, influent flow rate into EQ tank significantly increased, sludge from most hose broke through. Had to change bag filters twice.			
1/26/2020	GWTT	Yes	26	36	43	6	16	15	6	2	10	8	23.56	214343	45.00	21013	9.1	0.00472	Yes	Yes		Conducted system checks and changed bag filters.			
1/26/2020	GWTT	Yes	26	36	44	5	21	20	5	2	18	7	24.00	216875	42.00	24054	11.8	0.00661	Yes	Yes		Conducted system checks, changed bag filters. Approximately 8 inch of iron-scale sludge has accumulated on bottom of EQ tank; control float switches were reset to reduce agitation of settled sludge.			
Totals - February 2020 <sup>13</sup>				29										11.46		47	28638	4.9	0.003						
2/2/2020	GWTT	Yes	2	36	35	10	15	15	9	5	10	11	21.6	224800	48.00	80700	18.7	0.00078	Yes	Yes		Conducted system checks, changed bag filters. Backwashed primary (GAC vessel, vacuumed the iron-scale sludge out of the EQ tank, and into ES-grate drum on site, water from the drum can be decanted back through the system. System sampled on 2/2/2020.			
2/6/2020	GWTT	Yes	6	37	25	10	16	15	8	8	12	10	20.4	231979	47.00	68739	11.6	0.00145	Yes	No		Conducted system checks, changed bag filters. System shutdown temporarily to pump backwash water from exterior tanks through system.			
2/6/2020	GWTT	Yes	9	37	30	9	16	16	7	6.5	14	10	20.4	236115	44.00	10576	11.7	0.00220	Yes	No		Conducted system checks, changed bag filters.			
2/13/2020	GWTT	Yes	13	38	37	9	20	20	8	5	18	10	18.9	247693	43.00	109730	19.0	0.00518	Yes	No		Conducted system checks, changed bag filters.			
2/18/2020	GWTT	Yes	18	38	29	15	20	20	12	8	18	10	16.9	254658	41.00	64853	15.9	0.00339	Yes	No		Conducted system checks, changed bag filters.			
2/19/2020	GWTT	Yes	20	38	28	17	19	19	10	7	17	10	17.0	261618	41.00	71060	12.3	0.00514	Yes	No		Conducted system checks, changed bag filters. Observed significant iron-scale accumulation in EQ tank.			
2/19/2020	GWTT	Yes	23	38	26	16	21	20	14	8.5	18	10	20.4	263671	41.00	21343	4.9	0.00225	Yes	No		Conducted system checks, changed bag filters.			
2/19/2020	GWTT	Yes	26	38	29	14	20	19	14	8.5	18	10	20.4	269154	41.00	20719	6.2	0.00237	Yes	No		Conducted system checks, changed bag filters.			
2/19/2020	GWTT	Yes	30	40	44	5	24	24	2	1	20	9	18.8	272065	37.00	97051	10.0	0.00227	Yes	No		Conducted system checks, changed bag filters.			
Totals - March 2020 <sup>14</sup>				31										16.37		42	92470	12.4	0.00349						
4/2/2020	GWTT	Yes	2	42	42	13	24	23	10	3	21	5	20.8	278544	27.00	47478	11.0	0.00028	Yes	No		Conducted system checks, changed bag filters, and slowed down the effluent discharge flow rate to reduce carry over of significant iron sludge into the bag filters.			
4/6/2020	GWTT	Yes	6	42.5	42	12	27	27	10	3	20	6	19.7	283368	25.00	64625	11.9	0.00085	Yes	No		Conducted system checks and changed bag filters.			
4/6/2020	GWTT	Yes	8.5	39	—	—	9	8	7	6.5	7	6.5	17.7	290370	39.00	70882	16.1	0.00174	Yes	No		System shutdown for 2-4 hours at 7am for vac out of EQ holding tank and backwash of primary carbon vessel. Conducted system checks and changed bag filters.			
4/13/2020	GWTT	Yes	12.5	39	24.5	7	10	9	4	5	8	6.0	15.6	300447	38.00	180725	17.5	0.00275	Yes	No		Conducted system checks and changed bag filters. Lowered transfer pump "off control" float in EQ holding tank to allow longer run time and less foaming.			
4/16/2020	GWTT	Yes	15.5	40	20.8	8	11	10	7	6	8	6.0	14.2	301610	36.00	78005	16.2	0.00316	Yes	No		Conducted system checks and changed bag filters, pumped backwash water from exterior tanks into System #2 holding tank.			
4/16/2020	GWTT	Yes	19.5	40	25	8	11	10	6	5	9	6.0	12.3	311661	37.00	80303	14.3	0.00390	Yes	No		Conducted system checks and changed bag filters. Lowered transfer pump "off control" float in EQ holding tank to allow longer run time and less foaming.			
4/24/2020	GWTT	Yes	23.5	42	26	10	11	14	7	5	10	6.0	11.7	325480	33.00	68867	11.0	0.00353	Yes	No		Conducted system checks and changed bag filters.			
4/27/2020	GWTT	Yes	26.5	40	21	12	15	14	10	6	12	6.0	11.7	327430	33.00	44				Yes	No		Conducted system checks and changed bag filters. Collected system samples on 4/28/2020.		

**Table 2B - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 2 (GWTS #2)**  
 Barnstable County Fire and Rescue Training Academy  
 155 Fleet Rock Road, Barnstable, MA  
 019 4-26179

Date	Operator	System Operating as Arrived	Days System Operating	Transfer Pump Pres. (psi)		Pre-Filter Changeout Differential Pressure (psi)		Post-Filter Changeout Differential Pressure (psi)		Carbon Vessels, Pre-change out (psi)		Carbon Vessels, Post-change out (psi)		Instantaneous Operating as Estimated Velocity <sup>2</sup>	EFFLUENT				Estimated Total PPMs Removed (M)	System Operating as Departure	System Sampled	Comments
				Gauge P1	Gauge P2	Gauge P3	Gauge P2	Gauge P3	Gauge P4	Gauge P5	Gauge P4	Gauge P5	Flow Rate (GPM) <sup>3</sup>		Totalizer (Gal)	Instant. Flow Rate (GPM) <sup>4</sup>	Net Gallons Treated <sup>5</sup>	Average Effluent Flow Rate (GPM) <sup>6</sup>				
5/1/2020	GWTT	Yes	1	47	43	9	22	22	8	3	20	5.0	36.3	332024	32.00	49114	6.1	0.00310	Yes	No	Conducted system checks and changed bag filters twice during visit, system on idle upon arrival due to high level.	
5/19/2020	GWTT	Yes	5	42	42	12	26	26	10	3	23	5.0	38.0	335982	25.00	38218	6.6	0.00241	Yes	No	Conducted system checks and changed bag filters twice, influent flow rate was spiked but has caused a large volume of iron sediments.	
5/26/2020	GWTT	Yes	8	42	35	13	22	22	10	4	20	6.0	38.1	336824	34.00	47742	15.7	0.00570	Yes	No	Conducted system checks and changed bag filters.	
5/31/2020	GWTT	Yes	11	42	25	16	22	22	14	5	20	6.0	36.5	340500	32.00	50770	15.5	0.00490	Yes	No	Conducted system checks and changed bag filters. Pumped down green exterior tank holding backwash water from system #1.	
5/31/2020	GWTT	Yes	15	39	35	17	8.5	8	16	4	7	6.0	32.8	352001	36.00	70551	13.4	0.00485	Yes	No	Conducted system checks and changed bag filters. Backwashed primary GAC vessel.	
5/31/2020	GWTT	Yes	18	39	36	6	9	9	6	6	7	6.0	33.3	361494	39.00	52983	12.2	0.00445	Yes	Yes	Conducted system checks and changed bag filters. Pumped down green exterior tank holding backwash water from S 15-20 through System #2. System sampled on 5/31/2020.	
5/31/2020	GWTT	Yes	22	42	34	7	14.5	16	7	9	14	5.0	32.0	365216	46.00	67002	11.7	0.00436	Yes	No	Conducted system checks and changed bag filters.	
5/29/2020	GWTT	Yes	26	41	44	4	17	16	0	0	14	5.0	34.8	371542	34.00	52006	9.2	0.00335	Yes	No	Conducted system checks and changed bag filters twice.	
5/29/2020	GWTT	Yes	29	40	44	4	21	19	4	1	15	4.0	34.8	376910	34.00	50108	11.6	0.00422	Yes	No	Conducted system checks and changed bag filters twice.	
Totals - May 2020 <sup>7</sup>				31										15.2	33.8	514000	11.5	0.00418				
6/1/2020	GWTT	Yes	2	43	42	8	23	23	8	3	21	5.0	34.4	383304	31.00	47118	9.3	0.00235	Yes	No	Conducted system checks and changed bag filters, primary carbon vessel needs to be backwashed.	
6/1/2020	GWTT	Yes	5	40	35	9	13	13	2	2	10	5.0	37.7	389328	25.00	54000	12.7	0.00366	Yes	No	Conducted system checks and changed bag filters.	
6/8/2020	GWTT	Yes	9	40	21	10	7.5	7	8	5	6	5.0	35.9	392210	35.00	38982	6.0	0.00172	Yes	No	Conducted system checks and changed bag filters. Backwashed primary GAC vessel, pumped down outside holding tank through system before backwashing carbon vessel.	
6/12/2020	GWTT	Yes	12	40	21	10	7.5	7	8	5	6	5.0	34.9	397010	35.00	48000	11.1	0.00320	Yes	No	Conducted system checks and changed bag filters.	
6/16/2020	GWTT	Yes	16	41	23	8	10	10	6	5	8	6.0	33.1	402979	36.00	58800	10.2	0.00295	Yes	No	Conducted system checks and changed bag filters. Pumped backwash water from exterior holding tanks through system.	
6/16/2020	GWTT	Yes	19	40	21	10	7.5	7	8	5	6	5.0	32.3	409514	36.00	40335	9.3	0.00289	Yes	No	Conducted system checks and changed bag filters.	
6/22/2020	GWTT	Yes	22	41	14	10	11	11	9	5	9	5.0	30.7	412439	37.00	52925	7.6	0.00219	Yes	No	Conducted system checks and changed bag filters.	
6/24/2020	GWTT	Yes	25	42	16	12	10	10	8	4	5	5.0	30.9	412610	35.00	25571	5.9	0.00170	Yes	No	Conducted system checks and changed bag filters.	
6/29/2020	GWTT	Yes	29	41	16	9	10	10	8	5	9	5.0	31.9	415462	35.00	28822	4.7	0.00134	Yes	No	Conducted system checks and changed bag filters.	
Totals - June 2020 <sup>7</sup>				30										15.5	35.3	301002	9.5	0.00226				
7/2/2020	GWTT	Yes	2	42	43	4	12	11	0	0	10	5.0	33.3	417548	34.00	30205	4.2	0.00146	Yes	No	Conducted system checks and changed bag filters.	
7/10/2020	GWTT	Yes	6	42	37	8	14.5	16	7	9	14	5.0	32.3	424300	34.00	70212	12.2	0.00433	Yes	No	Conducted system checks and changed bag filters.	
7/16/2020	GWTT	Yes	9	42	42	8	23	23	8	3	21	5.0	32.3	427905	31.00	36005	8.4	0.00291	Yes	No	Conducted system checks and changed bag filters.	
7/12/2020	GWTT	Yes	12	47	47	18	18	18	7	3	16	5.0	31.6	432440	32.00	49003	11.6	0.00461	Yes	No	Conducted system checks and changed bag filters.	
7/16/2020	GWTT	Yes	16	42	25	13	16.5	16	12	5	14	7.0	30.2	437449	33.00	40909	7.8	0.00271	Yes	No	Conducted system checks and changed bag filters.	
7/19/2020	GWTT	Yes	20	40	34	12	7.5	7	10	3	6	5.0	9.3	443910	40.00	40551	10.5	0.00395	Yes	No	Conducted system checks and changed bag filters. Pumped backwash water from System #1 through system and then backwashed primary GAC vessel.	
7/19/2020	GWTT	Yes	24	40	37	4	9.5	9	3	2	8	6.0	8.5	449115	40.00	18121	10.1	0.00350	Yes	No	Changed bag filters and pumped excess backwash water through system.	
7/27/2020	GWTT	Yes	27	41	43	6	11	12	2	0	10	5.0	8.2	451619	38.00	2804	6.6	0.00229	Yes	No	Conducted system checks and changed bag filters twice due to iron oxide accumulation in the GAC tank.	
7/30/2020	GWTT	Yes	30	41	32	7	14	13	6	3	10	5.0	9.0	455515	37.00	63876	14.8	0.00513	Yes	No	Conducted system checks; the system is receiving more water (influent) than GWTS#1, operator assumes it's related to the build up of iron in the flow main piping.	
Totals - July 2020 <sup>8</sup>				31										35.5	35.4	496073	11.6	0.00335				
8/1/2020	GWTT	No	4	41	41	7	17	16	5	3	14	5.5	9.5	460831	36.00	83666	9.6	0.00336	Yes	No	System down on arrival due to split system of 2 inch hard hose connecting the transfer pump to the bag filters. Hose was replaced and system restarted on 8/1/2020. Conducted system checks and changed bag filters.	
8/7/2020	GWTT	Yes	7	41	38	14	16	15	12	6	12	6.0	9.8	460829	34.00	34008	3.9	0.00113	Yes	No	Conducted system checks and changed bag filters.	
8/10/2020	GWTT	Yes	10	40.5	34.5	14	20	14	11	5	12	6.0	5.4	470124	21.00	21119	2.1	0.00101	Yes	No	Conducted system checks and changed bag filters. System shutdown on 8/12/2020 for carbon changeout.	
8/14/2020	GWTT	Yes	12	40	--	--	15	16	--	--	10.5	6.0	8.8	471472	41.00	12981	2.4	0.00098	Yes	No	Restarted system after carbon changeout. Conducted system checks and changed bag filters.	
8/17/2020	GWTT	Yes	15	40	36.5	13.5	15	14	10	6	12	6.0	8.8	472016	41.00	12764	4.0	0.00116	Yes	No	Conducted system checks and changed bag filters.	
8/20/2020	GWTT	Yes	18	34	32	12	15	14	10	5	12	6.0	8.7	474901	40.00	12981	3.0	0.00090	Yes	No	Conducted system checks and changed bag filters.	
8/24/2020	GWTT	Yes	22	41	19	11	15	14	10	5	12	6.0	7.7	476125	40.00	2024	5.1	0.00147	Yes	No	Conducted system checks and changed bag filters.	
8/26/2020	GWTT	Yes	26	30	18	14	25	23	10	5	20	12.0	8.3	479380	40.00	28661	3.4	0.00099	Yes	No	Conducted system checks and changed bag filters. System sampled on 8/27/2020 and iron sediment vacuum removed from EQ tank on 8/27/2020.	
8/31/2020	GWTT	Yes	29	40	20	12	14	12	8	6	10	7.0	8.0	480724	41.00	13714	3.2	0.00092	Yes	No	Conducted system checks and changed bag filters.	
Totals - August 2020 <sup>9</sup>				29										8.7	34.6	32380	5.3	0.00144				
9/1/2020	GWTT	Yes	4	40	35	12	13	13	8	6	10	6.0	8.3	481810	42.00	34008	2.5	0.00099	Yes	No	Conducted system checks and changed bag filters.	
9/8/2020	GWTT	Yes	8	40	46	4	9	9	9	9	0	6	6.0	8.9	483449	36.00	12986	2.2	0.00086	Yes	No	Conducted system checks and changed bag filters.
9/11/2020	GWTT	Yes	11	44	18	6	9	7	5	5	6	5.0	7.1	486075	36.00	32227	7.3	0.00299	Yes	No	Conducted system checks and changed bag filters.	
9/15/2020	GWTT	Yes	15	42	19	7	8	7	6	5	6	6.0	6.0	490755	36.00	40800	7.1	0.00284	Yes	No	Conducted system checks and changed bag filters.	
9/16/2020	GWTT	Yes	16	42	9.5	27	8	7	6	5	6	5.0	5.5	493701	37.00	29466	6.8	0.00273	Yes	No	Conducted system checks and changed bag filters.	
9/17/2020	GWTT	Yes	21	35	14	8	9	9	6	5	6	5.0	5.4	495341	37.00	28020	6.2	0.00250	Yes	No	Conducted system checks and changed bag filters.	
9/22/2020	GWTT	Yes	25	45	21	7	8	7	4	4	4	5.0	4.9	499400	35.00	25459	6.2	0.00247	Yes	No	Conducted system checks and changed bag filters.	
9/26/2020	GWTT	Yes	28	43	44	3	10	10	8	5	8	5.0	5.0	502229	35.00	18209	7.9	0.00304	Yes	No	Conducted system checks and changed bag filters.	
Totals - September 2020 <sup>10</sup>				26										6.2	32.5	24795	5.2	0.00120				
10/2/2020	GWTT	Yes	2	42	28	6	9	8	5	4	7	5.0	4.5	507647	34.00	40218	2.7	0.00192	Yes	No	Conducted system checks and changed bag filters.	
10/5/2020	GWTT	Yes	5	40	15	12	13	13	8	6	10	6.0	4.8	508882	35.00	12425	3.9	0.00132	Yes	No	Conducted system checks and changed bag filters.	
10/6/2020	GWTT	Yes	8	42	10	9	9	9	6	5	6	5.0	4.8	509790	35.00	9018	2.1	0.00096	Yes	No	Conducted system checks and changed bag filters.	
10/13/2020	GWTT	Yes	13	42	11	9	10	9	7	5	7	5.0	4.7	510764	35.00	1014	1.3	0.00058	Yes	No	Conducted system checks and changed bag filters.	
10/15/2020	GWTT	Yes	16	42	10	8	8	8	6	4	6	4.0	4.3	511780	35.00	1014	2.4	0.00100	Yes	No	Conducted system checks and changed bag filters.	
10/19/2020	GWTT	Yes												5114018	35.00	7108	1.7	0.00077	Yes	No	Conducted system checks and changed bag filters.	
10/23/2020	GWTT	Yes	23	42	10	9	9	9	7	6	4	6.0	3.4	512768	35.00	9800	0.5	0.00024	Yes	No	Conducted system checks and changed bag filters.	
10/26/2020	GWTT	Yes	26	42	10.5	9	10	9.5	7	6	8	6.0	3.2	513753	34.00	1145	0.5	0.00013	Yes	No	Conducted system checks and changed bag filters.	
10/29/2020	GWTT	Yes	30	42	14	10	10	9	7	6	8	6.0	6.0	514235	35.00	12951	2.2	0.00101	Yes	No	Conducted system checks and changed bag filters.	
Totals - October 2020 <sup>11</sup>				31										4.3	34.7	11000	2.5	0.00112				
11/2/2020	GWTT	Yes	2	42	19	8	10	10	6	5	8	6.0	2.7	515575	34.00	13000	2.0	0.00119	Yes	No	Conducted system checks and changed bag filters.	
11/10/2020	GWTT	Yes	6	43	22	8	9	9	8	5	8	6.0	2.5	517583	34.00	2999	3.5	0.00109	Yes	No	Conducted system checks and changed bag filters.	
11/20/2020	GWTT	Yes	9	43	28	6	8	8	5	4	7	5.0	3.1	518444	34.00	3919	1.4	0.00064	Yes	No	Conducted system checks and changed bag filters.	
11/23/2020	GWTT	No	12	--	--	--	--	--	--	--	--	--	--	518221	--	1379	0.2	0.00011	No	No	GWTT channel no influent flow coming into the EQ tank. GWTT swapped the electrical components at PRW 4 and reset the power, after power reset, electrical current was at 77 A and power tripped and shut. GWTT operator suggest the pump has locked up or the motor has failed. GWTT shut down system.	
11/24/2020																						

**Table 28 - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 2 (GWTS #2)**  
**Barnstable County Fire and Rescue Training Academy**  
**155 Fleet Rock Road, Barnstable, MA**  
**019 4-261-79**

Date	Operator	System Operating as Arrived	Ops System Operating	Transfer Pump Pres. (psi)		Pre-Filter Changeout Differential Pressure (psi)			Post-Filter Changeout Differential Pressure (psi)			Carbon Vessels, Pre-change out (psi)		Carbon Vessels, Post-change out (psi)		Estimated Instantaneous Velocity <sup>2</sup>	EFFLUENT				Estimated Total PPMs Removed (M)	System Operating as Departure	System Sampled	Comments
				Gauge P1	Gauge P2	Gauge P3	Gauge P2	Gauge P3	Gauge P4	Gauge P5	Gauge P4	Gauge P5	Gauge P4	Gauge P5	Flow Rate (GPM) <sup>3</sup>		Totalizer (Gals)	Instant Flow Rate (GPM) <sup>4</sup>	Net Culture Traces <sup>5</sup>	Average Effluent Flow Rate (GPM) <sup>6</sup>				
12/1/2020	GWTT	Yes	1	44	44	4	13.5	13	2	3	10	5.5	32.8	523532	32.00	21032	4.2	0.00126	Yes	No	Conducted system checks and changed bag filters twice.			
12/15/2020	GWTT	Yes	2	43	--	--	8	7.5	--	--	8	6.0	32.4	523683	36.00	37301	28.4	0.00097	Yes	No	Conducted system checks, Global on line vacuum out of the EQ tank, backwash primary GAC vessel.			
12/17/2020	GWTT	Yes	7	43	42	5	30	10	2	2	8	6.0	32.5	523935	33.00	33337	17.9	0.00256	Yes	No	Conducted system checks and changed bag filters twice. Pumped backwash water through system.			
12/21/2020	GWTT	Yes	11	44	42	8	14	14	6	3	10	6.0	33.1	548454	33.00	32855	16.1	0.00481	Yes	No	Conducted system checks and changed bag filters.			
12/21/2020	GWTT	Yes	15	45	45	10	18	18	9	5	15	5.0	31.4	557819	34.00	35774	16.6	0.00496	Yes	No	Conducted system checks and changed bag filters. High level alarm in IMF tank was active on arrival. Bag filters were impacted with iron.			
12/24/2020	GWTT	Yes	18	45	39	18	25	25	16	4	18	7.0	32.8	567057	28.00	35738	21.2	0.00633	Yes	No	Conducted system checks and changed bag filters. Increased flow rate through system.			
12/21/2020	GWTT	Yes	23	41	38	8	20	20	6	4	16	8.0	--	576668	41.00	35111	22.0	0.00656	Yes	Yes	Conducted system checks and changed bag filters.			
12/24/2020	GWTT	Yes	24	44	41	16	26	26	14	3	22	7.0	28.7	583905	38.00	33837	21.7	0.00648	Yes	No	Conducted system checks and changed bag filters. High level alarm in IMF tank was active on arrival. Bag filters were impacted with iron.			
12/26/2020	GWTT	Yes	28	45	41	23	31	31	20	4	25	6.0	29.3	597618	38.00	32513	20.5	0.00588	Yes	No	Conducted system checks and changed bag filters.			
Total - December 2020 <sup>10</sup>				31										35		24.8	70628	15.5		0.005				
1/1/2021	GWTT	Yes	1	46	42	22	33	33	20	3	30	5.0	29.7	608850	26.00	34832	16.5	0.00365	Yes	No	Conducted system checks and changed bag filters.			
1/4/2021	GWTT	Yes	4	46	37	28	27	27	16	5	24	6.0	22.4	613936	33.00	35026	20.7	0.00459	Yes	No	Conducted system checks and changed bag filters.			
1/9/2021	GWTT	Yes	8	48	40	18	30	30	18	7	24	5.0	23.6	623930	30.00	33044	18.5	0.00410	Yes	No	Conducted system checks and changed bag filters.			
1/11/2021	GWTT	Yes	11	47	39	16	25	24	22	6	22	7.0	17.1	634300	30.00	37023	18.0	0.00386	Yes	No	Conducted system checks and changed bag filters. Tank bag filter unit #4330 off-line.			
1/16/2021	GWTT	Yes	15	45	43	28	33	33	18	3	30	5.0	18.3	643570	38.00	40070	14.2	0.00316	Yes	No	Conducted system checks and changed bag filters. Bag filter housing from unit #4330 was replaced.			
1/18/2021	GWTT	Yes	18	44	42	16	8	8	13	3	9	9.0	22.0	648081	32.00	34811	12.6	0.00280	Yes	No	Conducted system checks and changed bag filters. Pumped backwash water from GWTS #1 through system, then backwashed the primary carbon vessel. Bag filter housing from unit #4330 was replaced.			
1/22/2021	GWTT	Yes	22	43	28	10	11	11	7	5	8	6.0	18.7	656380	32.00	33879	14.6	0.00314	Yes	No	Conducted system checks and changed bag filters. Pumped contents of backwash from GWTS#1 through system.			
1/25/2021	GWTT	Yes	25	43	36	12	16	16	9	5	12	6.0	15.6	663990	29.00	37300	13.2	0.00293	Yes	No	Conducted system checks and changed bag filters.			
1/26/2021	GWTT	Yes	29	44	29	14	19	19	10	5	10	6.0	15.9	664342	27.00	44028	11.2	0.00246	Yes	No	Conducted system checks and changed bag filters.			
Total - January 2021 <sup>10</sup>				31									35.5		26.8	70840	15.9		0.004					
2/2/2021	GWTT	Yes	2	44	26	16	14	14	14	15	6	10	5.0	12.2	673550	30.00	52112	9.2	0.00438	Yes	No	Conducted system checks and changed bag filters.		
2/9/2021	GWTT	Yes	5	44	24	16	19	19	13	5	16	6.0	11.6	677044	30.00	33884	7.8	0.00372	Yes	No	Conducted system checks and changed bag filters.			
2/26/2021	GWTT	Yes	8	44	25	18	21	21	16	6	18	6.0	9.5	680513	27.00	28959	6.9	0.00326	Yes	No	Conducted system checks and changed bag filters.			
2/10/2021	GWTT	Yes	12	44	28	17	21	21	14	5	18	6.0	10.0	684311	26.00	34178	5.9	0.00282	Yes	No	Conducted system checks and changed bag filters.			
2/18/2021	GWTT	Yes	19	44	23	20	21	21	17	6	18	6.0	8.3	687680	26.00	42869	4.2	0.00200	Yes	No	Conducted system checks and changed bag filters.			
2/22/2021	GWTT	Yes	22	--	30	12	--	--	7	4	--	--	5.7	688938	11.00	12838	3.0	0.00141	No	Yes	Conducted system checks and changed bag filters. System shutdown on departure due to significant iron fouling in the EQ tank and in primary carbon vessel. GWTT and BTA decided to shut down GWTS #2 until a pump out of the tanks can be completed to reduce additional iron sedimentation in the carbon vessels. System was completed on 2/23/2021.			
Total - February 2021 <sup>10</sup>				22										16.9		25.8	20620	6.5		0.002				
3/1/2021	GWTT	No	--	--	--	--	--	--	--	--	--	--	--	688975	--	--	--	--	--	--	--	--	--	System off
3/2/2021	GWTT	No	--	--	--	--	--	--	--	--	--	--	--	688975	--	--	--	--	--	--	--	--	--	System off
3/8/2021	GWTT	No	--	--	--	--	--	--	--	--	--	--	--	688975	--	--	--	--	--	--	--	--	--	System off
3/10/2021	GWTT	No	--	--	--	--	--	--	--	--	--	--	--	688975	--	--	--	--	--	--	--	--	--	System off
3/12/2021	GWTT	No	1	42	8	7	6	6	4	3	6	3.0	24.2	693376	36.00	3980	0.3	0.00012	Yes	Yes	Global Cycle on site to vacuum iron oxide sediments from the EQ tank, bag filter housings, and exterior lines. Both carbon vessels backwashed. Reactivated system, conducted system checks, changed bag filters twice.			
3/15/2021	GWTT	Yes	3	43	42	8	12	12	6	3	12	4.0	10.5	697683	30.00	85613	20.0	0.00069	Yes	No	Conducted system checks and changed bag filters.			
3/18/2021	GWTT	Yes	7	44	42	28	27	27	16	4	23	4.0	19.7	707415	30.00	35487	16.6	0.00414	Yes	No	Conducted system checks and changed bag filters.			
3/22/2021	GWTT	Yes	10	44	42	18	28	28	16	3	28	4.0	18.0	712800	30.00	54985	12.7	0.00318	Yes	No	Conducted system checks and changed bag filters.			
3/26/2021	GWTT	Yes	14	43	42	18	8	8	16	2	5	5.0	16.9	719740	31.00	48840	11.0	0.00297	Yes	No	Conducted system checks and changed bag filters. Backwashed primary GAC vessel. Reduced discharge to 30 GPM to reduce the amount of iron sludge carry over into GAC vessels.			
3/28/2021	GWTT	Yes	18	44	42	14	13	13	5	3	10	5.0	15.5	730639	28.00	48939	15.4	0.00364	Yes	No	Conducted system checks and changed bag filters.			
Total - March 2021 <sup>10</sup>				28										17.8		46.8	40248	24.5		0.002				
4/2/2021	GWTT	Yes	2	44	41	13	21	21	10	3	18	5.0	10.8	750576	25.00	80239	14.9	0.00222	Yes	No	Conducted system checks and changed bag filters.			
4/9/2021	GWTT	Yes	6	45	43	12	25	25	10	2	22	4.0	14.8	760078	22.00	50300	8.7	0.00130	Yes	No	Conducted system checks and changed bag filters.			
4/9/2021	GWTT	Yes	9	46	42	15	9	9	12	3	6	6.5	14.5	761550	23.00	50782	11.8	0.00176	Yes	No	Conducted system checks, changed bag filters, and backwashed primary carbon vessel.			
4/13/2021	GWTT	Yes	13	46	34	9	12	12	7	4	10	6.0	12.6	753033	21.00	44483	14.7	0.00219	Yes	Yes	Conducted system checks and changed bag filters.			
4/15/2021	GWTT	Yes	15	45	30	10	14	14	8	5	12	8.0	11.2	757639	24.00	40108	14.0	0.00209	Yes	No	Conducted system checks and changed bag filters.			
4/19/2021	GWTT	Yes	19	48	39	10	16	16	8	4	14	6.0	9.5	764548	28.00	48313	12.0	0.00179	Yes	No	Conducted system checks and changed bag filters.			
4/23/2021	GWTT	Yes	23	46	31	10	16	16	8	4	13	6.0	8.1	770687	19.00	41279	10.6	0.00159	Yes	No	Conducted system checks and changed bag filters.			
4/27/2021	GWTT	Yes	27	47	28	23	18	18	10	5	17	6.0	6.9	773989	18.00	51222	9.1	0.00136	Yes	No	Conducted system checks and changed bag filters.			
4/30/2021	GWTT	Yes	30	46	23	15	17	17	12	5	14	6.0	6.1	779317	19.00	34548	7.8	0.00118	Yes	No	Conducted system checks and changed bag filters.			
Total - April 2021 <sup>10</sup>				30										15.1		31.2	50738	15.7		0.002				
5/4/2021	GWTT	Yes	4	46	29	16	8	8	12	5	7	6.0	4.9	781979	21.00	44548	8.4	0.00137	Yes	No	Conducted system checks and changed bag filters. Backwashed primary GAC vessel.			
5/7/2021	GWTT	Yes	7	46	25	15	9	9	9	7	7	7.0	4.2	781588	23.00	25961	5.9	0.00112	Yes	No	Conducted system checks and changed bag filters.			
5/10/2021	GWTT	Yes	10	44	36	4	13	13	2	2	10	9.0	21.4	787495	29.00	19027	4.5	0.00093	Yes	No	Conducted system checks, changed bag filters, increased discharge/effluent flow rate.			
5/14/2021	GWTT	Yes	14	46	43	6	40	7	4	3	12	8.0	21.9	792381	26.00	49056	8.5	0.00175	Yes	Yes	Conducted system checks and changed bag filters twice.			
5/17/2021	GWTT	Yes	17	46	41	9	18	17	7	4	14	6.0	--	798445	25.00	44714	10.4	0.00213	Yes	Yes	Conducted system checks and changed bag filters twice.			
5/21/2021	GWTT	Yes	21	50	43	10	20	20	18	8	2	18	7.0	20.3	801770	24.00	59238	16.2	0.00334	Yes	No	Conducted system checks and changed bag filters.		
5/25/2021	GWTT	No	25	50	41	15	22	22	12	3	20	6.0	18.4	804614	20.00	77244	13.4	0.00276	Yes	No	Conducted system checks and changed bag filters. System in high pressure alarm on arrival due to iron fouling of bag filters.			
5/28/2021	GWTT	Yes	28	50	41	15	24	24	13	3	21	6.0	16.5	811640	25.00	62226	14.4	0.00297	Yes	No	Conducted system checks and changed bag filters. Backwashed primary GAC vessel.			
Total - May 2021 <sup>10</sup>				31										16.4		24.1	48117	9.1		0.002				
System Shutdown on June 1, 2021 due to carbon breakthrough observed in the secondary/tertiary carbon vessel. The system remained shut off for the full month of June 2021.																								
Total - June 2021				2																				
6/1/2021	GWTT	Yes	1	42	--	--	--	--	--	--	--	--	--	8.0	8.0	14.8	828811	33.00	143871	32.8	0.00095	Yes	No	Carbon changeout of both vessels conducted, system left off to allow GAC to breathe.
6/2/2021	GWTT	Yes	1	42	--	--	--	--	--	--	--	--	--	8.0	8.0	14.8	828811	33.00	143871	32.8	0.00095	Yes	No	System restarted after carbon changeouts. Redundant flows and pressures, bag filters changed twice during restart.
6/3/2021	GWTT	Yes	4	44	35	5	13	13	8	4	9	7.0	12.3	837145	31.00	73434	12.6	0.00108	Yes	No	Conducted system checks, changed bag filters.			
6/10/2021	GWTT	Yes	7	46	43	6	40	7	4	3	12	8.0	--	815080	26.00	44615	10.4	0.00100	Yes	No	Conducted system checks and changed bag filters.			
6/20/2021	GWTT	Yes	11	44	22	8	10	10	10	6	5	8	6.0	9.6	846838	25.00	12008	9.1	0.00140	Yes	No	Conducted system checks and changed bag filters.		
6/23/2021	GWTT	Yes	14	43	22	8	9	11	11	6	6	8	7.0	--	850537	32.00	43049	9.9	0.00122	Yes	Yes	Conducted system checks and changed bag filters.		
6/26/2021	GWTT	No	17	43	26	8	12	12	6	5	9	7.0	11.2	823644	20.00	75027	6.3	0.00096	Yes	No	Conducted system checks and changed bag filters.			
6/28/2021	GWTT	Yes	21	44	19	14	14	14	10	10	10	10.0	10.7	877972	25.00	50808	6.7	0.00114	Yes	No				

**Table 2B - Summary of Groundwater Pump and Treatment System Operating and Maintenance Data - System No. 2 (GWTS #2)**  
 Barnstable County Fire and Rescue Training Academy  
 155 Fleet Rock Road, Barnstable, MA  
 01976-26179

Date	Operator	System Operating as Arrived	Days System Operating	Transfer Pump Pres. (psi)		Pre-Filter Changeout Differential Pressure (psi) <sup>1</sup>		Post-Filter Changeout Differential Pressure (psi)		Carbon Vessels, Pre-change out (psi)		Carbon Vessels, Post-change out (psi)		Instantaneous Estimated Influent <sup>2</sup>	EFFLUENT			Estimated Total PFA Removal (%)	System Operating as Departure	System Sampled	Comments				
				Gauge P1	Gauge P2	Gauge P3	Gauge P2	Gauge P3	Gauge P4	Gauge P5	Gauge P4	Gauge P5	Gauge P4		Gauge P5	Flow Rate (GPM) <sup>3</sup>	Totalizer (Gal)					Instant. Flow Rate (GPM) <sup>4</sup>	Net Gallons Treated <sup>5</sup>	Average Effluent Flow Rate (GPM) <sup>6</sup>	
9/9/2021	GWTT	Yes	3	46	24	7	10	10	5	5	8	8	12.0	912834	27	18454	10.1	0.0011	Yes	No	Conducted system checks, changed bag filters.				
9/7/2021	GWTT	Yes	7	46	31	10	14	14	7	8	11.0	10.0	12.6	918007	27.00	62873	10.6	0.0006	Yes	No	Conducted system checks, changed bag filters, pumped backwash water from GWTS#1 through system.				
9/10/2021	GWTT	Yes	10	46	24	11	14	14	10	10	12	12.0	9.2	924653	25.00	42847	9.5	0.0003	Yes	No	Conducted system checks, changed bag filters.				
9/14/2021	GWTT	Yes	14	46	24	11	14	14	10	10	12	12.0	9.5	927468	24.00	47014	9.2	0.0006	Yes	No	Conducted system checks, changed bag filters.				
9/17/2021	GWTT	Yes	17	48	24	12	15	15	8	9	13	13.0	10.5	929787	26.00	39753	5.7	0.0004	Yes	No	Conducted system checks and changed bag filters.				
9/20/2021	GWTT	Yes	20	48	14	11	12	12	10	9	10	10.0	10.6	931669	26.00	14282	3.3	0.0003	Yes	Yes	Conducted system checks and changed bag filters.				
9/24/2021	GWTT	Yes	24	46	--	--	10	10	--	--	8	7.0	8.8	933227	27.00	10758	3.4	0.0009	Yes	No	Conducted system checks and changed bag filters.				
9/27/2021	GWTT	Yes	27	46	10	10	10	10	10	8	8	8	8.0	8.2	934233	27.00	11206	2.6	0.0004	Yes	No	Conducted system checks and changed bag filters.			
Totals - September 2021 <sup>13</sup>				36													10.5	25.9	277733	6.4	0.001				
10/1/2021	GWTT	Yes	1	46	10	10	10	10	10	8	8	8	8	8	939261	27	12688	2.2	0.0001	Yes	No	Conducted system checks, changed bag filters.			
10/1/2021	GWTT	Yes	5	46	10	10	10	10	10	8	8	8	8.0	8.0	939318	27	7937	1.4	0.0003	No	No	Conducted system checks, changed bag filters. System shutdown due to influx of non-aque solid sediment overloading the bag filters.			
10/8/2021	GWTT	No	6	46	24	11	14	14	10	10	12	12.0	9.2	939500	25.00	1362	0.4	0.0001	Yes	No	Restated system, conducted system checks, changed bag filters twice.				
10/12/2021	GWTT	Yes	10	48	42	12	25	23	11	11	20	20.0	9.5	940623	20.00	39973	6.9	0.0008	Yes	No	Conducted system checks, changed bag filters. System in high level alarm on arrival.				
10/15/2021	GWTT	Yes	13	49	41	15	28	28	14	15	24	25.0	9.6	944540	18.00	40517	9.4	0.0004	Yes	No	Conducted system checks, changed bag filters twice due to high flux of non sediments.				
10/19/2021	GWTT	Yes	17	48	43	17	28	28	16	16	26	26.0	8.9	949710	18.00	12370	9.0	0.0000	Yes	No	Conducted system checks, changed bag filters twice due to high flux of non sediments and swapped force main piping to reduce non flux into system.				
10/22/2021	GWTT	Yes	20	47	15	10	--	--	--	--	16	15.0	8.7	9515542	24.00	13422	4.5	0.0006	Yes	No	Conducted system checks, changed bag filters and backwashed secondary GAC vessel.				
10/24/2021	GWTT	Yes	24	46	19	17	10	10	15	15	7	7.0	7.5	953958	27.00	23876	4.1	0.0009	Yes	No	Conducted system checks, changed bag filters. Slightly increased discharge flow rate. Pumped backwash water through system.				
10/26/2021	GWTT	Yes	27	46	12	11	11	11	11	8	8	9	9.0	6.8	955425	26.00	14607	5.5	0.0007	Yes	No	Conducted system checks and changed bag filters.			
Totals - October 2021 <sup>14</sup>				29													6.8	23.6	22482	5.1	0.006				
11/2/2021	GWTT	Yes	2	46	13	12	11	11	11	10	10	10	9	6.3	956990	27	12255	2.1	0.0009	Yes	No	Conducted system checks, changed bag filters.			
11/2/2021	GWTT	Yes	5	38	12	11	12	12	10	10	10	10.0	10.0	6.0	957455	26	7645	1.8	0.0005	No	No	Conducted system checks, changed bag filters and replaced broken pressure gauge on transfer pump.			
11/8/2021	GWTT	No	8	40	35	8	15	15	8	9	14	13.0	6.2	961290	25.00	17955	8.8	0.0012	Yes	No	Conducted system checks, changed bag filters twice.				
11/12/2021	GWTT	Yes	12	44	37	12	22	22	10	10	20	20.0	5.9	965951	20.00	48961	8.2	0.0013	Yes	No	Conducted system checks, changed bag filters. System in high level alarm on arrival.				
11/13/2021	GWTT	Yes	15	42	43	11	10	10	10	10	11	7	6.0	6.1	969124	18.00	10743	7.3	0.0002	Yes	No	Conducted system checks, changed bag filters twice. Backwashed both primary and secondary carbon vessels.			
11/13/2021	GWTT	Yes	18	43	--	--	8	8	--	--	6	7.0	26.9	971710	21.00	20386	2.6	0.0006	Yes	No	System shutdown for maintenance and redevelopment on PWR-4 and force main on 11/17/2021. system restarted on 11/22/2021. GWTT flushed 2,100 gallons from the force main. PWR-4 prior to system restart. Bag filters changed twice, significant non sediment clog causing through in the influent.				
11/16/2021	GWTT	Yes	22	48	45	5	12	12	4	6	10	11.0	11.1	974840	21.00	10138	5.4	0.0005	Yes	No	Conducted system checks and changed bag filters.				
11/16/2021	GWTT	Yes	26	46	35	17	22	22	15	16	20	20.0	28.9	981795	24.00	48125	12.0	0.0047	Yes	No	Conducted system checks and changed bag filters, increased flow through transfer pump in response to cycling high level alarm (increased influent rates).				
Totals - November 2021 <sup>15</sup>				26													14.9	23.8	20148	7.0	0.001				
12/1/2021	GWTT	Yes	3	43	42	21	30	30	24	24	24	24	8	30.1	987095	20	10000	12.3	0.0019	Yes	No	Conducted system checks, changed bag filters.			
12/7/2021	GWTT	Yes	7	44	42	27	35	36	25	26	34.0	25.0	26.9	993514	15	68210	11.8	0.0034	No	No	Conducted system checks, changed bag filters.				
12/9/2021	GWTT	Yes	9	42	42	29	28	24	22	26	22	22.0	26.4	9973745	25.00	39611	12.0	0.0010	Yes	No	Conducted system checks, changed bag filters, Global Cycle conducted a pump out.				
12/13/2021	GWTT	Yes	13	38	34	15	20	20	14	16	17	17.0	10.1	1007818	25.00	104309	18.1	0.0026	Yes	No	Conducted system checks, changed bag filters, and backwashed primary carbon vessel and increased discharge flow rate.				
12/16/2021	GWTT	Yes	16	38	43	7	19	19	4	5	16	13.0	10.4	1015382	25.00	75244	17.4	0.0017	Yes	Yes	Conducted system checks, changed bag filters.				
12/16/2021	GWTT	Yes	20	47	42	11	21	21	18	12	12.0	5.0	26.7	1016457	10	10100	2.2	0.0002	Yes	No	Conducted system checks, changed bag filters.				
12/19/2021	GWTT	Yes	23	45	44	9	23	22	8	4	18.0	12.0	28.6	1014095	11	67563	15.6	0.0016	Yes	No	Conducted system checks, changed bag filters.				
12/19/2021	GWTT	Yes	28	39	43	10	21	22	7	4	21.0	10.0	26.3	10409915	29	94860	12.2	0.0016	Yes	No	Conducted system checks, changed bag filters, pumped backwash water through system.				
12/19/2021	GWTT	Yes	31	35	25	11	9	9	9	6	6.0	7.0	26.1	1049598	37	10561	11.7	0.0014	Yes	No	Conducted system checks, changed bag filters. Primary carbon vessel backwashed.				
Totals - December 2021 <sup>16</sup>				31													29.4	26.6	94141	16.4	0.002				
1/4/2022	GWTT	Yes	4	46	41	6	14	14	4	4	12	10	26.8	1052953	34	64009	11.2	0.0010	Yes	No	Conducted system checks, changed bag filters.				
1/10/2022	GWTT	Yes	10	37	45	5	11	11	3	3	10.0	10.0	21.3	1058622	35	62277	7.2	0.0007	No	No	Conducted system checks, changed bag filters twice. Pumped backwash water from GWTS #1 through system.				
1/14/2022	GWTT	Yes	14	37	44	2	14	13	0	0	10	11.0	26.4	10648075	36.00	62343	10.3	0.0014	Yes	No	Conducted system checks, changed bag filters.				
1/20/2022	GWTT	Yes	18	36	40	2	14	14	0	0	12	12.0	24.2	10690904	34.00	42001	7.2	0.0006	Yes	No	Conducted system checks, changed bag filters twice.				
1/21/2022	GWTT	Yes	21	37	45	4	13	13	0	2	10	12.0	23.0	10729811	25.00	39225	9.1	0.0012	Yes	No	Conducted system checks, changed bag filters.				
1/24/2022	GWTT	Yes	24	36	43	4	14	14	0	0	11	11.0	23.0	10729092	35.00	62261	14.4	0.0019	Yes	Yes	Conducted system checks, changed bag filters twice. System sampled on 1/25/2022.				
1/26/2022	GWTT	Yes	26	36	45	3	15	15	0	0	10.0	11.0	22.5	10834064	33	46362	8.0	0.0010	No	No	Conducted system checks, changed bag filters.				
1/26/2022	GWTT	Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	No	No	Open arrival, system was shutdown due to loss of power from snow alarm on 1/26/2022. Heat was off and system was frozen. Attempts were made to drain water from the pump and associated piping, but everything was frozen.	
Totals - January 2022 <sup>17</sup>				29													24.6	13.1	97888	9.1	0.0011				
2/1/2022	GWTT	No	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	No	No	Power was restored to the site on 2/1/2022. GWTT and County personnel installed heaters inside the system to defrost/thaw the frozen components for system restart. GWTT observed a burst pipe in the back flow components of the bag filter units from the transfer pump.	
2/9/2022	GWTT	Yes	1	36	22	12	13	13	8	9	10.0	12.0	23.4	10830000	36	35286	17.5	0.0008	Yes	No	Conducted system checks, changed bag filters. Replaced transfer pump housing and associated back flow piping and effluent manifold.				
2/10/2022	GWTT	No	4	34	25	10	13	13	7	8	10	10.0	23.1	1090412	37.00	39762	9.2	0.0010	Yes	No	Conducted system checks, changed bag filters. Tripped breaker caused bag filter/transfer pump to not work properly. Breaker was reset.				
2/15/2022	GWTT	Yes	8	34	25	10	12	12	6	7	8	8.0	22.0	10940222	36.00	38833	6.4	0.0007	Yes	No	Conducted system checks, changed bag filters and increased influent flow rate into system.				
2/16/2022	GWTT	Yes	11	35	40	5	12	12	1	4	9	10.0	21.1	10999120	37.00	58898	13.6	0.0012	Yes	No	changed bag filter, pump down outside tank.				
2/16/2022	GWTT	Yes	15	--	--	--	--	--	--	--	--	--	--	--	--	--	18.9	1108710	--	88190	15.3	0.0012	No	No	Shut system down, waiting for carbon change.
Totals - February 2022 <sup>18</sup>				15													20.8	36.5	39895	11.5	0.001				

Notes:  
 1. GWTT - Groundwater Treatment Technology  
 2. Pressure readings before filter bag changeout or if no changeout was done.  
 3. Influent flow is an instantaneous estimate of the flow rate from the submersible Well Pump at PWR-4.  
 4. During monthly reporting periods the net gallons are calculated from previous effluent totalizer readings. Difference between the current totalizer reading, the last dated totalizer reading.  
 5. The Average effluent flow rate is calculated from the net gallons obtained from the system's effluent totalizer flow meter and days that the system was in operation.  
 6. The "Totalizer" shown left to right include the, "Total Drop of System Operation, Average Instantaneous Influent Flow Rate, Average Instantaneous Effluent Flow Rate, Total Gallons Treated, Average Net Effluent Flow Rate, and Estimated PFA Removal for the respective monthly reporting period.  
 7. Instantaneous effluent flow rates are estimated by approximating 10% of the influent flow rate values calculated from GWTS #1 (See Table 2A).  
 8. Instantaneous effluent flow rate estimated by the ratio of influent rate.  
 9. Flow calculated based on gallons marking on EQ tank. Estimated flow rate = 25 GPM (i.e. Flow is calculated based on an in-situ observation of flow into the EQ tank, and 100 gallons of groundwater flow into the EQ tank for a minute duration.  
 10. The monthly totals represent the monthly 15th reporting period and the average effluent flow rates calculated from the first monitoring date are based on measurements from the last monitoring date of the previous reporting period.



**Table 3 - Groundwater Elevation and Gauging Date 2018-2022  
Former Barnstable County Fire Rescue Training Academy  
RTN 4-26179**

Well ID	Location (From Academy )	Elev. (TOC) (Feet)	Groundwater Level from TOC (Feet)														
			Date														
			6/26/2018	1/9/2019	4/23/2019	7/22/2019	10/28/2019	2/18-19/2020	5/11/2020	7/27/2020	10/20/2020	1/28/2021	5/19/2021	7/29/2021	11/1/2021	1/25/2022	4/21/2022
FS-1a2	Academy	41.839	--	12.45	10.96	11.78	--	11.56	10.82	13.47	15.16	15.54	15.15	16.81	15.85	--	--
FS-1aA	Academy	41.769	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13.69
FS-1sC	Academy	41.915	--	--	--	--	--	--	--	--	--	15.43	--	--	--	--	--
HSW-1/HS-1(a)	Academy	40.012	--	9.62	8.78	8.02	11.67	9.45	7.9	12.33	14.37	13.31	13.04	14.73	13.94	13.13	11.56
HSW-6/HS-2(a)	Academy	39.305	9.37	10.39	8.02	8.02	10.76	8.74	8.63	10.67	13.36	12.61	12.35	14.04	13.32	12.41	10.83
OW-2D	Academy	37.36	--	7.91	6.39	6.39	8.76	7.00	6.20	6.94	11.75	10.78	10.60	12.34	11.34	10.90	9.21
OW-2S	Academy	37.532	--	8.33	6.22	7.93	9.59	7.65	6.98	9.54	12.52	11.49	11.3	12.94	12	11.34	9.78
OW-4	Not Located	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
OW-8A	Academy	42.471	12.33	12.21	11.75	12.59	14.37	12.4	11.57	14.26	16.91	16.19	15.94	17.6	16.62	15.92	14.43
OW-8i	Academy	42.579	--	--	--	--	--	--	--	--	17.01	16.15	--	--	--	--	--
PFW-1	Academy	41.83	11.67	12.53	11.02	11.83	13.78	11.65	10.84	13.54	16.25	15.54	15.19	16.87	15.95	15.25	13.69
PFW-2	Academy	40.019	--	10.44	8.95	9.72	11.53	9.6	8.77	11.48	15.21	13.48	13.05	14.85	13.95	13.28	11.68
PFW-3	Academy	37.832	--	8.2	6.67	7.5	9.29	7.32	6.5	9.25	12.00	11.14	10.92	12.60	11.64	11.00	--
PFW-4	Academy	39.344	--	9.78	8.21	9.07	10.98	8.84	8.03	10.81	14.5	12.69	12.45	14.12	13.15	12.46	--
PFW-5	Academy	42.017	--	12.38	11.29	11.79	13.56	11.55	10.77	13.48	16.15	15.38	15.11	16.82	15.8	15.11	13.63
PFW-6	Academy	40.577	--	11.23	9.75	10.59	--	10.4	9.59	12.28	14.94	14.26	13.98	16.65	destroyed	--	--
MW-1	Adjacent Academy	42.584	--	--	12.06	12.54	14.46	12.35	11.54	14.19	16.92	16.22	15.9	17.59	16.65	15.95	14.39
MW-2	Adjacent Academy	42.72	--	--	--	--	14.79	12.7	11.82	14.56	17.24	16.56	16.25	17.92	17.05	16.3	14.72
MW-3D	Adjacent Academy	43.654	--	--	--	--	--	--	--	--	17.61	16.91	16.55	--	--	--	--
MW-3i	Adjacent Academy	43.823	--	13.8	12.31	13.14	15.04	--	--	--	17.49	16.84	--	--	--	--	--
MW-3S	Adjacent Academy -SE	43.535	--	13.64	12.17	12.99	14.89	12.8	11.99	14.69	17.39	16.65	16.35	18.04	17.25	16.4	14.83
MW-6	Adjacent Academy -SE	41.432	--	--	--	--	13.58	11.4	10.61	13.24	--	15.3	15.0	17.62	15.80	15	13.38
MW-7	Adjacent Academy -SE	43.126	--	--	12.8	13.6	15.59	13.42	12.63	15.24	dry	17.33	17.0	18.56	17.75	17	15.4
MW-8	Adjacent Academy -SE	48.721	--	--	13.46	14.28	16.22	--	13.29	--	dry	dry	--	--	--	--	--
MW-8C	Adjacent Academy -SE	43.992	--	--	--	--	--	14.1	--	--	dry	17.96	17.6	18.2	18.4	17.65	16.06
MW-9D (not viable)	Adjacent Academy -SE	45.079	--	--	14.21	--	--	17.08	14.9	--	--	19.44	--	--	--	--	--
MW-9S	Adjacent Academy -SE	44.629	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-10	Adjacent Academy	44.212	--	14.85	13.43	14.26	16.23	14.06	13.26	15.92	dry	dry	17.53	17.53	18.43	17.8	16.01
MW-10D	Adjacent Academy/Destroyed	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-10S	Adjacent Academy/Destroyed	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	Adjacent Academy/Destroyed	NS	--	--	--	--	--	15.5	--	--	--	--	--	--	--	--	--
MW-12s	DG -E	43.421	14.62	14.76	13.3	14.29	16.1	13.94	13.2	15.8	18.32	17.94	17.6	dry	17.7	17.35	15.71
MW-12i	DG -E	43.448	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	DG -E	43.404	--	--	--	--	--	--	--	--	--	--	--	19.5	--	--	--
MW-15D	DG -E	43.591	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-15S	DG -E	43.458	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-17	DG -E	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-19A	DG- NE	44.06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-19B	DG- NE	44.146	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-21	DG- NE	41.23	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-22	DG- NE	43.46	14.3	15.06	13.5	14.4	16.35	14.13	13.32	15.9	18.46	18.23	17.22	dry	18.35	17.5	15.8
MW-23	DG- NE	49.491	--	--	--	--	--	--	--	--	--	--	--	18.99	--	--	--
MW-27	DG- NE	41.909	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-28S	DG- NE	41.413	--	--	--	--	12.95	10.9	10.1	12.77	15.41	14.75	14.6	16.14	15.15	14.41	--
MW-28D (abandoned)	DG- NE	NA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-32	DG- NE	41.984	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-33	DG- NE	52.612	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-35i	DG- NE	52.265	--	27.32	--	--	29.08	--	--	--	28.39	--	--	--	28.9	--	--
MW-35s	DG- NE	52.557	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.27
MW-35D	DG- NE	52.481	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.65
MW-36A	DG- NE	58.548	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-36B	DG- NE	58.498	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-36D	DG- NE	58.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-37D	DG- E	46.862	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-37i	DG- E	46.875	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-37s	DG- E	47.046	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-99i	DG- E - North of PRW-4	49.98	--	--	--	--	22.94	--	--	--	--	--	--	--	--	--	--
PC-0	DG- SE	58.276	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-1	DG- SE	54.57	26.14	26.81	25.36	26.22	28.34	26	25.24	27.88	30.41	--	29.45	31.23	30.25	29.8	27.8
PC-2	DG- SE	51.776	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-3	DG- SE	52.047	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-4	DG- SE/destroyed	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-5	DG- SE/destroyed	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-6A	DG- Far east	59.322	31.05	31.52	30.13	31	33.2	30.89	30.2	32.9	35.21	35.13	34.21	35.97	34.93	34.3	33.29
PC-7	DG- Far east	57.612	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-8	DG- Far east	56.881	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-9	DG- Far east /fair condition	43.278	--	17.3	--	--	19.1	--	--	--	21.14	--	--	--	--	--	--
PC-10	DG- Far east	51.099	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-11	DG- Far east	55.515	27.25	27.7	26.35	27.18	29.35	27	26.3	28.78	31.17	31.17	30.3	32.22	31.05	30.4	28.39
PC-12	DG- Far east	54.676	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-13	DG- Far east	49.386	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-14	DG- Far east	48.022	--	--	--	--	--	--	--	--	--	--	--	--	28.55	--	--
PC-15 (not viable)	DG- Far east	53.467	--	--	--	--	29.22	--	--	--	--	--	--	--	--	--	--
PC-16D	DG- Far east	56.276	29.53	29.75	28.4	29.35	31.4	29.15	28.4	30.68	32.85	33.46	32.39	34.31	33.01	32.01	29.96
PC-16S	DG- Far east	56.073	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-17	DG- Far east	55.616	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-18	DG- Far east	55.342	--	28.67	--	--	30.4	--	--	--	32.1	--	--	--	32.03	--	--
PC-19	DG- Far east	55.484	--	--	--	--	29.1	--	--	--	--	--	--	--	--	--	--
PC-20	DG- Far east	57.126	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-21	DG- Far east	54.807	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-22	DG- Far east	44.482	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-23D	DG- Far east	42.433	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-23s	DG- Far east	41.275	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-24	DG- Far east	50.022	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-25	DG- Far east	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-26	DG- Far east	58.338	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-28	DG- Far east	40.895	--	15.85	13.59	13.53	16.7	14.65	13.79	16.88	18.77	18.98	17.99	19.49	18.4	17.65	15.45
PC-29	DG- Far east	42.169	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-30	DG- Far east	57.484	30	30.33	29.95	29.95	32.11	29.85	29.08	29.74	33.85	34.14	32.12	34.9	33.71	33	30.9
PC-31	DG- Far east	59.337	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-32	DG- Far east	56.901	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-33	DG- Far east	55.463	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PC-34S	Adjacent Academy -SE	37.512	--	--	--	--	9.32	7.05	6.94	9.62	12.62	10.93	10.6	12.42	12.01	10.9	9.86
PC-34D	Adjacent Academy -SE	38.278	--	--	--	--	9.84	7.79	6.21	8.89	12.35	11.64	11.32	12.97	11.4	10.9	--

Notes:

1. <sup>1</sup> - Indicates monitoring well has not been surveyed and/or is not gauged regularly.  
2. DG: Downgradient  
3. All monitoring wells located on the Academy property were surveyed in 2018.  
4. Monitoring wells located off Academy property were surveyed in 2007 by Cape Cod Commission.  
5. Pond Gauge was installed on April 2019.  
6. NS- Not Surveyed; unable to locate, not deemed a viable well.  
7. NA- Not Available; survey data is unavailable as it's being re-evaluated.  
8. Well IDs and location displayed in *gray* indicate the well has been abandoned or destroyed.  
9. The Pond Edge elevation was collected during a simple survey on 7/27/2020 of Flintrock Pond water's edge. Monitoring well PFW-4 was utilized as a benchmark.  
10. Well IDs in Gray font are considered destroyed and/or not viable for sampling.

Table 3 - Groundwater Elevation and Gauging Date 2018-2022  
Former Barnstable County Fire Rescue Training Academy  
RTN 4-26179

Well ID	Location (From Academy )	Elev. (TOC) (Feet)	Groundwater Elevation (Feet)															
			Date															
			6/26/2018	1/9/2019	4/23/2019	7/22/2019	10/28/2019	2/18-19/2020	5/11/2020	7/27/2020	10/20/2020	1/28/2021	5/19/2021	7/29/2021	11/1/2021	1/25/2022	4/21/2022	
FS-1sa2	Academy	41.839	--	--	30.879	30.059	--	--	30.279	31.019	28.369	26.679	26.299	26.689	25.029	25.989	--	--
FS-1sA	Academy	41.769	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
FS-1sC	Academy	41.915	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
HSW-1/HS-1(a)	Academy	40.012	--	30.392	31.232	31.992	28.342	30.562	32.112	27.682	25.642	26.702	26.972	25.282	26.072	26.882	28.452	
HSW-6/HS-2(a)	Academy	39.305	29.935	28.915	31.285	31.285	28.545	30.565	30.675	28.635	25.945	26.695	26.955	25.265	25.985	26.895	28.475	
OW-2D	Academy	37.36	--	29.45	30.97	30.97	28.6	30.36	31.16	30.42	25.61	26.58	26.76	25.02	26.02	26.46	28.15	
OW-2S	Academy	37.532	--	29.202	31.312	29.602	27.942	29.882	30.552	27.992	25.012	26.042	26.232	24.592	25.532	26.192	27.752	
OW-4	Not Located	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
OW-8A	Academy	42.471	30.141	30.261	30.721	29.881	28.101	30.071	30.901	28.211	25.561	26.281	26.531	24.871	25.851	26.551	28.041	
OW-8I	Academy	42.579	--	--	--	--	--	--	--	--	25.569	26.429	--	--	--	--	--	
PFW-1	Academy	41.83	30.16	29.3	30.81	30	28.05	30.18	30.99	28.29	25.58	26.29	26.64	24.96	25.88	26.58	28.14	
PFW-2	Academy	40.019	--	29.579	31.069	30.299	28.489	30.419	31.249	28.539	24.809	26.539	26.969	25.169	26.069	26.739	28.339	
PFW-3	Academy	37.832	--	29.632	31.162	30.332	28.542	30.512	31.332	28.582	25.832	26.692	26.912	25.232	26.192	26.832	--	
PFW-4	Academy	39.344	--	29.564	31.134	30.274	28.364	30.504	31.314	28.534	24.844	26.654	26.894	25.224	26.194	26.884	--	
PFW-5	Academy	42.017	--	29.637	30.727	30.227	28.457	30.467	31.247	28.537	25.867	26.637	26.907	25.197	26.217	26.907	28.387	
PFW-6	Academy	40.577	--	29.347	30.827	29.987	--	30.177	30.987	28.297	25.637	26.317	26.597	23.927	--	--	--	
MW-1	Adjacent Academy	42.584	--	--	20.79	30.044	28.124	30.234	31.044	28.394	25.664	26.364	26.684	24.994	25.934	26.634	28.194	
MW-2	Adjacent Academy	42.72	--	--	--	--	27.93	30.02	30.9	28.16	25.48	26.16	26.47	24.8	25.67	26.42	28	
MW-3D	Adjacent Academy	43.654	--	--	--	--	--	30.02	30.9	28.16	--	26.044	26.744	27.104	--	--	--	
MW-3I	Adjacent Academy	43.823	--	29.24	30.73	29.9	28.783	--	--	--	--	26.333	26.983	--	--	--	--	
MW-3S	Adjacent Academy -SE	43.535	--	29.22	30.75	29.93	28.645	30.735	31.545	28.845	26.145	26.885	27.185	25.495	26.285	27.135	28.705	
MW-6	Adjacent Academy -SE	41.432	--	--	--	--	27.852	30.032	30.822	28.192	--	--	--	--	25.632	26.432	28.052	
MW-7	Adjacent Academy -SE	43.126	--	--	30.326	27.536	27.536	29.706	30.496	27.886	dry	25.796	26.126	24.566	25.376	26.126	27.726	
MW-8	Adjacent Academy -SE	48.721	--	--	35.261	34.441	32.501	--	--	--	dry	dry	dry	dry	--	--	--	
MW-8C	Adjacent Academy -SE	43.992	--	--	--	--	--	--	--	--	--	26.032	26.392	25.792	25.592	26.342	27.932	
MW-9D (not viable)	Adjacent Academy -SE	45.079	--	--	30.869	--	27.999	30.179	--	--	--	--	--	--	--	--	--	
MW-9S	Adjacent Academy -SE	44.629	--	--	--	--	--	--	--	--	--	25.789	--	--	--	26.129	27.739	
MW-10	Adjacent Academy	44.212	--	29.362	30.782	29.952	27.982	30.152	30.952	28.292	--	dry	26.682	26.682	25.782	26.412	28.202	
MW-10D	Adjacent Academy/Des	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-10S	Adjacent Academy/Des	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-11	Adjacent Academy/Des	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-12s	DG -E	43.421	28.801	28.661	30.121	29.131	27.321	29.481	30.221	27.621	25.101	25.481	25.821	dry	25.721	26.071	27.711	
MW-12I	DG -E	43.448	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-13	DG -E	43.404	--	--	--	--	--	--	--	--	--	--	--	--	23.626	--	--	
MW-15D	DG -E	43.591	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-15S	DG -E	43.458	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-17	DG -E	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-19A	DG- NE	44.06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-19B	DG- NE	44.146	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-21	DG-NE	41.23	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-22	DG-NE	43.46	29.16	28.4	29.96	29.06	27.11	29.33	30.14	27.56	25.00	25.23	26.24	dry	25.11	25.96	27.66	
MW-23	DG-NE	49.491	--	--	--	--	--	--	--	--	--	--	--	30.501	--	--	--	
MW-27	DG- NE	41.909	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-28S	DG- NE	41.413	--	--	--	--	28.463	30.513	31.313	28.643	26.003	26.663	26.813	25.273	26.263	27.003	--	
MW-28D (abandoned)	DG- NE	NA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-32	DG- NE	41.984	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-33	DG- NE	52.612	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-35I	DG- NE	52.265	--	24.945	--	--	23.185	--	--	--	23.875	--	--	--	23.365	--	--	
MW-35s	DG- NE	52.557	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-35D	DG- NE	52.481	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-36A	DG- NE	58.548	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-36B	DG- NE	58.498	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-36D	DG- NE	58.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-37D	DG-E	46.862	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-37I	DG-E	46.875	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-37s	DG-E	47.046	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-99I	DG-E - North of PRW-4	49.98	--	--	--	--	27.04	--	--	--	--	--	--	--	--	--	--	
PC-0	DG-SE	58.276	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PC-1	DG-SE	54.57	28.43	27.76	29.21	28.35	26.23	28.57	29.33	26.69	24.16	--	--	23.34	24.32	24.77	26.77	
PC-2	DG-SE	51.776	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PC-3	DG-SE	52.047	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PC-4	DG-SE/destroyed	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PC-5	DG-SE/destroyed	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PC-6A	DG- Far east	59.322	28.272	27.802	29.192	28.322	26.122	28.432	29.122	26.422	24.112	24.192	25.112	23.352	24.392	25.022	26.032	
PC-7	DG- Far east	57.612	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PC-8	DG- Far east	56.881	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PC-9	DG- Far east /fair condi	43.278	--	25.978	--	--	24.178	--	--	--	22.138	--	--	--	--	--	--	
PC-10	DG- Far east	51.099	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PC-11	DG- Far east	55.515	28.265	27.815	29.165	26.165	27.25	27.7	26.35	29.35	28.265	27.815	29.165					

Table 4A- Summary of Long Term Monitoring Groundwater PFAS Analytical Data  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID SCREEN DEPTH (FEET) WELL DIAMETER (INCHES) WELL STATUS	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>6</sup>	HSW-6/MS-21a)																
			2																
			Visible																
			1/21/2016	3/10/2016	8/11/2016	4/10/2017	7/27/2017	11/17/2017	2/9/2018	6/26/2018	1/9/2019	10/28/2019	7/28/2020	10/20/2020	1/26/2021	5/20/2021	7/28/2021	11/2/2021	1/25/2022
SAMPLING DATE	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	
UNITS	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	
PFAS (Method 537.2)																			
PFOS	70	20	77,000	320,000	41,000	28,000	21,000	45,000	25,000	950	1,300	3,600	2,300	5,700	2,800	2,700	1,500	1,900	1,600
PFDA	70	20	--	--	--	660	--	320	160	15	94	79	80	48	320	180	45	550	170
PFNA	NE	20	--	--	--	--	--	--	--	BR1 (<57)	26	46	40	52	35	47	57	65	46
PFHxS	NE	20	--	--	--	--	--	--	--	26	140	210	250	71	1,400	440	100	2,500	410
PFHpA	NE	20	--	--	--	--	--	--	--	15	160	100	89	56	640	150	49	470	160
PFDA	NE	20	--	--	--	--	--	--	--	--	30	18	23	21	19	13	12	12	7
TOTAL 16 PFAS	70	20	77,000	320,000	41,000	28,660	21,000	45,320	25,160	1,006	1,626	4,165	2,837	5,959	5,216	3,536	1,764	5,897	2,393

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for two PFAS chemicals, PFOA and PFOS, which was 70 ng/L. Subsequently, MassDEP's Office of Research and Standards (ORS) expanded on this Health Advisory and created the ORS Guideline that applies to the total summed of five PFAS chemicals, PFOS, PFOA, PFNA, PFHxS, and PFHpA, effective June 11, 2018.

2. The USEPA and MassDEP ORS Guideline applies to five PFAS chemicals of concern: (PFOS, PFOA, PFNA, PFHpA, and PFHxS) individually as well as the sum of the five PFAS of concern.

3. The complete PFAS concentration data set collected from PRM-4 is detailed in the data table titled "Summary of Groundwater Pump and Treatment System PFOS/PFOA Analytical Data. Data presented herein is summarized and data was selected based on quarterly sampling events.

4. (--) Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, and PFHpA were not presented until after the MassDEP ORS Guideline was in effect on 06.11.18. PFAS concentrations were regulated by the USEPA Health Advisory prior to 6.11.18. Concentrations of PFDA were not presented prior to April 18, 2019. MassDEP released drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that applies to the total sum and individual concentrations of six PFAS compounds (PFOS, PFOA, PFNA, PFHxS, PFHpA, and PFDA) , which is 20 ng/L. These drafted groundwater standards were finalized and became effective on December 27, 2019.

5. BR1 - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in **bold** exceed applicable Health Advisory Limit or Method 1 GW-1 Standard

8. PFOS - Perfluorooctanesulfonate

9. PFOA - Perfluorooctanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluorheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2L, and HS-6 were destroyed or removed during soil removal activities in January 2017 as part of an Immediate Response Action Plan. The well was replaced with HSW-1/HS-1a as post-excavation activities.

16. Monitoring well HSW-10 is a downgradient well located on the north side of Mary Dunn Pond.

17. NE- Not Established

Table 4A - Summary of Long Term Monitoring Groundwater PFAS Anal  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID SCREEN DEPTH (FEET) WELL DIAMETER (INCHES) WELL STATUS	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>4</sup>	HSW-1/HS-1(a)												PFW-1																						
			2												2																						
			Visible												Visible																						
			1/23/2016	8/11/2016	4/10/2017	7/27/2017	11/17/2017	2/9/2018	1/9/2019	4/23/2019	7/23/2019	10/28/2019	2/18/2020	5/11/2020	11/2/2021	4/1/2015	10/7/2015	3/8/2016	3/30/2016	8/11/2016	4/10/2017	2/9/2018	6/26/2018	1/9/2019	4/23/2019	7/23/2019	10/28/2019	2/18/2020	5/11/2020	7/28/2020	10/26/2020	1/26/2021	5/20/2021	7/28/2021	11/2/2021	1/25/2022	4/21/2022
UNITS	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	
PFAS (Method 537.2)																																					
PFOS	70	20	110,000	56,000	38,000	24,000	25,000	13,000	1,800	2,000	1,100	1,800	740	1,300	1,800	8,400	60,000	7,000	56,000	3,500	4,100	8,100	76,000	38,000	20,000	24,000	16,000	22,000	6,000	5,200	4,000	3,400	3,100	3,300	3,900	4,400	4,500
PFDA	70	20	--	--	1,000	350	1,300	320	840	100	64	46	36	100	470	360	800	--	--	--	--	470	1,500	160	300	560	130	220	250	210	110	150	160	330	170	270	260
PFNA	NE	20	--	--	--	--	--	--	43	65	43	33	22	57	46	--	--	--	--	--	--	--	3,900	330	360	210	570	230	94	110	80	94	66	50	69	120	74
PFHxS	NE	20	--	--	--	--	--	--	1,700	900	170	150	66	900	1,600	--	--	--	--	--	--	--	7,400	960	1,500	4,800	910	1,000	890	820	408	750	750	2,500	970	1,000	1,500
PFHpA	NE	20	--	--	--	--	--	--	510	67	52	43	32	63	430	--	--	--	--	--	--	--	610	140	290	500	150	200	220	160	82	300	250	460	190	390	350
PFDA	NE	20	--	--	--	--	--	--	55	19	13	9.1	37	12	--	--	--	--	--	--	--	--	--	--	110	160	120	300	81	89	37	69	45	28	54	36	36
TOTAL 16 PFAS	70	20	110,000	56,000	39,000	24,350	26,300	13,320	4,893	2,587	1,448	2,085	905	1,857	4,358	8,760	60,800	7,000	56000	3500	4,100	8,570	89,410	39,590	22,560	30,230	17,880	23,850	7,535	6,589	4,759	4,663	4,371	6,648	5,253	6,216	6,720

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for 1 and PFHpA, effective June 11, 2018.

2. The USEPA and MaudSEP ORS Guideline applies to five PFAS chemicals of 0

3. The complete PFAS concentration data set collected from PFW-1 is detailed

4. [---] Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, or drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that

5. BBL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per liter - parts per trillion

7. Concentrations in bold exceed applicable Health Advisory Limit or Method

8. PFOS - Perfluorooctanesulfonate

9. PFDA - Perfluorodecanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluorheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HSW-1, HSW-2, HSW-3, and HSW-4 were destroyed or removed

16. Monitoring well PFW-1D is a downgradient well located on the north side

17. NE - Not Established

Table 4A- Summary of Long Term Monitoring Groundwater PFAS Anal  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID		HEALTH ADVISORY	Method 1 GW-1 Standards <sup>6</sup>	PFW-2																PFW-5															
				2																2															
				Visible																Visible															
				4/1/2015	6/18/2015	10/27/2015	1/21/2016	3/30/2016	8/11/2016	12/8/2016	4/10/2017	7/27/2017	11/17/2017	2/9/2018	1/9/2019	10/28/2019	5/11/2020	10/20/2020	11/2/2021	4/21/2022	3/31/2015	4/11/2017	1/9/2019	4/21/2019	7/22/2019	10/28/2019	2/18/2020	5/11/2020	7/28/2020	10/20/2020	1/26/2021	5/19/2020	7/28/2021	11/2/2021	1/25/2022
UNITS	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	
PFAS (Method 537.2)																																			
PFO5	70	20	220,000	200,000	32,000	39,000	120,000	65,000	11,000	17,000	73,000	25,000	32,000	5,200	2,100	690	1,700	1,200	630	2,700	2,100	1,100	1,900	1,600	2,400	1,000	1,200	980	1,500	1,200	1,200	3,100	370	370	1,000
PFOA	70	20	5200	BRL (<800)	--	1,100	2,100	--	--	970	910	400	400	720	74	48	30	170	620	250	170	64	150	120	26	88	120	100	120	84	120	180	89	150	73
PFNA	NE	20	--	--	--	--	--	--	--	--	--	--	--	110	64	39	52	32	64	--	--	BRL (<8.7)	25	16	BRL (<4.9)	11	22	15	29	32	27	15	12	8.6	40.0
PFHxS	NE	20	--	--	--	--	--	--	--	--	--	--	--	1,900	230	140	71	650	940	--	--	240	680	690	260	360	750	610	420	790	1,100	560	1,300	240	
PFHpA	NE	20	--	--	--	--	--	--	--	--	--	--	--	470	68	45	31	270	250	--	--	30	82	54	22	16	66	44	60	80	110	160	76	340	
PFDA	NE	20	--	--	--	--	--	--	--	--	--	--	--	27	14	23	4	6.8	--	--	--	12	11	BRL (<4.1)	10	13	11	16	5	7	7	BRL (<3.9)	5.4	11.0	
TOTAL 16 PFAS	70	20	225,200	200,000	32,000	40,100	122,100	65,000	11,000	17,970	73,910	25,400	32,400	8,300	2,563	976	1,907	2,326	2,511	2,959	2,270	1,434	2,849	2,431	2,708	1,525	2,141	1,760	2,145	1,711	2,354	4,562	1,107	2,074	1,509

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for 1 and PFOga, effective June 11, 2018.

2. The USEPA and MaudSEP ORS Guideline applies to five PFAS chemicals of o

3. The complete PFAS concentration data set collected from PFW-4 is detail

4. [--] Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, or drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in bold exceed applicable Health Advisory Limit or Method

8. PFO5 - Perfluoropentanoic Acid

9. PFOA - Perfluorooctanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluorheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS 1, HS 2, HS 2L, and HS 6 were destroyed or removed

16. Monitoring well PFW-10 is a downgradient well located on the north side i

17. NE - Not Established

Table 4A - Summary of Long Term Monitoring Groundwater PFAS Anal  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 (GW-1) Standards <sup>6</sup>	OW-8A																
			2																
			Visible																
			11/22/2013	6/3/2014	4/11/2017	8/16/2017	6/26/2018	1/8/2019	4/23/2019	7/22/2019	10/28/2019	2/18/2020	5/11/2020	7/28/2020	10/20/2020	1/26/2021	5/19/2021	7/28/2021	11/3/2021
SAMPLING DATE			11/22/2013	6/3/2014	4/11/2017	8/16/2017	6/26/2018	1/8/2019	4/23/2019	7/22/2019	10/28/2019	2/18/2020	5/11/2020	7/28/2020	10/20/2020	1/26/2021	5/19/2021	7/28/2021	11/3/2021
UNITS	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L
PFAS (Method 537.2)																			
PFOS	70	20	2,700	8,600	1,700	770	2,800	990	880	780	220	650	150	170	40	230	120	11	520
PFDA	70	20	430	1,000	2,000	120	65	420	66	55	130	62	18	12	BRl (<5.0)	290	120	7	720
PFNA	NE	20	--	--	--	--	310	150	120	78	10	110	12	11	BRl (<5.1)	120	250	BRl (<5.1)	70
PFHxS	NE	20	--	--	--	--	250	890	140	100	750	190	77	30	11	760	190	22	3,100
PFHpA	NE	20	--	--	--	--	4.3	210	40	35	150	35	8.9	7.4	BRl (<6.7)	150	66	BRl (<6.7)	360
PFDA	NE	20	--	--	--	--	--	15	18	14	17	3.6	10	BRl (<3.9)	BRl (<2.0)	3.9	TBAL	BRl (<3.9)	BRl (<3.9)
TOTAL 16 PFAS	70	20	3,130	9,600	3,700	890	3,468	2,660	1,261	1,057	1,314	1,064	270	240	51	1,550	890	41	4,770

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for 1 and PFHpA, effective June 11, 2018.

2. The USEPA and MaudSEP ORS Guideline applies to five PFAS chemicals of o

3. The complete PFAS concentration data set collected from PHE-4 is detaile

4. [--] Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, or drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that

5. BRl - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in **bold** exceed applicable Health Advisory Limit or Method

8. PFOS - Perfluorooctanesulfonate

9. PFDA - Perfluorodecanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluorheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2L, and HS-6 were destroyed or removed

16. Monitoring well PHE-1D is a downgradient well located on the north side i

17. NE - Not Established

Table 4A - Summary of Long Term Monitoring Groundwater PFAS Anal  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID	USEPA <sup>1,2</sup> HEALTH ADVISORY		Method 1 (GW-1) Standards: <sup>6</sup>	FS-15A		PFW-6				MW-35				MW-201	MW-215	MW-120	MW-125																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2				2		2		2		2		2		2		2		2		2		2		2		2		2		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Visible				Destroyed		Visible		Not Surveyed		Destroyed		Visible		Visible		Visible		Visible		Visible		Visible		Visible		Visible		Visible		Visible																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
6/16/2016				5/19/2021		4/1/2015		3/8/2016		4/18/2016		1/9/2019		10/16/2020		6/3/2014		8/18/2016		11/3/2021		4/21/2022		5/19/2021		5/19/2021		4/24/2017		8/29/2014		4/1/2015		6/26/2018		1/11/2019		4/23/2019		7/23/2019		10/29/2019		2/19/2020		5/12/2020		7/29/2020		10/21/2020		1/23/2021		5/20/2021		11/2/2021		1/25/2022		4/20/2022																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
SAMPLING DATE	ng/L		ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for 1 and PFHpA, effective June 11, 2018.

2. The USEPA and MaudSEP ORS Guideline applies to five PFAS chemicals of o

3. The complete PFAS concentration data set collected from PFW-6 is detail

4. [--] Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, or drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in **bald** exceed applicable Health Advisory Limit or Method

8. PFOS - Perfluorooctanesulfonate

9. PFOA - Perfluorooctanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluorheptanoic Acid

13. PFDA - Perfluordecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2S, and HS-6 were destroyed or removed

16. Monitoring well PFW-10 is a downgradient well located on the north side i

17. NE - Not Established

Table 4A - Summary of Long Term Monitoring Groundwater PFAS Anal  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID SCREEN DEPTH (FEET) WELL DIAMETER (INCHES) WELL STATUS	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-5 Standards <sup>6</sup>	MW-22																MW-23	MW-351					
			Visible																Visible	Visible					
			6/3/2014	4/1/2015	6/26/2018	1/11/2019	4/23/2019	7/23/2019	10/29/2019	2/19/2020	5/12/2020	7/29/2020	10/21/2020	1/27/2021	5/20/2021	11/2/2021	1/25/2022	4/20/2022	7/29/2021	8/20/2014	5/3/2017	1/10/2019	10/30/2019	10/22/2020	11/2/2021
SAMPLING DATE			ng/L		ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L
UNITS			ng/L		ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L
PFAS (Method 537.2)																									
PFO5	70	20	4,900	600	320	350	320	410	510	460	380	790	680	470	2,300	340	430	35	1,100	60	42	BRL (<6)	BRL (<5.2)	BRL (<5.9)	<5.7
PFOA	70	20	530	90	30	140	160	190	150	230	120	92	160	250	150	83	94	3.3	76	BRL	14	BRL (<3.3)	BRL (<7.4)	BRL (<5.0)	<5.0
PFNA	NE	20	--	--	9	BRL (<6.7)	81	7.6	8.3	5	10	14	14	7	24	<5.1	5.7	3.3	BRL (<20)	--	--	BRL (<8.7)	BRL (<4.9)	BRL (<5.1)	<5.1
PFHxS					130	690	600	520	690	540	330	360	740	800	570	220	260	18	260	--	--	BRL (<5.0)	9	9	10.0
PFHpA	NE	20	--	--	13	69	49	33	61	38	32	37	100	88	65	13	23	1	98	--	--	BRL (<7.4)	BRL (<7.1)	BRL (<6.7)	<6.7
PFDA	NE	20	--	--	--	--	BRL (<4.1)	BRL (<4.1)	BRL (<4.1)	BRL (<4.1)	1	5	5	1	15	<3.9	<3.9	<0.64	BRL (<20)	--	--	--	BRL (<4.1)	BRL (<3.9)	<3.9
TOTAL 16 PFAS	70	20	5,430	690	902	1,239	1,210	1,161	1,419	1,273	873	1,288	1,699	1,616	3,124	656	831	60	1,534	69	96	BRL	6	6	10

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for 1 and PFHpA, effective June 11, 2018.

2. The USEPA and MaudSEP ORS Guideline applies to five PFAS chemicals of 0

3. The complete PFAS concentration data set collected from PWR-4 is detailed

4. [--] Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, or drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per liter - parts per trillion

7. Concentrations in bold exceed applicable Health Advisory Limit or Method

8. PFOS - Perfluorooctanesulfonate

9. PFOS - Perfluorooctanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluorheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2L, and HS-6 were destroyed or removed

16. Monitoring well PWR-10 is a downgradient well located on the north side

17. NE - Not Established



Table 4A - Summary of Long Term Monitoring Groundwater PFAS Anal  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID SCREEN DEPTH (FEET) WELL DIAMETER (INCHES) WELL STATUS			USEPA <sup>1,2</sup> HEALTH ADVISORY			Method 1 GW-1 Standards <sup>6</sup>			PC-1																				PC-6A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
									2																				2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
									Visible																				Visible																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
SAMPLING DATE	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for 1 and PFHpA, effective June 11, 2018.

2. The USEPA and MaudSEP ORS Guideline applies to five PFAS chemicals of concern.

3. The complete PFAS concentration data set collected from RW-1 is detailed.

4. [--] Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, or drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per liter - parts per trillion

7. Concentrations in bold exceed applicable Health Advisory Limit or Method

8. PFOS - Perfluorooctanesulfonic Acid

9. PFDA - Perfluorodecanesulfonic Acid

10. PFNA - Perfluorononanesulfonic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluorheptanesulfonic Acid

13. PFDA - Perfluorodecanesulfonic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2L, and HS-6 were destroyed or removed

16. Monitoring well RW-1D is a downgradient well located on the north side

17. NE - Not Established

Table 4A - Summary of Long Term Monitoring Groundwater PFAS Anal  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID	USEPA <sup>1,2</sup> HEALTH ADVISORY		Method 1 GW-1 Standards <sup>6</sup>		PC-11																	
					Visible																	
SAMPLING DATE			4/2/2015	5/12/2016	4/24/2017	2/6/2018	6/26/2018	1/10/2019	4/24/2019	7/23/2019	10/29/2019	2/19/2020	5/12/2020	7/29/2020	10/21/2020	1/27/2021	5/19/2021	7/28/2021	11/1/2021	1/26/2022	4/20/2022	
UNITS			ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	
PFAS (Method 537.2)																						
PFOS	70	20	4,400	32,000	3,600	4,000	9,600	14,000	200,000	68,000	22,000	18,000	12,000	9,500	7,200	2,700	2,100	2,400	2,900	1,900	1,600	
PFDA	70	20	550	430	250	180	250	410	640	BRL (<240)	150	290	140	130	150	78	59	74	58	40	70	
PFNA	NE	20	--	--	--	--	230	190	1,700	540	320	140	130	110	100	74	69	61	78	63	88	
PFHxS	NE	20	--	--	--	--	1,500	1,500	2,400	1,000	800	1,200	720	610	640	250	170	320	270	160	240	
PFHpA	NE	20	--	--	--	--	200	310	210	BRL (<210)	160	210	140	130	150	92	65	75	88	60	97	
PFDA	NE	20	--	--	--	--	--	450	BRL (<260)	73	69	56	55	52	69	32	31	21	18	20		
TOTAL 16 PFAS	70	20	4950	32430	3850	4180	11,780	16,410	205,400	69,740	23,503	20,009	13,186	10,535	8,302	3,263	2,495	2,961	3,415	2,241	2,105	

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for 1 and PFHpA, effective June 11, 2018.

2. The USEPA and MaudSEP ORS Guideline applies to five PFAS chemicals of o

3. The complete PFAS concentration data set collected from PRR-4 is detaile

4. [--] Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, or drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in **bald** exceed applicable Health Advisory Limit or Method

8. PFOS - Perfluorooctanesulfonate

9. PFDA - Perfluorodecanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluorheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS 1, HS 2, HS 2L, and HS 6 were destroyed or removed

16. Monitoring well PRR-10 is a downgradient well located on the north side i

17. NE - Not Established

Table 4A - Summary of Long Term Monitoring Groundwater PFAS Anal  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID SCREEN DEPTH (FEET) WELL DIAMETER (INCHES) WELL STATUS	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>6</sup>	PC-14					PC-16d																PC-17			PC-18									
			Visible					Visible																Visible			Visible									
			8/20/2014	3/10/2016	4/28/2017	11/2/2021	4/2/2015	10/7/2015	2/6/2018	6/26/2018	1/10/2019	4/24/2019	7/23/2019	10/29/2019	2/19/2020	5/12/2020	7/28/2020	10/21/2020	1/27/2021	5/20/2021	7/28/2021	11/1/2021	1/26/2022	4/20/2022	8/20/2014	10/7/2015	2/6/2018	6/17/2015	10/7/2015	4/27/2017	2/6/2018	1/10/2019	10/29/2019	10/21/2020	11/1/2021	
			ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L
PFAS (Method 537.2)																																				
PFO5	70	20	550	2,100	1,600	700	700	560	980	1,900	1,600	2,000	1,400	1,300	1,600	1,200	930	1,900	690	1,200	460	250	300	580	140	230	140	1,200	900	580	890	1,500	1,500	330	290	
PFOA	40	250	160	26	70	84	64	150	9.3	140	33	75	130	57	99	99	46	70	18	8.9	18	38	8RL	24	17	110	590	--	70	130	75	18	6.3			
PFNA	NE	20	--	--	--	37	--	--	--	100	BRL (<8.7)	110	36	79	110	63	49	62	48	83	23	8.9	26	45	--	--	--	--	--	--	--	--	130	79	20	10
PFHxS	NE	20	--	--	--	92	--	--	--	670	60	520	270	220	260	170	260	280	110	16	72	49	55	160	--	--	--	--	--	--	--	--	340	220	57	50
PFHpA	NE	20	--	--	--	43	--	--	--	170	13	140	74	80	92	61	68	63	54	47	15	9	35	42	--	--	--	--	--	--	--	--	140	60	21	20
PFDA	NE	20	--	--	--	<3.9	--	--	--	--	--	8.7	BRL (<4.1)	7.2	7.2	8.5	11	11	5	9	6	BRL (<3.9)	BRL (<3.9)	4.2	--	--	--	--	--	--	--	--	7.2	6.8	<0.0039	
TOTAL 16 PFAS	70	20	590	2,350	1,760	898	770	644	1044	2,990	1,682	2,919	1,813	1,761	2,299	1,560	1,417	2,415	953	1,425	594	326	424	869	140	254	157	1310	1490	580	960	2420	1,861	453	385	

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for 1 and PFHpA, effective June 11, 2018.

2. The USEPA and MaudSEP ORS Guideline applies to five PFAS chemicals of 0

3. The complete PFAS concentration data set collected from PFM-4 is detailed

4. [--] Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, or drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in bold exceed applicable Health Advisory Limit or Method

8. PFO5 - Perfluoropentanoic Acid

9. PFOA - Perfluorooctanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanoic Acid

12. PFHpA - Perfluorheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2S, and HS-6 were destroyed or removed

16. Monitoring well RW-10 is a downgradient well located on the north side

17. NE - Not Established

Table 4A - Summary of Long Term Monitoring Groundwater PFAS Anal  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID SCREEN DEPTH (FEET) WELL DIAMETER (INCHES) WELL STATUS	USEPA <sup>1</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>6</sup>	PC-28														PC-30																				
			Visible														Visible																				
			Visible														Visible																				
			3/9/2016	4/28/2017	1/10/2019	4/24/2019	7/23/2019	10/28/2019	2/19/2020	5/12/2020	7/29/2020	10/21/2020	1/27/2021	5/20/2021	7/28/2021	11/1/2021	1/26/2022	4/20/2022	3/9/2016	4/27/2017	2/6/2018	6/26/2018	1/10/2019	4/24/2019	7/23/2019	10/29/2019	2/19/2020	5/12/2020	7/29/2020	10/21/2020	1/27/2021	5/20/2021	7/28/2021	11/1/2021	1/26/2022	4/20/2022	
SAMPLING DATE	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	
PFAS (Method 537.2)																																					
PFOA	70	20	400	770	38	18	82	270	270	430	200	1,100	1,200	820	100	730	670	1,200	980	2,500	1,900	1,600	2,200	1,200	4,300	960	1,200	880	1,100	850	580	540	450	720	480	340	
PFOA	70	27	61	BRL (<3.3)	BRL (<7.4)	190	12	BRL (<7.4)	18	12	65	48	22	38	16	26	34	88	--	98	99	85	85	79	55	130	45	38	32	48	26	21	30	25	23		
PFNA	NE	20	--	--	BRL (<8.7)	BRL (<4.9)	9	BRL (<4.9)	15	10	49	61	33	45	23	28	59	--	--	--	80	88	100	100	61	74	45	57	40	24	40	BRL (<5.1)	51	34	23		
PFHxS	NE	20	--	--	17	15	36	94	72	120	71	230	170	110	120	85	83	95	--	--	--	510	390	340	300	220	210	180	120	100	76	84	68	96	72	63	
PFHpA	NE	20	--	--	20	24	25	53	23	41	30	89	66	45	53	43	53	47	--	--	--	110	110	110	96	71	87	80	48	47	40	24	43	35	33		
PFOA	NE	20	--	--	--	BRL (<4.1)	BRL (<4.1)	BRL (<4.1)	BRL (<4.1)	2.2	BRL (<4.1)	8	10	6	9	<3.9	7.5	14.0	--	--	--	--	--	--	12	BRL (<4.1)	6	5.9	8.2	7.7	6.2	5.3	5.2	4.9	<0.0039	6.4	4.7
TOTAL 16 PFAS	70	20	427	831	75	57	327	418	365	626	323	1,541	1,555	1,036	365	897	865.5	1,449.0	1068	2300	1998	2,419	2,873	1,847	4,875	1,373	1,707	1,238	1,371	1,075	780	715	578	940	652	487	

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for 1 and PFHpA, effective June 11, 2018.

2. The USEPA and MaudSEP ORS Guideline applies to five PFAS chemicals of 0

3. The complete PFAS concentration data set collected from PFW-4 is detailed

4. [---] Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, or drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in bold exceed applicable Health Advisory Limit or Method

8. PFOA - Perfluorooctanoic Acid

9. PFDA - Perfluorodecanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluorheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS 1, HS 2, HS 2L, and HS 6 were destroyed or removed

16. Monitoring well PFW-1D is a downgradient well located on the north side

17. NE - Not Established

Table 4A - Summary of Long Term Monitoring Groundwater PFAS Anal  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID SCREEN DEPTH (FEET) WELL DIAMETER (INCHES) WELL STATUS	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>6</sup>	PC-345					PC-365					PC-38										PC-39					HW-10 <sup>14</sup>				
			Visible					Visible					Visible										Visible									
			4/14/2016	11/2/2021	4/21/2022	4/14/2016	1/11/2019	10/29/2019	10/22/2020	11/3/2021	4/24/2017	10/29/2019	5/12/2020	7/28/2020	10/21/2020	1/27/2021	5/20/2021	7/28/2021	11/1/2021	1/26/2022	4/24/2017	2/19/2020	11/2/2021	5/3/2017	1/10/2019	10/29/2019	10/21/2020	11/3/2021				
			ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L		
SAMPLING DATE			ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L				
UNITS			ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L				
PFAS (Method 537.2)																																
PFO5	70	20	1,300	1,300	580	35	64	1,200	700	640	BRL (<2.6)	BRL (<5.2)	4.5	BRL (<5.2)	BRL (<5.7)	3	BRL (<5.7)	BRL (<5.7)	BRL (<5.7)	BRL (<5.7)	1,200	820	140	25	BRL (<6)	BRL (<5.2)	BRL (<5.7)	BRL (<5.7)				
PFOA	70	20	72	74	65	BRL (<5.3)	BRL (<3.3)	54	36	32	BRL (<4.6)	BRL (<7.4)	BRL (<0.23)	BRL (<7.4)	BRL (<5.0)	BRL (<2.0)	BRL (<5.0)	BRL (<5.0)	BRL (<5.0)	BRL (<5.0)	46	28	BRL (<5.0)	8	BRL (<3.3)	BRL (<7.4)	BRL (<5.0)	BRL (<5.0)				
PFNA	NE	20	--	150	100	--	BRL (<5.7)	80	57	71	--	BRL (<4.9)	BRL (<0.48)	BRL (<4.9)	BRL (<5.1)	BRL (<5.1)	BRL (<5.1)	BRL (<5.1)	BRL (<5.1)	--	61	6.9	--	BRL (<8.7)	BRL (<4.9)	BRL (<5.1)	BRL (<5.1)					
PFHxS	NE	20	--	160	140	--	36	100	79	73	--	0	2.2	BRL (<5.2)	BRL (<4.4)	2	BRL (<4.4)	BRL (<4.4)	BRL (<4.4)	BRL (<4.4)	--	100	4.9	--	BRL (<5.9)	BRL (<5.2)	BRL (<4.4)	BRL (<4.4)				
PFHpA	NE	20	--	87	77	--	BRL (<7.4)	62	42	38	--	BRL (<7.1)	BRL (<0.37)	BRL (<5.1)	BRL (<5.7)	BRL (<2.0)	BRL (<5.7)	BRL (<5.7)	BRL (<5.7)	BRL (<5.7)	--	38	BRL (<6.7)	--	BRL (<7.4)	BRL (<7.1)	BRL (<5.7)	BRL (<5.7)				
PFDA	NE	20	--	7.8	7.2	--	--	11	11	11	--	BRL (<4.1)	BRL (<0.18)	BRL (<4.1)	BRL (<3.9)	BRL (<2.0)	BRL (<3.9)	BRL (<3.9)	BRL (<3.9)	BRL (<3.9)	--	BRL (<4.1)	BRL (<3.9)	--	--	BRL (<4.1)	BRL (<3.9)	BRL (<3.9)				
TOTAL 16 PFAS	70	20	1372	1,779	969	35	102	1,527	925	865	0	6.1	6.7	0	BRL	4.3	0.0	0.0	0.0	0.0	1,246	1037	151.8	33	BRL	BRL	BRL	BRL				

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for 1 and PFHpA, effective June 11, 2018.

2. The USEPA and MaudSEP ORS Guideline applies to five PFAS chemicals of o

3. The complete PFAS concentration data set collected from PFW-4 is detaile

4. [–] Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, or drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in **bold** exceed applicable Health Advisory Limit or Method

8. PFO5 - Perfluorooctanesulfonate

9. PFOA - Perfluorooctanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluorheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2L, and HS-6 were destroyed or removed

16. Monitoring well HW-10 is a downgradient well located on the north side i

17. NE- Not Established

Table 4B- Summary of Historic Groundwater PFAS Analytical Data  
Former Barnstable Country Fire and Rescue Training Academy  
1555 Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>4</sup>	HS-1 <sup>15</sup>		HS-6 <sup>15</sup>	HS-2 <sup>15</sup>	HS-25 <sup>15</sup>		PFW-3			PFW-4	OW-2A	OW-2S	OW-2D	FS-1	RW-1		PC-2		PC-3		PC-4	
SCREEN DEPTH (FEET)																								
WELL DIAMETER (INCHES)									2			2							2		2		2	
WELL STATUS			Abandoned		Abandoned	Abandoned	Abandoned		Viable			Viable	Not Viable	Not Viable	Not Viable	Not Viable	OFF		Viable		Damaged - Not Viable		Destroyed	
SAMPLING DATE			8/11/2016	12/8/2016	8/11/2016	7/27/2017	8/18/2016	5/3/2017	4/1/2015	10/15/2015	4/18/2017	4/1/2015	6/3/2014	4/14/2016	4/14/2016	4/11/2017	4/1/2015	4/11/2017	6/17/2015	4/24/2017	8/20/2014	6/17/2015	6/17/2015	3/8/2016
UNITS	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L
PFAS (Method 537.2)																								
PFOS	70	20	56,000	36,000	41,000	21,000	300	150	2,700	3,800	3,400	3,300	1,300	2,400	6	1,700	2,300	1,000	3,800	2,200	3,100	4,700	2,200	4,600
PFOA	70	20	460	1,800	450	370	BRL (<5.3)	8.2	140	170	230	420	150	250	BRL (<5.3)	730	240	58	220	110	180	200	79	160
PFNA	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PFHxS	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PFHpA	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PFDA	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
TOTAL Σ6 PFAS	70	20	56,460	37,800	41,450	21,370	300	158	2,840	3,970	3,630	3,720	1,450	2,650	6	2,430	2,540	1,058	4,020	2,310	3,280	4,900	2,279	4,760

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for two PFAS chemicals, PFOA and PFOS, which was 70 ng/L. Subsequently, MassDEP's Office of Research and Standards (ORS) expanded on this Health Advisory and created the ORS Guideline that applies to the total sum of five PFAS chemicals, PFOS, PFOA, PFNA, PFHxS, and PFHpA, effective June 11, 2018.
2. The USEPA and MassDEP ORS Guideline applies to five PFAS chemicals of concern (PFOS, PFOA, PFNA, PFHpA, and PFHxS) individually as well as the sum of the five PFAS of concern.
3. The complete PFAS concentration data set collected from PRW-4 is detailed in the data table titled "Summary of Groundwater Pump and Treatment System PFOS/PFOA Analytical Data." Data presented herein is summarized and data was selected based on quarterly sampling events.
4. (-) Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, and PFHpA were not presented until after the MassDEP ORS Guideline was in effect on 06.11.18. PFAS concentrations were regulated by the USEPA Health Advisory prior to 6.11.18. Concentrations of PFDA were not presented prior to April 19, 2019. MassDEP released drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that applies to the total sum and individual concentrations of six PFAS compounds (PFOS, PFOA, PFNA, PFHxS, PFHpA, and PFDA), which is 20 ng/L. These drafted groundwater standards were finalized and became effective on December 27, 2019.
5. BRL - Below Laboratory Detection Limits
6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion
7. Concentrations in bold exceed applicable Health Advisory Limit or Method 1 GW-1 Standard
8. PFOS - Perfluorooctanesulfonate
9. PFOA - Perfluorooctanoic Acid
10. PFNA - Perfluorononanoic Acid
11. PFHxS - Perfluorohexanesulfonic Acid
12. PFHpA - Perfluoroheptanoic Acid
13. PFDA - Perfluorodecanoic Acid
14. NA - Concentration data not available
15. Monitoring well HS-1, HS-2, HS-2S, and HS-6 were destroyed or removed during soil removal activities in January 2017 as part of an Immediate Response Action Plan. The well was replaced with HSW-1/HS-1a as post-excavation activities.
16. Monitoring well HW-1D is a downgradient well located on the north side of Mary Dunn Pond.
17. NE - Not Established

Table 4B- Summary of Historic Groundwater PFAS Analytical Data  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>4</sup>	PC-7					PC-8					PC-9							PC-10				
SCREEN DEPTH (FEET)																								
WELL DIAMETER (INCHES)			2					2												2				
WELL STATUS			Damaged - Not Viable					Damaged - Not Viable					Damaged - Not Viable							Viable				
SAMPLING DATE			4/2/2015	6/17/2015	10/7/2015	3/8/2016	4/27/2017	6/17/2015	10/7/2015	3/8/2016	4/24/2017	2/6/2018	4/1/2015	10/7/2015	3/9/2016	3/30/2016	4/28/2017	1/10/2019	10/30/2019	10/21/2020	4/6/2015	4/28/2017		
UNITS	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L			
PFAS (Method 537.2)																								
PFOS	70	20	17,000	500	700	1,700	2,900	15,000	500	1,600	36,000	1,000	580	510	5,300	8,100	280	1,700	2,300	1,400	790	560		
PFOA	70	20	3,500	27	98	140	130	2,800	370	97	--	71	30	40	1,200	1,600	31	64	100	66	50	67		
PFNA	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	53	90	88	--	--			
PFHxS	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	360	420	200	--	--			
PFHpA	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	81	120	77	--	--			
PFDA	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	15	11	--	--			
TOTAL Σ6 PFAS	70	20	20,500	527	798	1,840	3,030	17800	870	1697	36000	1071	610	550	6500	9700	311	2258	3045	1,842	840	627		

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for two PFAS chemicals, PFOA and PFOS, which was 70 ng/L. Subsequently, MassDEP's Office of Research and Standards (ORS) expanded on this Health Advisory and created the ORS Guideline that applies to the total summed of five PFAS chemicals, PFOS, PFOA, PFNA, PFHxS, and PFHpA, effective June 11, 2018.

2. The USEPA and MassDEP ORS Guideline applies to five PFAS chemicals of concern (PFOS, PFOA, PFNA, PFHpA, and PFHxS) individually as well as the sum of the five PFAS of concern.

3. The complete PFAS concentration data set collected from PRW-4 is detailed in the data table titled "Summary of Groundwater Pump and Treatment System PFOS/PFOA Analytical Data." Data presented herein is summarized and data was selected based on quarterly sampling events.

4. (--) Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, and PFHpA were not presented until after the MassDEP ORS Guideline was in effect on 06.11.18. PFAS concentrations were regulated by the USEPA Health Advisory prior to 6.11.18. Concentrations of PFDA were not presented prior to April 19, 2019. MassDEP released drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that applies to the total sum and individual concentrations of six PFAS compounds (PFOS, PFOA, PFNA, PFHxS, PFHpA, and PFDA), which is 20 ng/L. These drafted groundwater standards were finalized and became effective on December 27, 2019.

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in bold exceed applicable Health Advisory Limit or Method 1 GW-1 Standard

8. PFOS - Perfluorooctanesulfonate

9. PFOA - Perfluorooctanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluoroheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2S, and HS-6 were destroyed or removed during soil removal activities in January 2017 as part of an Immediate Response Action Plan. The well was replaced with HSW-1/HS-1a as post-ex-cavation activities.

16. Monitoring well HW-1D is a downgradient well located on the north side of Mary Dunn Pond.

17. NE - Not Established

Table 4B- Summary of Historic Groundwater PFAS Analytical Data  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>4</sup>	PC-12			PC-13		PC-15			PC-19				PC-20D	PC-21D	PC-22		PC-23D	PC-24		PC-25
SCREEN DEPTH (FEET)																						
WELL DIAMETER (INCHES)																						
WELL STATUS			Viable			Viable		Destroyed - Not Viable			Damaged - Not Viable				Not Viable	Viable	Viable		Viable	Viable		Viable
SAMPLING DATE			6/17/2015	5/12/2016	4/26/2017	6/17/2015	4/24/2017	4/2/2015	4/28/2017	10/30/2019	4/2/2015	3/30/2016	4/27/2017	10/30/2019	3/9/2016	3/9/2016	4/2/2015	4/28/2017	6/17/2015	3/30/2016	4/28/2017	6/17/2015
UNITS	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L
PFAS (Method 537.2)																						
PFOS	70	20	1,300	1,700	1,600	2,400	2,800	1,300	780	970	3,300	1,600	2,000	1,900	3,200	230	1,200	1,400	1,000	420	320	2,300
PFOA	70	20	140	150	150	280	170	100	80	55	260	120	290	170	200	19	100	170	73	22	33	260
PFNA	NE	20	--	--	--	--	--	--	--	52	--	--	--	130	--	--	--	--	--	--	--	--
PFHxS	NE	20	--	--	--	--	--	--	--	290	--	--	--	450	--	--	--	--	--	--	--	--
PFHpA	NE	20	--	--	--	--	--	--	--	77	--	--	--	95	--	--	--	--	--	--	--	--
PFDA	NE	20	--	--	--	--	--	--	--	4.9	--	--	--	14	--	--	--	--	--	--	--	--
TOTAL Σ6 PFAS	70	20	1440	1850	1750	2680	2,970	1,400	860	1,449	3560	1720	2290	2759	3,400	249	1300	1,570	1072	442	353	2,560

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for two PFAS chemicals, PFOA and PFOS, which was 70 ng/L. Subsequently, MassDEP's Office of Research and Standards (ORS) expanded on this Health Advisory and created the ORS Guideline that applies to the total summed of five PFAS chemicals, PFOS, PFOA, PFNA, PFHxS, and PFHpA, effective June 11, 2018.

2. The USEPA and MassDEP ORS Guideline applies to five PFAS chemicals of concern (PFOS, PFOA, PFNA, PFHpA, and PFHxS) individually as well as the sum of the five PFAS of concern.

3. The complete PFAS concentration data set collected from PRW-4 is detailed in the data table titled "Summary of Groundwater Pump and Treatment System PFOS/PFOA Analytical Data." Data presented herein is summarized and data was selected based on quarterly sampling events.

4. (--) Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, and PFHpA were not presented until after the MassDEP ORS Guideline was in effect on 06.11.18. PFAS concentrations were regulated by the USEPA Health Advisory prior to 6.11.18. Concentrations of PFDA were not presented prior to April 19, 2019. MassDEP released drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that applies to the total sum and individual concentrations of six PFAS compounds (PFOS, PFOA, PFNA, PFHxS, PFHpA, and PFDA), which is 20 ng/L. These drafted groundwater standards were finalized and became effective on December 27, 2019.

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in bold exceed applicable Health Advisory Limit or Method 1 GW-1 Standard

8. PFOS - Perfluorooctanesulfonate

9. PFOA - Perfluorooctanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluoroheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2S, and HS-6 were destroyed or removed during soil removal activities in January 2017 as part of an Immediate Response Action Plan. The well was replaced with HSW-1/HS-1a as post-excavation activities.

16. Monitoring well HW-1D is a downgradient well located on the north side of Mary Dunn Pond.

17. NE - Not Established



Table 4B- Summary of Historic Groundwater PFAS Analytical Data  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>4</sup>	PC-26				PC-29	PC-31		PC-32		PC-33		PC-34D		PC-35S	PC-35D		PC-36D		PC-37
SCREEN DEPTH (FEET)																					
WELL DIAMETER (INCHES)																					
WELL STATUS			Viable				Viable	Viable		Viable		Viable		Viable		Viable	Viable		Viable		Viable
SAMPLING DATE			6/17/2015	10/8/2015	3/8/2016	4/24/2017	4/28/2017	3/8/2016	4/27/2017	3/30/2016	4/27/2017	3/30/2016	4/27/2017	4/14/2016	4/28/2017	4/14/2016	4/14/2016	4/28/2017	4/14/2016	4/24/2017	4/10/2017
UNITS	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L
PFAS (Method 537.2)																					
PFOS	70	20	1,000	1,900	1,200	380	1,400	1,200	12,000	1,200	960	2,700	2,100	1,400	1,500	1,700	2,000	1,700	3,100	2,500	45
PFOA	70	20	210	190	98	21	BRL (<4.6)	110	160	130	54	250	210	150	130	130	140	97	150	120	BRL (<20)
PFNA	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PFHxS	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PFHpA	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PFDA	NE	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
TOTAL Σ6 PFAS	70	20	1,210	2,090	1,298	401	1400	1310	12160	1330	1014	2950	2310	1550	1630	1830	2140	1797	3250	2620	45

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for two PFAS chemicals, PFOA and PFOS, which was 70 ng/L. Subsequently, MassDEP's Office of Research and Standards (ORS) expanded on this Health Advisory and created the ORS Guideline that applies to the total summed of five PFAS chemicals, PFOS, PFOA, PFNA, PFHxS, and PFHpA, effective June 11, 2018.

2. The USEPA and MassDEP ORS Guideline applies to five PFAS chemicals of concern (PFOS, PFOA, PFNA, PFHpA, and PFHxS) individually as well as the sum of the five PFAS of concern.

3. The complete PFAS concentration data set collected from PRW-4 is detailed in the data table titled "Summary of Groundwater Pump and Treatment System PFOS/PFOA Analytical Data." Data presented herein is summarized and data was selected based on quarterly sampling events.

4. (--) Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, and PFHpA were not presented until after the MassDEP ORS Guideline was in effect on 06.11.18. PFAS concentrations were regulated by the USEPA Health Advisory prior to 6.11.18. Concentrations of PFDA were not presented prior to April 19, 2019. MassDEP released drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that applies to the total sum and individual concentrations of six PFAS compounds (PFOS, PFOA, PFNA, PFHxS, PFHpA, and PFDA), which is 20 ng/L. These drafted groundwater standards were finalized and became effective on December 27, 2019.

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in bold exceed applicable Health Advisory Limit or Method 1 GW-1 Standard

8. PFOS - Perfluorooctanesulfonate

9. PFOA - Perfluorooctanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluoroheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2S, and HS-6 were destroyed or removed during soil removal activities in January 2017 as part of an Immediate Response Action Plan. The well was replaced with HSW-1/HS-1a as post-excavation activities.

16. Monitoring well HW-1D is a downgradient well located on the north side of Mary Dunn Pond.

17. NE - Not Established

Table 4B- Summary of Historic Groundwater PFAS Analytical Data  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>4</sup>	MW-1			MW-3D	SBV-3	MW-6		MW-7	MW-10		MW-13	MW-15	MW-15D	MW-19I
SCREEN DEPTH (FEET)																
WELL DIAMETER (INCHES)																
WELL STATUS			Viable			Viable	Viable	Viable		Viable	Viable		Viable	Viable	Viable	Not Viable
SAMPLING DATE			11/22/2013	6/3/2014	4/28/2017	8/18/2016	11/22/2013	4/1/2015	4/25/2017	11/22/2013	11/22/2013	4/18/2016	7/29/2021	4/24/2017	4/2/2015	8/20/2014
UNITS	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L
PFAS (Method 537.2)																
PFOS	70	20	3,900	4,400	2,600	98	1,100	5,700	2,400	3,100	2,000	1,700	BRL (<0.020)	19	60	BRL
PFOA	70	20	320	880	290	10	350	510	140	580	670	440	BRL (<0.020)	27	60	BRL
PFNA	NE	20	--	--	--	--	--	--	--	--	--	--	BRL (<0.020)	--	--	--
PFHxS	NE	20	--	--	--	--	--	--	--	--	--	--	BRL (<0.020)	--	--	--
PFHpA	NE	20	--	--	--	--	--	--	--	--	--	--	BRL (<0.020)	--	--	--
PFDA	NE	20	--	--	--	--	--	--	--	--	--	--	BRL (<0.020)	--	--	--
TOTAL Σ6 PFAS	70	20	4,220	5,280	2,890	108	1,450	6,210	2,540	3,680	2,670	2,140	0	46	120	0

Notes:

1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for two PFAS chemicals, PFOA and PFOS, which was 70 ng/L. Subsequently, MassDEP's Office of Research and Standards (ORS) expanded on this Health Advisory and created the ORS Guideline that applies to the total summed of five PFAS chemicals, PFOS, PFOA, PFNA, PFHxS, and PFHpA, effective June 11, 2018.

2. The USEPA and MassDEP ORS Guideline applies to five PFAS chemicals of concern (PFOS, PFOA, PFNA, PFHpA, and PFHxS) individually as well as the sum of the five PFAS of concern.

3. The complete PFAS concentration data set collected from PRW-4 is detailed in the data table titled "Summary of Groundwater Pump and Treatment System PFOS/PFOA Analytical Data." Data presented herein is summarized and data was selected based on quarterly sampling events.

4. (--) Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, and PFHpA were not presented until after the MassDEP ORS Guideline was in effect on 06.11.18. PFAS concentrations were regulated by the USEPA Health Advisory prior to 6.11.18. Concentrations of PFDA were not presented prior to April 19, 2019. MassDEP released drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that applies to the total sum and individual concentrations of six PFAS compounds (PFOS, PFOA, PFNA, PFHxS, PFHpA, and PFDA), which is 20 ng/L. These drafted groundwater standards were finalized and became effective on December 27, 2019.

5. BRL - Below Laboratory Detection Limits

6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion

7. Concentrations in bold exceed applicable Health Advisory Limit or Method 1 GW-1 Standard

8. PFOS - Perfluorooctanesulfonate

9. PFOA - Perfluorooctanoic Acid

10. PFNA - Perfluorononanoic Acid

11. PFHxS - Perfluorohexanesulfonic Acid

12. PFHpA - Perfluoroheptanoic Acid

13. PFDA - Perfluorodecanoic Acid

14. NA - Concentration data not available

15. Monitoring well HS-1, HS-2, HS-2S, and HS-6 were destroyed or removed during soil removal activities in January 2017 as part of an Immediate Response Action Plan. The well was replaced with HSW-1/HS-1a as post-ex-cavation activities.

16. Monitoring well HW-1D is a downgradient well located on the north side of Mary Dunn Pond.

17. NE - Not Established


Table 4B- Summary of Historic Groundwater PFAS Analytical Data  
Former Barnstable Country Fire and Rescue Training Academy  
155 S. Flint Rock Road, Barnstable, MA  
RTN 4-26179

SAMPLE ID	USEPA <sup>1,2</sup> HEALTH ADVISORY	Method 1 GW-1 Standards <sup>4</sup>	MW-28S	MW-30	MW-31	MW-32	MW-36D	MW-37	MW-37D	MW-99I			HW-2S
SCREEN DEPTH (FEET)													
WELL DIAMETER (INCHES)													
WELL STATUS			Viable	Viable	Viable	Not Viable	Viable	Viable	Viable	Not Viable			
SAMPLING DATE			4/1/2015	4/1/2015	8/18/2016	5/3/2017	4/6/2015	4/26/2017	4/2/2015	4/6/2015	4/26/2017	10/29/2019	5/3/2017
UNITS	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L	ng/L
PFAS (Method 537.2)													
PFOS	70	20	2,100	1,400	3,200	240	140	77	60	730	240	630	15
PFOA	70	20	90	130	170	36	<20	77	90	70	18	50	8.2
PFNA	NE	20	--	--	--	--	--	--	--	--	--	58	--
PFHxS	NE	20	--	--	--	--	--	--	--	--	--	340	--
PFHpA	NE	20	--	--	--	--	--	--	--	--	--	46	--
PFDA	NE	20	--	--	--	--	--	--	--	--	--	5.5	--
TOTAL Σ6 PFAS	70	20	2,190	1,530	3,370	276	140	154	150	800	258	1,130	23.2

- Notes:
1. Prior to June 11, 2018, the USEPA established the EPA Health Advisory for two PFAS chemicals, PFOA and PFOS, which was 70 ng/L. Subsequently, MassDEP's Office of Research and Standards (ORS) expanded on this Health Advisory and created the ORS Guideline that applies to the total summed of five PFAS chemicals, PFOS, PFOA, PFNA, PFHxS, and PFHpA, effective June 11, 2018.
  2. The USEPA and MassDEP ORS Guideline applies to five PFAS chemicals of concern (PFOS, PFOA, PFNA, PFHpA, and PFHxS) individually as well as the sum of the five PFAS of concern.
  3. The complete PFAS concentration data set collected from PRW-4 is detailed in the data table titled "Summary of Groundwater Pump and Treatment System PFOS/PFOA Analytical Data." Data presented herein is summarized and data was selected based on quarterly sampling events.
  4. (--) Concentrations of the three additional PFAS chemicals, PFNA, PFHxS, and PFHpA were not presented until after the MassDEP ORS Guideline was in effect on 06.11.18. PFAS concentrations were regulated by the USEPA Health Advisory prior to 6.11.18. Concentrations of PFDA were not presented prior to April 19, 2019. MassDEP released drafted Method 1 groundwater risk standards for PFAS on April 19, 2019 that applies to the total sum and individual concentrations of six PFAS compounds (PFOS, PFOA, PFNA, PFHxS, PFHpA, and PFDA), which is 20 ng/L. These drafted groundwater standards were finalized and became effective on December 27, 2019.
  5. BRL - Below Laboratory Detection Limits
  6. Concentrations presented in ng/L - nanograms per Liter - parts per trillion
  7. Concentrations in bold exceed applicable Health Advisory Limit or Method 1 GW-1 Standard
  8. PFOS - Perfluorooctanesulfonate
  9. PFOA - Perfluorooctanoic Acid
  10. PFNA - Perfluorononanoic Acid
  11. PFHxS - Perfluorohexanesulfonic Acid
  12. PFHpA - Perfluoroheptanoic Acid
  13. PFDA - Perfluorodecanoic Acid
  14. NA - Concentration data not available
  15. Monitoring well HS-1, HS-2, HS-2S, and HS-6 were destroyed or removed during soil removal activities in January 2017 as part of an Immediate Response Action Plan. The well was replaced with HSW-1/HS-1a as post-ex-cavation activities.
  16. Monitoring well HW-1D is a downgradient well located on the north side of Mary Dunn Pond.
  17. NE - Not Established

## FIGURES





**FIGURE 1 - SITE LOCATION**

BARNSTABLE COUNTY  
FIRE & RESCUE TRAINING ACADEMY SITE  
155 S. FLINT ROCK ROAD  
BARNSTABLE, MA 02630  
RTN 4-26179


LATITUDE: 41°40'41.53"N  
LONGITUDE: 70°17'7.82"W

0 500 1,000 2,000  
Feet




Service Layer Credits: Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community  
Copyright: © 2013 National Geographic Society, i-cubed








K:\0206 BARNSTABLE COUNTY\MCP LSP BASE SERVICES\FMRLY 2018-2019 SERVICES\DRAWINGFILES\GW CONTOUR\0206\_EX\_BASE\_AW2.DWG



**FIGURE 3 - SITE PLAN**  
Former Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA





# MassDEP - Bureau of Waste Site Cleanup

## Phase 1 Site Assessment Map: 500 feet & 0.5 Mile Radii

FIGURE 4

### Site Information:

BARNSTABLE COUNTY FIRE & RESCUE TRAINING ACADEMY

155 SOUTH FLINT ROCK ROAD BARNSTABLE, MA

4-000026179

NAD83 UTM Meters:

4614868mN, 393038mE (Zone: 19)


April 23, 2021

The information shown is the best available at the date of printing. However, it may be incomplete. The responsible party and LSP are ultimately responsible for ascertaining the true conditions surrounding the site. Metadata for data layers shown on this map can be found at:  
<https://www.mass.gov/orgs/massgis-bureau-of-geographic-information>



# MassDEP

Commonwealth of Massachusetts  
Department of Environmental Protection



Roads: Limited Access, Divided, Other Hwy, Major Road, Minor Road, Track, Trail

Boundaries: Town, County, DEP Region; Train; Powerline; Pipeline; Aqueduct

Basins: Major, PWS; Streams: Perennial, Intermittent, Man Made Shore, Dam

Aquifers: Medium Yield, High Yield, EPA Sole Source.....

Non Potential Drinking Water Source Area: Medium, High (Yield)...

PWS Protection Areas: Zone II, IWPA, Zone A .....


Hydrography: Open Water, PWS Reservoir, Tidal Flat .....

Wetlands: Freshwater, Saltwater, Cranberry Bog .....

FEMA 100yr Floodplain; Protected Open Space; ACEC .....


Est. Rare Wetland Wildlife Hab; Vernal Pool: Cert., Potential

Solid Waste Landfill; PWS: Com. GW, SW, Emerg., Non-Com.





**Figure 5 - BFTA GWPTS#1 Influent and Midpoint PFAS Concentrations from 2015-2022**




**Notes:**

1. Concentrations depicted represent the sum of the perfluorooctanesulfonic acid (PFOS) and the perfluorooctanic acid (PFOA) compounds in micrograms per liter (µg/L).
2. Concentration data points at 0 µg/L from Midpoint sample location, indicate a sample was not collected from the Midpoint location on that date or was detected below laboratory reporting limits.



**Figure 6 - ΣPFAS Concentrations in PFW-1 from June 2018 -April 2022**




Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA  
RTN 4-26179



**Notes:**

1. Concentrations depicted represent the sum of the five (5) PFAS compounds, PFOS, PFOA, PFHpA, PFHxS, and PFNA from June 2018 to April 2019. Concentrations depicted from April 2019 to current graphical date represent the sum of the six (6) PFAS compounds PFOS, PFOA, PFHpA, PFHxS, PFNA, and PFDA.
2. Concentrations are in micrograms per liter (µg/L) or parts per billion (ppb).

**Figure 6A - ΣPFAS Concentrations in HSW-1/HSW-6 from June 2018 - January 2022**



Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA  
RTN 4-26179


● HSW-1/HSW-6



**Notes:**

1. Concentrations depicted represent the sum of the five (5) PFAS compounds, PFOS, PFOA, PFHpA, PFHxS, and PFNA from June 2018 to April 2019. Concentrations depicted from April 2019 to to current graphical date represent the sum of the six (6) PFAS compounds PFOS, PFOA, PFHpA, PFHxS, PFNA, and PFDA.
2. Concentrations are in in micrograms per liter (µg/L) .
3. The averages concentrations of HSW-1 and HSW-6 were utilized.

**Figure 7 - ΣPFAS Concentrations in OW-8A from January 2019 - April 2022**




Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA  
RTN 4-26179



**Notes:**

1. Concentrations depicted represent the sum of the the five (5) PFAS compounds, PFOS, PFOA, PFHpA, PFHxS, and PFNA from June 2018 to April 2019. Concentrations depicted from April 2019 to current graphical date represent the sum of the six (6) PFAS compounds PFOS, PFOA, PFHpA, PFHxS, PFNA, and PFDA.
2. Concentrations are in micrograms per liter (µg/L) or parts per billion (ppb) .

**Figure 8 - ΣPFAS Concentrations in MW-12 and MW-22 from June 2018 - April 2022**



Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA  
RTN 4-26179


● MW-22 ● MW-12S



**Notes:**

1. Concentrations depicted represent the sum of the five (5) PFAS compounds, PFOS, PFOA, PFHpA, PFHxS, and PFNA from June 2018 to April 2019. Concentrations depicted from April 2019 to October 2019 represent the sum of the six (6) PFAS compounds PFOS, PFOA, PFHpA, PFHxS, PFNA, and PFDA.
2. Concentrations are in micrograms per liter (µg/L) or parts per billion (ppb).
3. Concentrations from May 2021 were not included due to sample naming issue and concentrations from July 2021 are not depicted because both wells were dry.

Figure 9A - ΣPFAS Concentrations in PC-6A from June 2018 - April 2022



Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA  
RTN 4-26179


● PC-6A



Notes:

1. Concentrations depicted represent the sum of the the five (5) PFAS compounds, PFOS, PFOA, PFHpA, PFHxS, and PFNA from June 2018 to April 2019. Concentrations depicted from April 2019 to October 2019 represent the sum of the six (6) PFAS compounds PFOS, PFOA, PFHpA, PFHxS, PFNA, and PFDA.
2. Concentrations are in in micrograms per liter (µg/L) or parts per billion (ppb).

**Figure 9B - ΣPFAS Concentrations in PC-11 from June 2018 - April 2022**




Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA  
RTN 4-26179



**Notes:**

1. Concentrations depicted represent the sum of the five (5) PFAS compounds, PFOS, PFOA, PFHpA, PFHxS, and PFNA from June 2018 to April 2019. Concentrations depicted from April 2019 to October 2019 represent the sum of the six (6) PFAS compounds PFOS, PFOA, PFHpA, PFHxS, PFNA, and PFDA.
2. Concentrations are in micrograms per liter (µg/L) or parts per billion (ppb).

Figure 9C - ΣPFAS Concentrations in PC-28 from January 2019 - April 2022



Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA  
RTN 4-26179




Notes:

1. Concentrations depicted represent the sum of the five (5) PFAS compounds, PFOS, PFOA, PFHpA, PFHxS, and PFNA from June 2018 to April 2019. Concentrations depicted from April 2019 to October 2019 represent the sum of the six (6) PFAS compounds PFOS, PFOA, PFHpA, PFHxS, PFNA, and PFDA.
2. Concentrations are in micrograms per liter (µg/L) or parts per billion (ppb).



Figure 9D - ΣPFAS Concentrations in PC-30 from June 2018 - April 2022



Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA  
RTN 4-26179


● PC-30



Notes:

1. Concentrations depicted represent the sum of the five (5) PFAS compounds, PFOS, PFOA, PFHpA, PFHxS, and PFNA from June 2018 to April 2019. Concentrations depicted from April 2019 to the graphically represented date are represented as the sum of the six (6) PFAS compounds PFOS, PFOA, PFHpA, PFHxS, PFNA, and PFDA.
2. Concentrations are in micrograms per liter (µg/L) or parts per billion (ppb).

K:\6206 BARNSTABLE COUNTY\MCP LSP BASE SERVICES FMRLY 2018-2019 SERVICES\DRAWINGFILES\XREFS\GW CONTOUR\6206\_EX\_BASE\_PFA5.DWG



**FIGURE 10 - Groundwater PFAS Concentration Plume  
January 2022**

**Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA**

Plot Date: 04/29/2021




K:\0206 BARNSTABLE COUNTY\MCP LSP BASE SERVICES FMRLY 2018-2019 SERVICES\DRAWINGFILES\CONTOUR\6206\_EX\_BASE\_MM\_2020-1.DWG



www.BETA-Inc.com

**FIGURE 11**  
**Groundwater Contour Map - January 2022**  
Barnstable County Fire & Rescue Training Academy  
155 South Flint Rock Road, Barnstable, MA

Plot Date: 2022/02/03 Drawn By: MM



( IN FEET )  
1 inch = 200 ft.



## **APPENDIX A**

BWSC TRANSMITTAL FORM (UNSIGNED)



**Massachusetts Department of Environmental Protection**  
*Bureau of Waste Site Cleanup*

**BWSC 105**

**Immediate Response Action (IRA) Transmittal Form**

Pursuant to 310 CMR 40.0424 - 40.0427 (Subpart D)

Release Tracking Number

4

-

26179

**A. SITE LOCATION:**

1. Release Name/Location Aid: BARNSTABLE COUNTY FIRE TRAINING ACADEMY

2. Street Address: 155 SOUTH FLINT ROCK ROAD

3. City/Town: BARNSTABLE 4. Zip Code: 026300000

☐ 5. Check here if this location is Adequately Regulated, pursuant to 310 CMR 40.0110-0114.

☐ a. CERCLA

☐ b. HSWA Corrective Action

☐ c. Solid Waste Management

☐ d. RCRA State Program (21C Facilities)

**B. THIS FORM IS BEING USED TO: (check all that apply)**

1. List Submittal Date of Initial IRA Written Plan (if previously submitted): 9/26/2016

☐ 2. Submit an **Initial IRA Plan**.

☐ 3. Submit a **Modified IRA Plan** of a previously submitted written IRA Plan.

☐ 4. Submit an **Imminent Hazard Evaluation**. (check one)

☐ a. An Imminent Hazard exists in connection with this Release or Threat of Release.

☐ b. An Imminent Hazard does not exist in connection with this Release or Threat of Release.

☐ c. It is unknown whether an Imminent Hazard exists in connection with this Release or Threat of Release, and further assessment activities will be undertaken.

☐ d. It is unknown whether an Imminent Hazard exists in connection with this Release or Threat of Release. However, response actions will address those conditions that could pose an Imminent Hazard.

☐ 5. Submit a request to **Terminate an Active Remedial System or Response Action(s) Taken to Address an Imminent Hazard**.

☒ 6. Submit an **IRA Status Report**

☒ 7. Submit a **Remedial Monitoring Report**. (This report can only be submitted through eDEP.)

a. Type of Report: (check one) ☐ i. Initial Report ☒ ii. Interim Report ☐ iii. Final Report

b. Frequency of Submittal: (check all that apply)

☐ i. A Remedial Monitoring Report(s) submitted monthly to address an Imminent Hazard.


☐ ii. A Remedial Monitoring Report(s) submitted monthly to address a Condition of Substantial Release Migration.

☒ iii. A Remedial Monitoring Report(s) submitted every six months, concurrent with an IRA Status Report.

☐ iv. A Remedial Monitoring Report(s) submitted annually, concurrent with an IRA Status Report.

c. Number of Remedial Systems and/or Monitoring Programs: 2

A separate BWSC105A, IRA Remedial Monitoring Report, must be filled out for each Remedial System and/or Monitoring Program addressed by this transmittal form.



**Massachusetts Department of Environmental Protection**  
*Bureau of Waste Site Cleanup*

**BWSC 105**

**Immediate Response Action (IRA) Transmittal Form**

Pursuant to 310 CMR 40.0424 - 40.0427 (Subpart D)

Release Tracking Number

4

- 26179

☐ 8. Submit an **IRA Completion Statement**.

☐ a. Check here if future response actions addressing this Release or Threat of Release notification condition will be conducted as part of the Response Actions planned or ongoing at a Site that has already been Tier Classified under a different Release Tracking Number (RTN)

b. Provide Release Tracking Number of Tier Classified Site (Primary RTN): \_\_\_\_\_

These additional response actions must occur according to the deadlines applicable to the Primary RTN. Use the Primary RTN when making all future submittals for the site unless specifically relating to this Immediate Response Action.

☐ 9. Submit a **Revised IRA Completion Statement**.

☐ 10. Submit a **Plan for the Application of Remedial Additives** near a sensitive receptor, pursuant to 310 CMR 40.0046(3).

(All sections of this transmittal form must be filled out unless otherwise noted above)

**C. RELEASE OR THREAT OF RELEASE CONDITIONS THAT WARRANT IRA:**

1. Media Impacted and Receptors Affected: (check all that apply)

- |  |  |   |
|--|--|---|
| <input type="checkbox"/> a. Paved Surface                  | <input type="checkbox"/> b. Basement                 | <input type="checkbox"/> c. School                    |
| <input checked="" type="checkbox"/> d. Public Water Supply | <input checked="" type="checkbox"/> e. Surface Water | <input checked="" type="checkbox"/> f. Zone 2         |
| <input type="checkbox"/> g. Private Well                   | <input type="checkbox"/> h. Residence                | <input checked="" type="checkbox"/> i. Soil           |
| <input checked="" type="checkbox"/> j. Groundwater         | <input checked="" type="checkbox"/> k. Sediments     | <input checked="" type="checkbox"/> l. Wetland        |
| <input type="checkbox"/> m. Storm Drain                    | <input type="checkbox"/> n. Indoor Air               | <input type="checkbox"/> o. Air                       |
| <input type="checkbox"/> p. Soil Gas                       | <input type="checkbox"/> q. Sub-Slab Soil Gas        | <input type="checkbox"/> r. Critical Exposure Pathway |
| <input type="checkbox"/> s. NAPL                           | <input type="checkbox"/> t. Unknown                  |   |
| <input type="checkbox"/> r. Others                         | Specify: _____                                       |   |

2. Sources of the Release or TOR: (check all that apply)

- |  |   |                                   |
|--|---|-----------------------------------|
| <input type="checkbox"/> a. Transformer  | <input type="checkbox"/> b. Fuel Tank         | <input type="checkbox"/> c. Pipe  |
| <input type="checkbox"/> d. OHM Delivery | <input type="checkbox"/> e. AST               | <input type="checkbox"/> f. Drums |
| <input type="checkbox"/> g. Tanker Truck | <input type="checkbox"/> h. Hose              | <input type="checkbox"/> i. Line  |
| <input type="checkbox"/> j. UST          | Describe: _____                               |                                   |
| <input type="checkbox"/> k. Vehicle      | <input type="checkbox"/> l. Boat/Vessel       |                                   |
| <input type="checkbox"/> m. Unknown      | <input checked="" type="checkbox"/> n. Other: | <u>FIRE FIGHTING FOAMS</u>        |

3. Type of Release or TOR: (check all that apply)


- |  |   |   |                                      |
|--|---|---|--------------------------------------|
| <input type="checkbox"/> a. Dumping      | <input type="checkbox"/> b. Fire              | <input type="checkbox"/> c. AST Removal | <input type="checkbox"/> d. Overfill |
| <input type="checkbox"/> e. Rupture      | <input type="checkbox"/> f. Vehicle Accident  | <input type="checkbox"/> g. Leak        | <input type="checkbox"/> h. Spill    |
| <input type="checkbox"/> i. Test failure | <input type="checkbox"/> j. TOR Only          |   |                                      |
| <input type="checkbox"/> k. UST Removal  | Describe: _____                               |   |                                      |
| <input type="checkbox"/> l. Unknown      | <input checked="" type="checkbox"/> m. Other: | <u>HISTORIC FIRE TRAINING</u>           |                                      |

4. Identify Oils and Hazardous Materials Released: (check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> a. Oils         | <input type="checkbox"/> b. Chlorinated Solvents |
| <input type="checkbox"/> c. Heavy Metals | <input checked="" type="checkbox"/> d. Others    |
| Specify: <u>PFAS</u>                     |  |

**D. DESCRIPTION OF RESPONSE ACTIONS:** (check all that apply, for volumes list cumulative amounts)

- |   |   |
|---|---|
| <input type="checkbox"/> 1. Assessment and/or Monitoring Only                 | <input checked="" type="checkbox"/> 2. Temporary Covers or Caps             |
| <input type="checkbox"/> 3. Deployment of Absorbent or Containment Materials  | <input type="checkbox"/> 4. Temporary Water Supplies                        |
| <input type="checkbox"/> 5. Structure Venting System/HVAC Modification System | <input type="checkbox"/> 6. Temporary Evacuation or Relocation of Residents |
| <input type="checkbox"/> 7. Product or NAPL Recovery                          | <input type="checkbox"/> 8. Fencing and Sign Posting                        |
| <input checked="" type="checkbox"/> 9. Groundwater Treatment Systems          | <input type="checkbox"/> 10. Soil Vapor Extraction                          |
| <input type="checkbox"/> 11. Remedial Additives                               | <input type="checkbox"/> 12. Air Sparging                                   |
| <input type="checkbox"/> 13. Active Exposure Pathway Mitigation System        | <input type="checkbox"/> 14. Passive Exposure Pathway Mitigation System     |



**Massachusetts Department of Environmental Protection**  
*Bureau of Waste Site Cleanup*

**BWSC 105**

**Immediate Response Action (IRA) Transmittal Form**

Pursuant to 310 CMR 40.0424 - 40.0427 (Subpart D)

Release Tracking Number

4

- 26179

**D. DESCRIPTION OF RESPONSE ACTIONS: (cont.)**

☒ 15. Excavation of Contaminated Soils.

☐ a. Re-use, Recycling or Treatment

☐ i. On Site

Estimated volume in cubic yards

☐ ii. Off Site

Estimated volume in cubic yards

iiia. Receiving Facility:

Town:

State:

iiib. Receiving Facility:

Town:

State:

iiic. Describe:

☐ b. Store

☐ i. On Site

Estimated volume in cubic yards

☐ ii. Off Site

Estimated volume in cubic yards

iiia. Receiving Facility:

Town:

State:

iiib. Receiving Facility:

Town:

State:

☒ c. Landfill

☐ i. Cover

Estimated volume in cubic yards

Receiving Facility:

Town:

State:

☒ ii. Disposal

Estimated volume in cubic yards

200

Receiving Facility:

TAUNTON LANDFILL

Town:

TAUNTON

State:

MA

☐ 16. Removal of Drums, Tanks, or Containers:

a. Describe Quantity and Amount:

b. Receiving Facility:

Town:

State:

c. Receiving Facility:

Town:

State:

☒ 17. Removal of Other Contaminated Media:

a. Specify Type and Volume:

APPROX. 690 TONS - PFAS IMPACTED DEMOLITION MATERIAL AND SOIL TO WAYNE DISPOSAL LANDFILL, B


☒ 18. Other Response Actions:

Describe:

CAPPED APPROX. 59,000 SF OF FTA WITH HOT MIX ASPHALT PAVEMENT, CAPPED APPROXIMATELY 4,000 SF WITH IMPERMEABL

☐ 19. Use of Innovative Technologies:

Describe:



Massachusetts Department of Environmental Protection  
Bureau of Waste Site Cleanup

BWSC 105

Immediate Response Action (IRA) Transmittal Form

Pursuant to 310 CMR 40.0424 - 40.0427 (Subpart D)

Release Tracking Number

4

-

26179

E. LSP SIGNATURE AND STAMP:

I attest under the pains and penalties of perjury that I have personally examined and am familiar with this transmittal form, including any and all documents accompanying this submittal. In my professional opinion and judgment based upon application of (i) the standard of care in 309 CMR 4.02(1), (ii) the applicable provisions of 309 CMR 4.02(2) and (3), and 309 CMR 4.03(2), and (iii) the provisions of 309 CMR 4.03(3), to the best of my knowledge, information and belief,

> if Section B of this form indicates that an **Immediate Response Action Plan** is being submitted, the response action(s) that is(are) the subject of this submittal (i) has (have) been developed in accordance with the applicable provisions of M.G.L. c. 21E and 310 CMR 40.0000, (ii) is(are) appropriate and reasonable to accomplish the purposes of such response action(s) as set forth in the applicable provisions of M.G.L. c. 21E and 310 CMR 40.0000 and (iii) complies(y) with the identified provisions of all orders, permits, and approvals identified in this submittal;

> if Section B of this form indicates that an **Imminent Hazard Evaluation** is being submitted, this Imminent Hazard Evaluation was developed in accordance with the applicable provisions of M.G.L. c. 21E and 310 CMR 40.0000, and the assessment activity(ies) undertaken to support this Imminent Hazard Evaluation comply(ies) with the applicable provisions of M.G.L. c. 21E and 310 CMR 40.0000;

> if Section B of this form indicates that an **Immediate Response Action Status Report** and/or a **Remedial Monitoring Report** is(are) being submitted, the response action(s) that is (are) the subject of this submittal (i) is (are) being implemented in accordance with the applicable provisions of M.G.L. c. 21E and 310 CMR 40.0000, (ii) is (are) appropriate and reasonable to accomplish the purposes of such response action(s) as set forth in the applicable provisions of M.G.L. c. 21E and 310 CMR 40.0000 and (iii) comply(ies) with the identified provisions of all orders, permits, and approvals identified in this submittal;

> if Section B of this form indicates that an **Immediate Response Action Completion Statement** or a request to **Terminate an Active Remedial System or Response Action(s) Taken to Address an Imminent Hazard** is being submitted, the response action(s) that is(are) the subject of this submittal (i) has (have) been developed and implemented in accordance with the applicable provisions of M.G.L. c. 21E and 310 CMR 40.0000, (ii) is(are) appropriate and reasonable to accomplish the purposes of such response action(s) as set forth in the applicable provisions of M.G.L. c. 21E and 310 CMR 40.0000 and (iii) comply(ies) with the identified provisions of all orders, permits, and approvals identified in this submittal.

I am aware that significant penalties may result, including, but not limited to, possible fines and imprisonment, if I submit information which I know to be false, inaccurate or materially incomplete.

1. LSP #: 1443

2. First Name: ROGER P 3. Last Name: THIBAUT

4. Telephone: 508-331-2700 5. Ext: 6. Email:


7. Signature:

8. Date: (mm/dd/yyyy)

9. LSP Stamp:







**Massachusetts Department of Environmental Protection**  
*Bureau of Waste Site Cleanup*

**BWSC 105**

**Immediate Response Action (IRA) Transmittal Form**

Pursuant to 310 CMR 40.0424 - 40.0427 (Subpart D)

Release Tracking Number

4

- 26179

**F. PERSON UNDERTAKING IRA:**


1. Check all that apply: ☐ a. change in contact name ☐ b. change of address ☐ c. change in the person undertaking response actions
2. Name of Organization: BARNSTABLE COUNTY COMMISSIONERS
3. Contact First Name: STEPHEN 4. Last Name: TEBO
5. Street: 3195 MAIN ST 6. Title: \_\_\_\_\_
7. City/Town: BARNSTABLE 8. State: MA 9. Zip Code: 026301105
10. Telephone: 508-375-6643 11. Ext: \_\_\_\_\_ 12. Email: \_\_\_\_\_

**G. RELATIONSHIP TO RELEASE OR THREAT OF RELEASE OF PERSON UNDERTAKING IRA:**

- ☐ Check here to change relationship
- ☒ 1. RP or PRP ☐ a. Owner ☐ b. Operator ☐ c. Generator ☐ d. Transporter  
☒ e. Other RP or PRP Specify Relationship: NON-SPECIFIED PRP
- ☐ 2. Fiduciary, Secured Lender or Municipality with Exempt Status (as defined by M.G.L. c. 21E, s. 2)
- ☐ 3. Agency or Public Utility on a Right of Way (as defined by M.G.L. c. 21E, s. 5(j))
- ☐ 4. Any Other Person Undertaking Response Actions: Specify Relationship: \_\_\_\_\_

**H. REQUIRED ATTACHMENT AND SUBMITTALS:**

- ☐ 1. Check here if any Remediation Waste, generated as a result of this IRA, will be stored, treated, managed, recycled or reused at the site following submission of the IRA Completion Statement. If this box is checked, you must submit one of the following plans, along with the appropriate transmittal form.  
☐ a. A Release Abatement Measure (RAM) Plan (BWSC106) ☐ b. Phase IV Remedy Implementation Plan (BWSC108)
- ☒ 2. Check here if the Response Action(s) on which this opinion is based, if any, are (were) subject to any order(s), permit(s) and/or approval(s) issued by MassDEP or EPA. If the box is checked, you MUST attach a statement identifying the applicable provisions thereof.
- ☒ 3. Check here to certify that the Chief Municipal Officer and the Local Board of Health were notified of the implementation of an Immediate Response Action taken to control, prevent, abate or eliminate an Imminent Hazard.
- ☐ 4. Check here to certify that the Chief Municipal Officer and the Local Board of Health were notified of the submittal of a Completion Statement for an Immediate Response Action taken to control, prevent, abate or eliminate an Imminent Hazard.
- ☐ 5. Check here if any non-updatable information provided on this form is incorrect, e.g. Release Address/Location Aid. Send corrections to BWSC.eDEP@state.ma.us.
- ☒ 6. Check here to certify that the LSP Opinion containing the material facts, data, and other information is attached.



**Massachusetts Department of Environmental Protection**  
*Bureau of Waste Site Cleanup*

**BWSC 105**

**Immediate Response Action (IRA) Transmittal Form**

Pursuant to 310 CMR 40.0424 - 40.0427 (Subpart D)

Release Tracking Number

4

-

26179

**I. CERTIFICATION OF PERSON UNDERTAKING IRA:**

1. I, \_\_\_\_\_, attest under the pains and penalties of perjury (i) that I have personally examined and am familiar with the information contained in this submittal, including any and all documents accompanying this transmittal form; (ii) that, based on my inquiry of the/those individual(s) immediately responsible for obtaining the information, the material information contained herein is, to the best of my knowledge, information and belief, true, accurate and complete; (iii) that, to the best of my knowledge, information and belief, I/the person(s) or entity(ies) on whose behalf this submittal is made satisfy(ies) the criteria in 310 CMR 40.0183(2); (iv) that I/the person(s) or entity(ies) on whose behalf this submittal is made have provided notice in accordance with 310 CMR 40.0183(5); and (v) that I am fully authorized to make this attestation on behalf of the person(s) or entity(ies) legally responsible for this submittal. I/the person(s) or entity(ies) on whose behalf this submittal is made is/are aware that there are significant penalties, including, but not limited to, possible fines and imprisonment, for willfully submitting false, inaccurate, or incomplete information.

2. By: \_\_\_\_\_ 3. Title: \_\_\_\_\_

4. For: BARNSTABLE COUNTY COMMISSIONERS 5. Date: \_\_\_\_\_ (mm/dd/yyyy)

☐ 6. Check here if the address of the person providing certification is different from address recorded in Section F.

7. Street: \_\_\_\_\_

8. City/Town: \_\_\_\_\_ 9. State: \_\_\_\_\_ 10. Zip Code: \_\_\_\_\_

11. Telephone: \_\_\_\_\_ 12. Ext: \_\_\_\_\_ 13. Email: \_\_\_\_\_

YOU ARE SUBJECT TO AN ANNUAL COMPLIANCE ASSURANCE FEE OF UP TO \$10,000 PER BILLABLE YEAR FOR THIS DISPOSAL SITE. YOU MUST LEGIBLY COMPLETE ALL RELEVANT SECTIONS OF THIS FORM OR DEP MAY RETURN THE DOCUMENT AS INCOMPLETE. IF YOU SUBMIT AN INCOMPLETE FORM, YOU MAY BE PENALIZED FOR MISSING A REQUIRED DEADLINE.

Date Stamp (DEP USE ONLY:)



Massachusetts Department of Environmental Protection  
Bureau of Waste Site Cleanup

BWSC105 -A

IRA REMEDIAL MONITORING REPORT

Pursuant to 310 CMR 40.0400 ( SUBPART D )

Release Tracking Number

Remedial System or Monitoring Program: 1 of 2

4 - 26179

**A. DESCRIPTION OF ACTIVE OPERATION AND MAINTENANCE ACTIVITY:**

1. Type of Active Operation and Maintenance Activity: (check all that apply)

☒ a. Active Remedial System: (check all that apply)

☐ i. NAPL Recovery

☐ ii. Soil Vapor Extraction/Bioventing

☐ iii. Vapor-phase Carbon Adsorption

☒ iv. Groundwater Recovery

☐ v. Dual/Multi-phase Extraction

☒ vi. Aqueous-phase Carbon Adsorption

☐ vii. Air Stripping

☐ viii. Sparging/Biosparging

☐ ix. Cat/Thermal Oxidation

☐ x. Other Describe: \_\_\_\_\_

☐ b. Active Exposure Pathway Elimination Measure

Active Exposure Pathway Mitigation System to address (check one): ☐ i. Indoor Air ☐ ii. Drinking Water

☐ c. Application of Remedial Additives: (check all that apply)

☐ i. To the Subsurface

☐ ii. To Groundwater (Injection)

☐ iii. To the Surface

☐ d. Active Remedial Monitoring Program Without the Application of Remedial Additives: (check all that apply; Sections C, D and E are not required; attach supporting information, data, maps and/or sketches needed by checking Section G5)

☐ i. Reactive Wall

☐ ii. Natural Attenuation

☐ iii. Other

Describe: \_\_\_\_\_

2. Mode of Operation: (check one)

☒ a. Continuous

☐ b. Intermittent

☐ c. Pulsed

☐ d. One-time Event Only

☐ e. Other: \_\_\_\_\_

3. System Effluent/Discharge: (check all that apply)

☐ a. Sanitary Sewer/POTW

☒ b. Groundwater Re-infiltration/Re-injection: (check one)

☐ i. Downgradient

☒ ii. Upgradient

☐ c. Vapor-phase Discharge to Ambient Air: (check one)

☐ i. Off-gas Controls

☐ ii. No Off-gas Controls

☐ d. Drinking Water Supply

☐ e. Surface Water (including Storm Drains)

☐ f. Other Describe: \_\_\_\_\_

**B. MONITORING FREQUENCY:**

1. Reporting period that is the subject of this submittal:

From: 1/1/2022

To: 6/30/2022

(mm/dd/yyyy)

(mm/dd/yyyy)

2. Number of monitoring events during the reporting period: (check one)

☐ a. System Startup: (if applicable)

☐ i. Days 1, 3, 6, and then weekly thereafter, for the first month.

☐ ii. Other Describe: \_\_\_\_\_

☒ b. Post-system Startup (after first month) or Monitoring Program:

☒ i. Monthly

☐ ii. Quarterly

☐ iii. Annually

☐ iv. Other Describe: \_\_\_\_\_

☐ 3. Check here to certify that the number of required monitoring events were conducted during the reporting period.

**C. EFFLUENT/DISCHARGE REGULATION: (check one to indicate how the effluent/discharge limits were established)**

☐ 1. NPDES: (check one)

☐ a. Remediation General Permit

☐ b. Individual Permit

☐ c. Emergency Exclusion

Effective Date of Permit: \_\_\_\_\_

(mm/dd/yyyy)

☐ 2. MCP Performance Standard


MCP Citations(s): \_\_\_\_\_

☒ 3. DEP Approval Letter

Date of Letter: 11/16/2018

(mm/dd/yyyy)

☐ 4. Other Describe: \_\_\_\_\_



Massachusetts Department of Environmental Protection  
Bureau of Waste Site Cleanup

**IRA REMEDIAL MONITORING REPORT**

Pursuant to 310 CMR 40.0400 ( SUBPART D )

Remedial System or Monitoring Program: 1 of 2

BWSC105 -A

Release Tracking Number

4 - 26179

**D. WASTEWATER TREATMENT PLANT OPERATOR:** (check one)

☒ 1. Required due to Remedial Wastewater Treatment Plant in place for more than 30 days.

a. Name: TJMCGOFF

b. Grade: 4

c. License No: 15570

d. License Exp. Date: 12/31/2023

(mm/dd/yyyy)

☐ 2. Not Required

☐ 3. Not Applicable

**E. STATUS OF ACTIVE REMEDIAL SYSTEM OR ACTIVE REMEDIAL MONITORING PROGRAM DURING REPORTING PERIOD:** (check all that apply)

☒ 1. The Active Remedial System was functional one or more days during the Reporting Period.

a. Days System was Fully Functional: 172

b. GW Recovered (gals): 3708705

c. NAPL Recovered (gals):                     

d. GW Discharged (gals): 3708705

e. Avg. Soil Gas Recovery Rate (scfm):                     

f. Avg. Sparging Rate (scfm):                     

☐ 2. Remedial Additives: (check all that apply)

☐ a. No Remedial Additives applied during the Reporting Period.

☐ b. Enhanced Bioremediation Additives applied: (total quantity applied at the site for the current reporting period)

☐ i. Nitrogen/Phosphorus:

☐ ii. Peroxides:

Name of Additive	Date	Quantity	Units

Name of Additive	Date	Quantity	Units

☐ iii. Microorganisms:

☐ iv. Other:

Name of Additive	Date	Quantity	Units

Name of Additive	Date	Quantity	Units

☐ c. Chemical oxidation/reduction additives applied: (total quantity applied at the site for the current reporting period)

☐ i. Permanganates:

☐ ii. Peroxides:

Name of Additive	Date	Quantity	Units


Name of Additive	Date	Quantity	Units

☐ iii. Persulfates:

☐ iv. Other:

Name of Additive	Date	Quantity	Units

Name of Additive	Date	Quantity	Units



**Massachusetts Department of Environmental Protection**  
*Bureau of Waste Site Cleanup*

BWSC105 -A

**IRA REMEDIAL MONITORING REPORT**

Pursuant to 310 CMR 40.0400 ( SUBPART D )

Remedial System or Monitoring Program:  of

Release Tracking Number

-

**E. STATUS OF ACTIVE REMEDIAL SYSTEM OR ACTIVE REMEDIAL MONITORING PROGRAM DURING REPORTING PERIOD: (cont.)**

☐ d. Other additives applied: (total quantity applied at the site for the current reporting period)

Name of Additive	Date	Quantity	Units	Name of Additive	Date	Quantity	Units

☐ e. Check here if any additional Remedial Additives were applied. Attach list of additional additives and include Name of Additive, Date Applied, Quantity Applied and Units (in gals. or lbs.)

**F. SHUTDOWNS OF ACTIVE REMEDIAL SYSTEM OR ACTIVE REMEDIAL MONITORING PROGRAM: (check all that apply)**

☒ 1. The Active Remedial System had unscheduled shutdowns on one or more occasions during the Reporting Period.

a. Number of Unscheduled Shutdowns:  b. Total Number of Days of Unscheduled Shutdowns:

c. Reason(s) for Unscheduled Shutdowns: POWER OUTAGE DUE TO STORM AND RECOVERY WELL PUMP FAILURE

☐ 2. The Active Remedial System had scheduled shutdowns on one or more occasions during the Reporting Period.

a. Number of Scheduled Shutdowns:  b. Total Number of Days of Scheduled Shutdowns:

c. Reason(s) for Scheduled Shutdowns:

☐ 3. The Active Remedial System or Active Remedial Monitoring Program was permanently shutdown/discontinued during the Reporting Period.

a. Date of Final System or Monitoring Program Shutdown:   
(mm/dd/yyyy)

☐ b. No Further Effluent Discharges.

☐ c. No Further Application of Remedial Additives planned; sufficient monitoring completed to demonstrate compliance with 310 CMR 40.0046.

☐ d. No Further Submittals Planned.

☐ e. Other: Describe:

**G. SUMMARY STATEMENTS: (check all that apply for the current reporting period)**

☒ 1. All Active Remedial System checks and effluent analyses required by the approved plan and/or permit were performed when applicable.

☒ 2. There were no significant problems or prolonged (>25% of reporting period) unscheduled shutdowns of the Active Remedial System.

☒ 3. The Active Remedial System or Active Remedial Monitoring Program operated in conformance with the MCP, and all applicable approval conditions and/or permits.

4. Indicate any Operational Problems or Notes:

☐ 5. Check here if additional/supporting Information, data, maps, and/or sketches are attached to the form.

**Massachusetts Department of Environmental Protection***Bureau of Waste Site Cleanup***IRA REMEDIAL MONITORING REPORT****MEASUREMENTS**

Pursuant to 310 CMR 40.0400 ( SUBPART D )

Remedial System or Monitoring Program:

1

of:

2

BWSC105 -B

Release Tracking Number

4

26179

For each Point of Measurement, related to concentration indicate the highest concentration detected during the reporting period, of each oil, hazardous material and/or remedial additive.

For each Point of Measurement for pressure differentials, indicate the lowest pressure differential detected during the reporting period.

Point of Measurement	Date (mm/dd/yyyy)	Contaminant, Measurement and/or Indicator Parameter	Influent Concentration (where applicable)	Midpoint Concentration (where applicable)	(check one)	Check here, if ND/BDL	Permissible Concentration or Pressure Differential	Units	Within Permissible Limits? (Y/N)
					<input checked="" type="checkbox"/> Discharge <input type="checkbox"/> Ground Water Concentration Pressure Differential				
SYSTEM	01/25/2022	PFAS 6	0.796	0.351		<input checked="" type="checkbox"/>	0.020	UG/L	YES
SYSTEM	02/24/2022	PFAS 6	0.831	0.809		<input checked="" type="checkbox"/>	0.020	UG/L	YES
SYSTEM	03/22/2022	PFAS 6	0.860	0.157		<input checked="" type="checkbox"/>	0.020	UG/L	YES
SYSTEM	04/21/2022	PFAS 6	0.686	0.394		<input checked="" type="checkbox"/>	0.020	UG/L	YES
SYSTEM	05/26/2022	PFAS 6	0.601	0.026		<input checked="" type="checkbox"/>	0.020	UG/L	YES
SYSTEM	06/21/2022	PFAS 6	0.621	0.167		<input checked="" type="checkbox"/>	0.020	UG/L	YES

☐ Check here if any additional BWSC105 B, Measurements Form(s), are needed.



## Bureau of Waste Site Cleanup

## IRA REMEDIAL MONITORING REPORT

Pursuant to 310 CMR 40.0400 ( SUBPART D )

Release Tracking Number

Remedial System or Monitoring Program: 2 of 2

4 - 26179

**A. DESCRIPTION OF ACTIVE OPERATION AND MAINTENANCE ACTIVITY:**

1. Type of Active Operation and Maintenance Activity: (check all that apply)

☒ a. Active Remedial System: (check all that apply)☐ i. NAPL Recovery☐ ii. Soil Vapor Extraction/Bioventing☐ iii. Vapor-phase Carbon Adsorption☒ iv. Groundwater Recovery☐ v. Dual/Multi-phase Extraction☒ vi. Aqueous-phase Carbon Adsorption☐ vii. Air Stripping☐ viii. Sparging/Biosparging☐ ix. Cat/Thermal Oxidation☐ x. Other Describe: \_\_\_\_\_☐ b. Active Exposure Pathway Elimination MeasureActive Exposure Pathway Mitigation System to address (check one): ☐ i. Indoor Air ☐ ii. Drinking Water☐ c. Application of Remedial Additives: (check all that apply)☐ i. To the Subsurface☐ ii. To Groundwater (Injection)☐ iii. To the Surface☐ d. Active Remedial Monitoring Program Without the Application of Remedial Additives: (check all that apply; Sections C, D and E are not required; attach supporting information, data, maps and/or sketches needed by checking Section G5)☐ i. Reactive Wall☐ ii. Natural Attenuation☐ iii. Other

Describe: \_\_\_\_\_

2. Mode of Operation: (check one)

☒ a. Continuous☐ b. Intermittent☐ c. Pulsed☐ d. One-time Event Only☐ e. Other: \_\_\_\_\_

3. System Effluent/Discharge: (check all that apply)

☐ a. Sanitary Sewer/POTW☒ b. Groundwater Re-infiltration/Re-injection: (check one)☐ i. Downgradient☒ ii. Upgradient☐ c. Vapor-phase Discharge to Ambient Air: (check one)☐ i. Off-gas Controls☐ ii. No Off-gas Controls☐ d. Drinking Water Supply☐ e. Surface Water (including Storm Drains)☐ f. Other Describe: \_\_\_\_\_**B. MONITORING FREQUENCY:**

1. Reporting period that is the subject of this submittal:

From: 1/1/2022

To: 6/30/2022

(mm/dd/yyyy)

(mm/dd/yyyy)

2. Number of monitoring events during the reporting period: (check one)

☐ a. System Startup: (if applicable)☐ i. Days 1, 3, 6, and then weekly thereafter, for the first month.☐ ii. Other Describe: \_\_\_\_\_☒ b. Post-system Startup (after first month) or Monitoring Program:☒ i. Monthly☐ ii. Quarterly☐ iii. Annually☐ iv. Other Describe: \_\_\_\_\_☒ 3. Check here to certify that the number of required monitoring events were conducted during the reporting period.**C. EFFLUENT/DISCHARGE REGULATION:** (check one to indicate how the effluent/discharge limits were established)☐ 1. NPDES: (check one)☐ a. Remediation General Permit☐ b. Individual Permit☐ c. Emergency Exclusion

Effective Date of Permit: \_\_\_\_\_

(mm/dd/yyyy)

☐ 2. MCP Performance Standard


MCP Citations(s): \_\_\_\_\_

☒ 3. DEP Approval Letter

Date of Letter: 11/18/2016

(mm/dd/yyyy)

☐ 4. Other Describe: \_\_\_\_\_



Massachusetts Department of Environmental Protection  
Bureau of Waste Site Cleanup

**IRA REMEDIAL MONITORING REPORT**

Pursuant to 310 CMR 40.0400 ( SUBPART D )

Remedial System or Monitoring Program: 2 of 2

BWSC105 -A

Release Tracking Number

4 - 26179

**D. WASTEWATER TREATMENT PLANT OPERATOR:** (check one)

☒ 1. Required due to Remedial Wastewater Treatment Plant in place for more than 30 days.

a. Name: TJMCGOFF

b. Grade: 4

c. License No: 15570

d. License Exp. Date: 12/31/2023

(mm/dd/yyyy)

☐ 2. Not Required

☐ 3. Not Applicable

**E. STATUS OF ACTIVE REMEDIAL SYSTEM OR ACTIVE REMEDIAL MONITORING PROGRAM DURING REPORTING PERIOD:** (check all that apply)

☒ 1. The Active Remedial System was functional one or more days during the Reporting Period.

a. Days System was Fully Functional: 43

b. GW Recovered (gals): 628000

c. NAPL Recovered (gals):

d. GW Discharged (gals): 628000

e. Avg. Soil Gas Recovery Rate (scfm):

f. Avg. Sparging Rate (scfm):

☐ 2. Remedial Additives: (check all that apply)

☐ a. No Remedial Additives applied during the Reporting Period.

☐ b. Enhanced Bioremediation Additives applied: (total quantity applied at the site for the current reporting period)

☐ i. Nitrogen/Phosphorus:

☐ ii. Peroxides:

Name of Additive	Date	Quantity	Units

Name of Additive	Date	Quantity	Units

☐ iii. Microorganisms:

☐ iv. Other:

Name of Additive	Date	Quantity	Units

Name of Additive	Date	Quantity	Units

☐ c. Chemical oxidation/reduction additives applied: (total quantity applied at the site for the current reporting period)

☐ i. Permanganates:

☐ ii. Peroxides:

Name of Additive	Date	Quantity	Units

Name of Additive	Date	Quantity	Units

☐ iii. Persulfates:

☐ iv. Other:

Name of Additive	Date	Quantity	Units

Name of Additive	Date	Quantity	Units



# IRA REMEDIAL MONITORING REPORT

Pursuant to 310 CMR 40.0400 ( SUBPART D )

Remedial System or Monitoring Program:

2

of

Release Tracking Number

4

- 26179

**E. STATUS OF ACTIVE REMEDIAL SYSTEM OR ACTIVE REMEDIAL MONITORING PROGRAM DURING REPORTING PERIOD: (cont.)**

☐ d. Other additives applied: (total quantity applied at the site for the current reporting period)

Name of Additive	Date	Quantity	Units

Name of Additive	Date	Quantity	Units

☐ e. Check here if any additional Remedial Additives were applied. Attach list of additional additives and include Name of Additive, Date Applied, Quantity Applied and Units (in gals. or lbs.)

**F. SHUTDOWNS OF ACTIVE REMEDIAL SYSTEM OR ACTIVE REMEDIAL MONITORING PROGRAM:** (check all that apply)

☒ 1. The Active Remedial System had unscheduled shutdowns on one or more occasions during the Reporting Period.

a. Number of Unscheduled Shutdowns: 2

b. Total Number of Days of Unscheduled Shutdowns: 138

c. Reason(s) for Unscheduled Shutdowns: POWER OUTAGE, PFAS BREAKTHROUGH IN GAC AND NO CHANGEOUT POSSIBLE

☐ 2. The Active Remedial System had scheduled shutdowns on one or more occasions during the Reporting Period.

a. Number of Scheduled Shutdowns:

**b. Total Number of Days of Scheduled Shutdowns:**

c. Reason(s) for Scheduled Shutdowns:

☐ 3. The Active Remedial System or Active Remedial Monitoring Program was permanently shutdown/discontinued during the Reporting Period.

a. Date of Final System or Monitoring Program Shutdown:

(mm/dd/yyyy)

☐ b. No Further Effluent Discharges.

☐ c. No Further Application of Remedial Additives planned; sufficient monitoring completed to demonstrate compliance with 310 CMR 40.0046.

☐ d. No Further Submittals Planned.

☐ e. Other: Describe:

**G. SUMMARY STATEMENTS:** (check all that apply for the current reporting period)

☒ 1. All Active Remedial System checks and effluent analyses required by the approved plan and/or permit were performed when applicable.

☐ 2. There were no significant problems or prolonged (>25% of reporting period) unscheduled shutdowns of the Active Remedial System.

☐ 3. The Active Remedial System or Active Remedial Monitoring Program operated in conformance with the MCP, and all applicable approval conditions and/or permits.

4. Indicate any Operational Problems or Notes:

SYSTEM # 2 SHUTDOWN DUE TO PFAS BREAKTHROUGH DETECTED BY 01/25/22 SAMPLES, WHEN LAB RESULTS RE

☐ 5. Check here if additional/supporting Information, data, maps, and/or sketches are attached to the form.



**Massachusetts Department of Environmental Protection**  
*Bureau of Waste Site Cleanup*

BWSC105 -B

**IRA REMEDIAL MONITORING REPORT**

**MEASUREMENTS**

Release Tracking Number

Pursuant to 310 CMR 40.0400 ( SUBPART D )

4

26179

Remedial System or Monitoring Program:

2

of:

2

For each Point of Measurement, related to concentration indicate the highest concentration detected during the reporting period, of each oil, hazardous material and/or remedial additive.

For each Point of Measurement for pressure differentials, indicate the lowest pressure differential detected during the reporting period.

Point of Measurement	Date (mm/dd/yyyy)	Contaminant, Measurement and/or Indicator Parameter	Influent Concentration (where applicable)	Midpoint Concentration (where applicable)	(check one)	Check here, if ND/BDL	Permissible Concentration or Pressure Differential	Units	Within Permissible Limits? (Y/N)
					<input checked="" type="checkbox"/> Discharge <input type="checkbox"/> Ground Water Concentration <input type="checkbox"/> Pressure Differential				
SYSTEM	01/25/2022	PFAS 6	0.796	0.719	0.741	<input type="checkbox"/>	0.020	UG/L	NO

☐ Check here if any additional BWSC105 B, Measurements Form(s), are needed.

## **APPENDIX B**

### LABORATORY REPORTS/CERTIFICATES OF ANALYSIS Groundwater Treatment Systems Performance Monitoring



Your Project #: BFTA  
Site#: 6206  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: n/a

**Attention: Mykel Mendes**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/02/08**  
Report #: R6995955  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C223621**

**Received: 2022/01/28, 12:49**

Sample Matrix: Water  
# Samples Received: 16

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
PFAS in water by SPE/LCMS (1)	12	2022/02/03	2022/02/05	CAM SOP-00894	EPA 537 m
PFAS in water by SPE/LCMS (1)	2	2022/02/07	2022/02/07	CAM SOP-00894	EPA 537 m
PFAS in water by SPE/LCMS (1)	2	2022/02/07	2022/02/08	CAM SOP-00894	EPA 537 m

**Remarks:**

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Per- and polyfluoroalkyl substances (PFAS) identified as surrogates on the certificate of analysis represent the extracted internal standard.



Your Project #: BFTA  
Site#: 6206  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: n/a

**Attention: Mykel Mendes**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/02/08**  
Report #: R6995955  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C223621**

**Received: 2022/01/28, 12:49**

Encryption Key

Lori Dufour  
Project Manager  
09 Feb 2022 10:40:47

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Lori Dufour, Project Manager

Email: [Lori.Dufour@bureauveritas.com](mailto:Lori.Dufour@bureauveritas.com)

Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.  
For Service Group specific validation please refer to the Validation Signature Page.



Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### PERFLUOROALKYL SUBSTANCES (WATER)

Bureau Veritas ID		RSM903	RSM904	RSM905	RSM906	RSM907			
Sampling Date		2022/01/26 12:04	2022/01/26 10:00	2022/01/26 13:40	2022/01/26 01:04	2022/01/25 13:51			
COC Number		n/a	n/a	n/a	n/a	n/a			
	UNITS	PC-6A	PC-38	PC-28	PC-1	MW-22	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>									
Perfluorobutanoic acid (PFBA)	ug/L	0.017	<0.0039	0.023	0.046	0.0068	0.020	0.0039	7815218
Perfluoropentanoic acid (PFPeA)	ug/L	0.049	<0.0067	0.065	0.20	0.027	0.020	0.0067	7815218
Perfluorohexanoic acid (PFHxA)	ug/L	0.050	<0.0053	0.065	0.16	0.046	0.020	0.0053	7815218
Perfluoroheptanoic acid (PFHpA)	ug/L	0.039	<0.0067	0.051	0.095	0.021	0.020	0.0067	7815218
Perfluorooctanoic acid (PFOA)	ug/L	0.029	<0.0050	0.026	0.066	0.094	0.020	0.0050	7815218
Perfluorononanoic acid (PFNA)	ug/L	0.041	<0.0051	0.028	0.031	0.0057	0.020	0.0051	7815218
Perfluorodecanoic acid (PFDA)	ug/L	0.010	<0.0039	0.0075	0.0075	<0.0039	0.020	0.0039	7815218
Perfluoroundecanoic acid (PFUnA)	ug/L	0.045	<0.0062	0.039	0.20	<0.0062	0.020	0.0062	7815218
Perfluorododecanoic acid (PFDoA)	ug/L	<0.0080	<0.0080	<0.0080	<0.0080	<0.0080	0.020	0.0080	7815218
Perfluorotridecanoic acid (PFTRDA)	ug/L	<0.0064	<0.0064	<0.0064	<0.0064	<0.0064	0.020	0.0064	7815218
Perfluorotetradecanoic acid (PFTEDA)	ug/L	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	0.020	0.0068	7815218
Perfluorobutanesulfonic acid (PFBS)	ug/L	<0.0056	<0.0056	0.0062	0.014	0.0069	0.020	0.0056	7815218
Perfluorohexanesulfonic acid (PFHxS)	ug/L	0.062	<0.0044	0.083	0.18	0.28	0.020	0.0044	7815218
Perfluoroheptanesulfonic acid PFHpS	ug/L	<0.0065	<0.0065	<0.0065	0.0076	<0.0065	0.020	0.0065	7815218
Perfluorooctanesulfonic acid (PFOS)	ug/L	0.76	<0.0057	0.67	0.63	0.43	0.020	0.0057	7815218
Perfluorodecanesulfonic acid (PFDS)	ug/L	<0.0064	<0.0064	<0.0064	<0.0064	<0.0064	0.020	0.0064	7815218
Perfluorooctane Sulfonamide (PFOSA)	ug/L	<0.0036	<0.0036	<0.0036	0.0038	0.011	0.020	0.0036	7815218
EtFOSA	ug/L	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	0.020	0.0070	7815218
MeFOSA	ug/L	<0.0078	<0.0078	<0.0078	<0.0078	<0.0078	0.020	0.0078	7815218
EtFOSE	ug/L	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	0.020	0.0071	7815218
MeFOSE	ug/L	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	0.020	0.0070	7815218
6:2 Fluorotelomer sulfonic acid	ug/L	0.013	0.0068	0.011	0.23	<0.0065	0.020	0.0065	7815218
8:2 Fluorotelomer sulfonic acid	ug/L	<0.0067	<0.0067	<0.0067	0.097	<0.0067	0.020	0.0067	7815218
<b>Surrogate Recovery (%)</b>									
13C2-6:2-Fluorotelomersulfonic Acid	%	111	103	110	102	103	N/A	N/A	7815218
13C2-8:2-Fluorotelomersulfonic Acid	%	107	105	99	102	100	N/A	N/A	7815218
13C2-Perfluorodecanoic acid	%	111	104	103	110	101	N/A	N/A	7815218
13C2-Perfluorododecanoic acid	%	97	96	93	97	92	N/A	N/A	7815218
13C2-Perfluorohexanoic acid	%	116	109	114	112	107	N/A	N/A	7815218
13C2-perfluorotetradecanoic acid	%	75	84	71	79	80	N/A	N/A	7815218
13C2-Perfluoroundecanoic acid	%	107	99	95	104	97	N/A	N/A	7815218
13C3-Perfluorobutanesulfonic acid	%	113	105	113	107	103	N/A	N/A	7815218
13C4-Perfluorobutanoic acid	%	114	105	112	105	102	N/A	N/A	7815218
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									



BUREAU  
VERITAS

Bureau Veritas Job #: C223621

Report Date: 2022/02/08

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

### PERFLUOROALKYL SUBSTANCES (WATER)

Bureau Veritas ID		RSM903	RSM904	RSM905	RSM906	RSM907			
Sampling Date		2022/01/26 12:04	2022/01/26 10:00	2022/01/26 13:40	2022/01/26 01:04	2022/01/25 13:51			
COC Number		n/a	n/a	n/a	n/a	n/a			
	UNITS	PC-6A	PC-38	PC-28	PC-1	MW-22	RDL	MDL	QC Batch
13C4-Perfluoroheptanoic acid	%	117	107	112	109	106	N/A	N/A	7815218
13C4-Perfluorooctanesulfonic acid	%	107	104	110	111	104	N/A	N/A	7815218
13C4-Perfluorooctanoic acid	%	116	107	112	111	104	N/A	N/A	7815218
13C5-Perfluorononanoic acid	%	112	104	105	108	101	N/A	N/A	7815218
13C5-Perfluoropentanoic acid	%	115	107	113	108	103	N/A	N/A	7815218
13C8-Perfluorooctane Sulfonamide	%	100	90	75	92	88	N/A	N/A	7815218
18O2-Perfluorohexanesulfonic acid	%	113	107	113	107	104	N/A	N/A	7815218
D3-MeFOSA	%	83	79	69	66	67	N/A	N/A	7815218
D5-EtFOSA	%	81	85	65	66	67	N/A	N/A	7815218
D7-MeFOSE	%	95	84	71	88	81	N/A	N/A	7815218
D9-EtFOSE	%	92	85	70	88	83	N/A	N/A	7815218
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									



Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### PERFLUOROALKYL SUBSTANCES (WATER)

Bureau Veritas ID		RSM908			RSM909	RSM910			
Sampling Date		2022/01/25 14:22			2022/01/25 12:38	2022/01/25 12:33			
COC Number		n/a			n/a	n/a			
	UNITS	RINSATE 1	RDL	MDL	DUPLICATE	PFW-1	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>									
Perfluorobutanoic acid (PFBA)	ug/L	<0.0039	0.020	0.0039	0.24	0.24	0.020	0.0039	7815218
Perfluoropentanoic acid (PFPeA)	ug/L	<0.0067	0.020	0.0067	0.94	0.96	0.020	0.0067	7815218
Perfluorohexanoic acid (PFHxA)	ug/L	<0.0053	0.020	0.0053	0.73	0.72	0.020	0.0053	7815218
Perfluoroheptanoic acid (PFHpA)	ug/L	<0.0067	0.020	0.0067	0.40	0.39	0.020	0.0067	7815218
Perfluorooctanoic acid (PFOA)	ug/L	<0.0050	0.020	0.0050	0.27	0.27	0.020	0.0050	7815218
Perfluorononanoic acid (PFNA)	ug/L	<0.0051	0.020	0.0051	0.12	0.12	0.020	0.0051	7815218
Perfluorodecanoic acid (PFDA)	ug/L	<0.0039	0.020	0.0039	0.038	0.036	0.020	0.0039	7815218
Perfluoroundecanoic acid (PFUnA)	ug/L	<0.0062	0.020	0.0062	0.23	0.29	0.020	0.0062	7815218
Perfluorododecanoic acid (PFDoA)	ug/L	<0.0080	0.020	0.0080	<0.0080	<0.0080	0.020	0.0080	7815218
Perfluorotridecanoic acid (PFTRDA)	ug/L	<0.0064	0.020	0.0064	<0.0064	<0.0064	0.020	0.0064	7815218
Perfluorotetradecanoic acid (PFTEDA)	ug/L	<0.0068	0.020	0.0068	<0.0068	<0.0068	0.020	0.0068	7815218
Perfluorobutanesulfonic acid (PFBS)	ug/L	<0.0056	0.020	0.0056	0.079	0.074	0.020	0.0056	7815218
Perfluorohexanesulfonic acid (PFHxS)	ug/L	<0.0044	0.020	0.0044	1.1	1.0	0.20	0.044	7815218
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	<0.0065	0.020	0.0065	0.031	0.030	0.020	0.0065	7815218
Perfluorooctanesulfonic acid (PFOS)	ug/L	<0.0057	0.020	0.0057	4.8	4.4	0.20	0.057	7815218
Perfluorodecanesulfonic acid (PFDS)	ug/L	<0.0064	0.020	0.0064	<0.0064	<0.0064	0.020	0.0064	7815218
Perfluorooctane Sulfonamide (PFOSA)	ug/L	<0.0036	0.020	0.0036	0.0066	0.0077	0.020	0.0036	7815218
EtFOSA	ug/L	<0.0070	0.020	0.0070	<0.0070	<0.0070	0.020	0.0070	7815218
MeFOSA	ug/L	<0.0078	0.020	0.0078	<0.0078	<0.0078	0.020	0.0078	7815218
EtFOSE	ug/L	<0.0071	0.020	0.0071	<0.0071	<0.0071	0.020	0.0071	7815218
MeFOSE	ug/L	<0.0070	0.020	0.0070	<0.0070	<0.0070	0.020	0.0070	7815218
6:2 Fluorotelomer sulfonic acid	ug/L	<0.0065	0.020	0.0065	1.3	1.2	0.20	0.065	7815218
8:2 Fluorotelomer sulfonic acid	ug/L	<0.0067	0.020	0.0067	0.76	0.72	0.020	0.0067	7815218
<b>Surrogate Recovery (%)</b>									
13C2-6:2-Fluorotelomersulfonic Acid	%	111	N/A	N/A	104	108	N/A	N/A	7815218
13C2-8:2-Fluorotelomersulfonic Acid	%	103	N/A	N/A	80	73	N/A	N/A	7815218
13C2-Perfluorodecanoic acid	%	105	N/A	N/A	84	81	N/A	N/A	7815218
13C2-Perfluorododecanoic acid	%	97	N/A	N/A	74	71	N/A	N/A	7815218
13C2-Perfluorohexanoic acid	%	112	N/A	N/A	95	86	N/A	N/A	7815218
13C2-perfluorotetradecanoic acid	%	90	N/A	N/A	75	64	N/A	N/A	7815218
13C2-Perfluoroundecanoic acid	%	101	N/A	N/A	76	73	N/A	N/A	7815218
13C3-Perfluorobutanesulfonic acid	%	108	N/A	N/A	92	85	N/A	N/A	7815218
13C4-Perfluorobutanoic acid	%	110	N/A	N/A	93	85	N/A	N/A	7815218
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									





BUREAU  
VERITAS

Bureau Veritas Job #: C223621

Report Date: 2022/02/08

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

### PERFLUOROALKYL SUBSTANCES (WATER)

Bureau Veritas ID		RSM908			RSM909	RSM910			
Sampling Date		2022/01/25 14:22			2022/01/25 12:38	2022/01/25 12:33			
COC Number		n/a			n/a	n/a			
	UNITS	RINSATE 1	RDL	MDL	DUPLICATE	PFW-1	RDL	MDL	QC Batch
13C4-Perfluoroheptanoic acid	%	111	N/A	N/A	94	87	N/A	N/A	7815218
13C4-Perfluorooctanesulfonic acid	%	106	N/A	N/A	101	102	N/A	N/A	7815218
13C4-Perfluorooctanoic acid	%	110	N/A	N/A	94	86	N/A	N/A	7815218
13C5-Perfluorononanoic acid	%	107	N/A	N/A	90	82	N/A	N/A	7815218
13C5-Perfluoropentanoic acid	%	110	N/A	N/A	93	83	N/A	N/A	7815218
13C8-Perfluorooctane Sulfonamide	%	92	N/A	N/A	75	74	N/A	N/A	7815218
18O2-Perfluorohexanesulfonic acid	%	107	N/A	N/A	105	107	N/A	N/A	7815218
D3-MeFOSA	%	84	N/A	N/A	72	65	N/A	N/A	7815218
D5-EtFOSA	%	85	N/A	N/A	73	63	N/A	N/A	7815218
D7-MeFOSE	%	88	N/A	N/A	73	71	N/A	N/A	7815218
D9-EtFOSE	%	86	N/A	N/A	75	67	N/A	N/A	7815218
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									



Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### PERFLUOROALKYL SUBSTANCES (WATER)

Bureau Veritas ID		RSM911			RSM912			RSM913			
Sampling Date		2022/01/25 11:36			2022/01/25 13:00			2022/01/25 10:30			
COC Number		n/a			n/a			n/a			
	UNITS	PFW-5	RDL	MDL	HSW-6	RDL	MDL	OW-8A	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>											
Perfluorobutanoic acid (PFBA)	ug/L	0.17	0.020	0.0039	0.16	0.020	0.0039	0.0048	0.020	0.0039	7815218
Perfluoropentanoic acid (PFPeA)	ug/L	0.54	0.020	0.0067	0.69	0.020	0.0067	0.021	0.020	0.0067	7815218
Perfluorohexanoic acid (PFHxA)	ug/L	0.54	0.020	0.0053	0.58	0.020	0.0053	0.018	0.020	0.0053	7815218
Perfluoroheptanoic acid (PFHpA)	ug/L	0.24	0.020	0.0067	0.16	0.020	0.0067	0.012	0.020	0.0067	7815218
Perfluorooctanoic acid (PFOA)	ug/L	0.15	0.020	0.0050	0.17	0.020	0.0050	0.011	0.020	0.0050	7815218
Perfluorononanoic acid (PFNA)	ug/L	0.0086	0.020	0.0051	0.046	0.020	0.0051	<0.0051	0.020	0.0051	7815218
Perfluorodecanoic acid (PFDA)	ug/L	0.0054	0.020	0.0039	0.0067	0.020	0.0039	<0.0039	0.020	0.0039	7815218
Perfluoroundecanoic acid (PFUnA)	ug/L	0.019	0.020	0.0062	0.051	0.020	0.0062	<0.0062	0.020	0.0062	7815218
Perfluorododecanoic acid (PFDoA)	ug/L	<0.0080	0.020	0.0080	<0.0080	0.020	0.0080	<0.0080	0.020	0.0080	7815218
Perfluorotridecanoic acid (PFTRDA)	ug/L	<0.0064	0.020	0.0064	<0.0064	0.020	0.0064	<0.0064	0.020	0.0064	7815218
Perfluorotetradecanoic acid (PFTEDA)	ug/L	<0.0068	0.020	0.0068	<0.0068	0.020	0.0068	<0.0068	0.020	0.0068	7815218
Perfluorobutanesulfonic acid (PFBS)	ug/L	0.10	0.020	0.0056	0.046	0.020	0.0056	<0.0056	0.020	0.0056	7815218
Perfluorohexanesulfonic acid (PFHxS)	ug/L	1.3	0.20	0.044	0.41	0.020	0.0044	0.039	0.020	0.0044	7815218
Perfluoroheptanesulfonic acid PFHpS	ug/L	<0.0065	0.020	0.0065	0.0091	0.020	0.0065	<0.0065	0.020	0.0065	7815218
Perfluorooctanesulfonic acid (PFOS)	ug/L	0.37	0.020	0.0057	1.6	0.20	0.057	0.12	0.020	0.0057	7815218
Perfluorodecanesulfonic acid (PFDS)	ug/L	<0.0064	0.020	0.0064	<0.0064	0.020	0.0064	<0.0064	0.020	0.0064	7815218
Perfluorooctane Sulfonamide (PFOSA)	ug/L	0.030	0.020	0.0036	<0.0036	0.020	0.0036	<0.0036	0.020	0.0036	7815218
EtFOSA	ug/L	<0.0070	0.020	0.0070	<0.0070	0.020	0.0070	<0.0070	0.020	0.0070	7815218
MeFOSA	ug/L	<0.0078	0.020	0.0078	<0.0078	0.020	0.0078	<0.0078	0.020	0.0078	7815218
EtFOSE	ug/L	<0.0071	0.020	0.0071	<0.0071	0.020	0.0071	<0.0071	0.020	0.0071	7815218
MeFOSE	ug/L	<0.0070	0.020	0.0070	<0.0070	0.020	0.0070	<0.0070	0.020	0.0070	7815218
6:2 Fluorotelomer sulfonic acid	ug/L	0.091	0.020	0.0065	0.88	0.020	0.0065	0.011	0.020	0.0065	7815218
8:2 Fluorotelomer sulfonic acid	ug/L	0.033	0.020	0.0067	0.090	0.020	0.0067	<0.0067	0.020	0.0067	7815218
<b>Surrogate Recovery (%)</b>											
13C2-6:2-Fluorotelomersulfonic Acid	%	100	N/A	N/A	94	N/A	N/A	124	N/A	N/A	7815218
13C2-8:2-Fluorotelomersulfonic Acid	%	97	N/A	N/A	93	N/A	N/A	107	N/A	N/A	7815218
13C2-Perfluorodecanoic acid	%	100	N/A	N/A	98	N/A	N/A	114	N/A	N/A	7815218
13C2-Perfluorododecanoic acid	%	93	N/A	N/A	91	N/A	N/A	100	N/A	N/A	7815218
13C2-Perfluorohexanoic acid	%	108	N/A	N/A	104	N/A	N/A	130	N/A	N/A	7815218
13C2-perfluorotetradecanoic acid	%	70	N/A	N/A	90	N/A	N/A	88	N/A	N/A	7815218
13C2-Perfluoroundecanoic acid	%	95	N/A	N/A	90	N/A	N/A	101	N/A	N/A	7815218
13C3-Perfluorobutanesulfonic acid	%	106	N/A	N/A	103	N/A	N/A	126	N/A	N/A	7815218
13C4-Perfluorobutanoic acid	%	102	N/A	N/A	100	N/A	N/A	127	N/A	N/A	7815218
RDL = Reportable Detection Limit											
QC Batch = Quality Control Batch											
N/A = Not Applicable											



BUREAU  
VERITAS

Bureau Veritas Job #: C223621

Report Date: 2022/02/08

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

### PERFLUOROALKYL SUBSTANCES (WATER)

Bureau Veritas ID		RSM911			RSM912			RSM913			
Sampling Date		2022/01/25 11:36			2022/01/25 13:00			2022/01/25 10:30			
COC Number		n/a			n/a			n/a			
	UNITS	PFW-5	RDL	MDL	HSW-6	RDL	MDL	OW-8A	RDL	MDL	QC Batch
13C4-Perfluoroheptanoic acid	%	108	N/A	N/A	105	N/A	N/A	128	N/A	N/A	7815218
13C4-Perfluorooctanesulfonic acid	%	104	N/A	N/A	104	N/A	N/A	115	N/A	N/A	7815218
13C4-Perfluorooctanoic acid	%	107	N/A	N/A	104	N/A	N/A	126	N/A	N/A	7815218
13C5-Perfluorononanoic acid	%	104	N/A	N/A	100	N/A	N/A	119	N/A	N/A	7815218
13C5-Perfluoropentanoic acid	%	104	N/A	N/A	102	N/A	N/A	127	N/A	N/A	7815218
13C8-Perfluorooctane Sulfonamide	%	92	N/A	N/A	91	N/A	N/A	102	N/A	N/A	7815218
18O2-Perfluorohexanesulfonic acid	%	106	N/A	N/A	101	N/A	N/A	124	N/A	N/A	7815218
D3-MeFOSA	%	75	N/A	N/A	81	N/A	N/A	87	N/A	N/A	7815218
D5-EtFOSA	%	76	N/A	N/A	80	N/A	N/A	89	N/A	N/A	7815218
D7-MeFOSE	%	89	N/A	N/A	85	N/A	N/A	95	N/A	N/A	7815218
D9-EtFOSE	%	85	N/A	N/A	78	N/A	N/A	98	N/A	N/A	7815218
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable											



### PERFLUOROALKYL SUBSTANCES (WATER)

Bureau Veritas ID		RSM914				RSM941			
Sampling Date		2022/01/25 14:25				2022/01/26 14:05			
COC Number		n/a				n/a			
	UNITS	MW-12S	RDL	MDL	QC Batch	RINSATE 2	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>									
Perfluorobutanoic acid (PFBA)	ug/L	0.032	0.020	0.0039	7815218	<0.0039	0.020	0.0039	7819567
Perfluoropentanoic acid (PFPeA)	ug/L	0.10	0.020	0.0067	7815218	<0.0067	0.020	0.0067	7819567
Perfluorohexanoic acid (PFHxA)	ug/L	0.11	0.020	0.0053	7815218	<0.0053	0.020	0.0053	7819567
Perfluoroheptanoic acid (PFHpA)	ug/L	0.063	0.020	0.0067	7815218	<0.0067	0.020	0.0067	7819567
Perfluorooctanoic acid (PFOA)	ug/L	0.10	0.020	0.0050	7815218	<0.0050	0.020	0.0050	7819567
Perfluorononanoic acid (PFNA)	ug/L	0.027	0.020	0.0051	7815218	<0.0051	0.020	0.0051	7819567
Perfluorodecanoic acid (PFDA)	ug/L	0.0047	0.020	0.0039	7815218	<0.0039	0.020	0.0039	7819567
Perfluoroundecanoic acid (PFUnA)	ug/L	0.016	0.020	0.0062	7815218	<0.0062	0.020	0.0062	7819567
Perfluorododecanoic acid (PFDoA)	ug/L	<0.0080	0.020	0.0080	7815218	<0.0080	0.020	0.0080	7819567
Perfluorotridecanoic acid (PFTrDA)	ug/L	<0.0064	0.020	0.0064	7815218	<0.0064	0.020	0.0064	7819567
Perfluorotetradecanoic acid (PFTEDA)	ug/L	<0.0068	0.020	0.0068	7815218	<0.0068	0.020	0.0068	7819567
Perfluorobutanesulfonic acid (PFBS)	ug/L	0.013	0.020	0.0056	7815218	<0.0056	0.020	0.0056	7819567
Perfluorohexanesulfonic acid (PFHxS)	ug/L	0.39	0.020	0.0044	7815218	<0.0044	0.020	0.0044	7819567
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	0.010	0.020	0.0065	7815218	<0.0065	0.020	0.0065	7819567
Perfluorooctanesulfonic acid (PFOS)	ug/L	0.95	0.20	0.057	7815218	<0.0057	0.020	0.0057	7819567
Perfluorodecanesulfonic acid (PFDS)	ug/L	<0.0064	0.020	0.0064	7815218	<0.0064	0.020	0.0064	7819567
Perfluorooctane Sulfonamide (PFOSA)	ug/L	0.19	0.020	0.0036	7815218	<0.0036	0.020	0.0036	7819567
EtFOSA	ug/L	<0.0070	0.020	0.0070	7815218	<0.0070	0.020	0.0070	7819567
MeFOSA	ug/L	<0.0078	0.020	0.0078	7815218	<0.0078	0.020	0.0078	7819567
EtFOSE	ug/L	<0.0071	0.020	0.0071	7815218	<0.0071	0.020	0.0071	7819567
MeFOSE	ug/L	<0.0070	0.020	0.0070	7815218	<0.0070	0.020	0.0070	7819567
6:2 Fluorotelomer sulfonic acid	ug/L	0.022	0.020	0.0065	7815218	<0.0065	0.020	0.0065	7819567
8:2 Fluorotelomer sulfonic acid	ug/L	<0.0067	0.020	0.0067	7815218	<0.0067	0.020	0.0067	7819567
<b>Surrogate Recovery (%)</b>									
13C2-6:2-Fluorotelomersulfonic Acid	%	92	N/A	N/A	7815218	101	N/A	N/A	7819567
13C2-8:2-Fluorotelomersulfonic Acid	%	89	N/A	N/A	7815218	97	N/A	N/A	7819567
13C2-Perfluorodecanoic acid	%	85	N/A	N/A	7815218	95	N/A	N/A	7819567
13C2-Perfluorododecanoic acid	%	55	N/A	N/A	7815218	86	N/A	N/A	7819567
13C2-Perfluorohexanoic acid	%	97	N/A	N/A	7815218	98	N/A	N/A	7819567
13C2-perfluorotetradecanoic acid	%	22 (1)	N/A	N/A	7815218	75	N/A	N/A	7819567
13C2-Perfluoroundecanoic acid	%	73	N/A	N/A	7815218	95	N/A	N/A	7819567
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable (1) Extracted internal standard analyte recovery was below the defined lower control limit (LCL) which may result in increased variability of the associated native analyte result (PFTEDA, PFTrDA).									



Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### PERFLUOROALKYL SUBSTANCES (WATER)

Bureau Veritas ID		RSM914				RSM941			
Sampling Date		2022/01/25 14:25				2022/01/26 14:05			
COC Number		n/a				n/a			
	UNITS	MW-12S	RDL	MDL	QC Batch	RINSATE 2	RDL	MDL	QC Batch
13C3-Perfluorobutanesulfonic acid	%	93	N/A	N/A	7815218	94	N/A	N/A	7819567
13C4-Perfluorobutanoic acid	%	92	N/A	N/A	7815218	94	N/A	N/A	7819567
13C4-Perfluoroheptanoic acid	%	96	N/A	N/A	7815218	98	N/A	N/A	7819567
13C4-Perfluorooctanesulfonic acid	%	101	N/A	N/A	7815218	92	N/A	N/A	7819567
13C4-Perfluorooctanoic acid	%	95	N/A	N/A	7815218	98	N/A	N/A	7819567
13C5-Perfluorononanoic acid	%	91	N/A	N/A	7815218	100	N/A	N/A	7819567
13C5-Perfluoropentanoic acid	%	94	N/A	N/A	7815218	97	N/A	N/A	7819567
13C8-Perfluorooctane Sulfonamide	%	80	N/A	N/A	7815218	82	N/A	N/A	7819567
18O2-Perfluorohexanesulfonic acid	%	95	N/A	N/A	7815218	89	N/A	N/A	7819567
D3-MeFOSA	%	73	N/A	N/A	7815218	65	N/A	N/A	7819567
D5-EtFOSA	%	74	N/A	N/A	7815218	69	N/A	N/A	7819567
D7-MeFOSE	%	77	N/A	N/A	7815218	71	N/A	N/A	7819567
D9-EtFOSE	%	75	N/A	N/A	7815218	75	N/A	N/A	7819567
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									



Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### PERFLUOROALKYL SUBSTANCES (WATER)

Bureau Veritas ID		RSM942			RSM943	RSM944			
Sampling Date		2022/01/26 11:07			2022/01/26 12:20	2022/01/26 10:30			
COC Number		n/a			n/a	n/a			
	UNITS	PC-11	RDL	MDL	PC-30	PC-16D	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>									
Perfluorobutanoic acid (PFBA)	ug/L	0.030	0.020	0.0039	0.017	0.018	0.020	0.0039	7819567
Perfluoropentanoic acid (PFPeA)	ug/L	0.11	0.020	0.0067	0.045	0.045	0.020	0.0067	7819567
Perfluorohexanoic acid (PFHxA)	ug/L	0.12	0.020	0.0053	0.054	0.034	0.020	0.0053	7819567
Perfluoroheptanoic acid (PFHpA)	ug/L	0.060	0.020	0.0067	0.035	0.025	0.020	0.0067	7819567
Perfluorooctanoic acid (PFOA)	ug/L	0.040	0.020	0.0050	0.025	0.018	0.020	0.0050	7819567
Perfluorononanoic acid (PFNA)	ug/L	0.063	0.020	0.0051	0.034	0.026	0.020	0.0051	7819567
Perfluorodecanoic acid (PFDA)	ug/L	0.018	0.020	0.0039	0.0064	<0.0039	0.020	0.0039	7819567
Perfluoroundecanoic acid (PFUnA)	ug/L	0.12	0.020	0.0062	0.017	<0.0062	0.020	0.0062	7819567
Perfluorododecanoic acid (PFDoA)	ug/L	<0.0080	0.020	0.0080	<0.0080	<0.0080	0.020	0.0080	7819567
Perfluorotridecanoic acid (PFTrDA)	ug/L	<0.0064	0.020	0.0064	<0.0064	<0.0064	0.020	0.0064	7819567
Perfluorotetradecanoic acid (PFTEDA)	ug/L	<0.0068	0.020	0.0068	<0.0068	<0.0068	0.020	0.0068	7819567
Perfluorobutanesulfonic acid (PFBS)	ug/L	0.011	0.020	0.0056	<0.0056	<0.0056	0.020	0.0056	7819567
Perfluorohexanesulfonic acid (PFHxS)	ug/L	0.16	0.020	0.0044	0.072	0.055	0.020	0.0044	7819567
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	<0.0065	0.020	0.0065	<0.0065	<0.0065	0.020	0.0065	7819567
Perfluorooctanesulfonic acid (PFOS)	ug/L	1.9	0.20	0.057	0.48	0.30	0.020	0.0057	7819567
Perfluorodecanesulfonic acid (PFDS)	ug/L	<0.0064	0.020	0.0064	<0.0064	<0.0064	0.020	0.0064	7819567
Perfluorooctane Sulfonamide (PFOSA)	ug/L	0.0062	0.020	0.0036	<0.0036	<0.0036	0.020	0.0036	7819567
EtFOSA	ug/L	<0.0070	0.020	0.0070	<0.0070	<0.0070	0.020	0.0070	7819567
MeFOSA	ug/L	<0.0078	0.020	0.0078	<0.0078	<0.0078	0.020	0.0078	7819567
EtFOSE	ug/L	<0.0071	0.020	0.0071	<0.0071	<0.0071	0.020	0.0071	7819567
MeFOSE	ug/L	<0.0070	0.020	0.0070	<0.0070	<0.0070	0.020	0.0070	7819567
6:2 Fluorotelomer sulfonic acid	ug/L	0.090	0.020	0.0065	0.013	0.0096	0.020	0.0065	7819567
8:2 Fluorotelomer sulfonic acid	ug/L	0.17	0.020	0.0067	<0.0067	<0.0067	0.020	0.0067	7819567
<b>Surrogate Recovery (%)</b>									
13C2-6:2-Fluorotelomersulfonic Acid	%	103	N/A	N/A	97	99	N/A	N/A	7819567
13C2-8:2-Fluorotelomersulfonic Acid	%	92	N/A	N/A	79	81	N/A	N/A	7819567
13C2-Perfluorodecanoic acid	%	97	N/A	N/A	85	85	N/A	N/A	7819567
13C2-Perfluorododecanoic acid	%	88	N/A	N/A	79	78	N/A	N/A	7819567
13C2-Perfluorohexanoic acid	%	100	N/A	N/A	94	97	N/A	N/A	7819567
13C2-perfluorotetradecanoic acid	%	74	N/A	N/A	57	34 (1)	N/A	N/A	7819567
RDL = Reportable Detection Limit									
QC Batch = Quality Control Batch									
N/A = Not Applicable									
(1) Extracted internal standard analyte recovery was below the defined lower control limit (LCL). Laboratory spiked water resulted in satisfactory recovery of the extracted internal standard analyte. When considered together, these QC data suggest that matrix interferences may be increasing the variability of the associated native analyte result (PFTEDA, PFTrDA).									



BUREAU  
VERITAS

Bureau Veritas Job #: C223621

Report Date: 2022/02/08

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

### PERFLUOROALKYL SUBSTANCES (WATER)

Bureau Veritas ID		RSM942			RSM943	RSM944			
Sampling Date		2022/01/26 11:07			2022/01/26 12:20	2022/01/26 10:30			
COC Number		n/a			n/a	n/a			
	UNITS	PC-11	RDL	MDL	PC-30	PC-16D	RDL	MDL	QC Batch
13C2-Perfluoroundecanoic acid	%	91	N/A	N/A	81	81	N/A	N/A	7819567
13C3-Perfluorobutanesulfonic acid	%	93	N/A	N/A	91	90	N/A	N/A	7819567
13C4-Perfluorobutanoic acid	%	95	N/A	N/A	90	89	N/A	N/A	7819567
13C4-Perfluoroheptanoic acid	%	100	N/A	N/A	93	96	N/A	N/A	7819567
13C4-Perfluorooctanesulfonic acid	%	91	N/A	N/A	82	80	N/A	N/A	7819567
13C4-Perfluorooctanoic acid	%	101	N/A	N/A	93	95	N/A	N/A	7819567
13C5-Perfluorononanoic acid	%	99	N/A	N/A	89	89	N/A	N/A	7819567
13C5-Perfluoropentanoic acid	%	98	N/A	N/A	91	93	N/A	N/A	7819567
13C8-Perfluorooctane Sulfonamide	%	88	N/A	N/A	78	79	N/A	N/A	7819567
18O2-Perfluorohexanesulfonic acid	%	92	N/A	N/A	89	89	N/A	N/A	7819567
D3-MeFOSA	%	70	N/A	N/A	65	65	N/A	N/A	7819567
D5-EtFOSA	%	77	N/A	N/A	67	64	N/A	N/A	7819567
D7-MeFOSE	%	79	N/A	N/A	72	70	N/A	N/A	7819567
D9-EtFOSE	%	77	N/A	N/A	72	73	N/A	N/A	7819567
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									



Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

## TEST SUMMARY

**Bureau Veritas ID:** RSM903  
**Sample ID:** PC-6A  
**Matrix:** Water

**Collected:** 2022/01/26  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM904  
**Sample ID:** PC-38  
**Matrix:** Water

**Collected:** 2022/01/26  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM905  
**Sample ID:** PC-28  
**Matrix:** Water

**Collected:** 2022/01/26  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM906  
**Sample ID:** PC-1  
**Matrix:** Water

**Collected:** 2022/01/26  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM907  
**Sample ID:** MW-22  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM908  
**Sample ID:** RINSATE 1  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM909  
**Sample ID:** DUPLICATE  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)





Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

## TEST SUMMARY

**Bureau Veritas ID:** RSM910  
**Sample ID:** PFW-1  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM911  
**Sample ID:** PFW-5  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM912  
**Sample ID:** HSW-6  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM913  
**Sample ID:** OW-8A  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM914  
**Sample ID:** MW-12S  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7815218	2022/02/03	2022/02/05	Xinhe Xing (Helena)

**Bureau Veritas ID:** RSM941  
**Sample ID:** RINSATE 2  
**Matrix:** Water

**Collected:** 2022/01/26  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7819567	2022/02/07	2022/02/07	Lovelpreet Thind

**Bureau Veritas ID:** RSM942  
**Sample ID:** PC-11  
**Matrix:** Water

**Collected:** 2022/01/26  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7819567	2022/02/07	2022/02/07	Lovelpreet Thind



Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

## TEST SUMMARY

**Bureau Veritas ID:** RSM943  
**Sample ID:** PC-30  
**Matrix:** Water

**Collected:** 2022/01/26  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7819567	2022/02/07	2022/02/08	Lovelpreet Thind

**Bureau Veritas ID:** RSM944  
**Sample ID:** PC-16D  
**Matrix:** Water

**Collected:** 2022/01/26  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFAS in water by SPE/LCMS	LCMS	7819567	2022/02/07	2022/02/08	Lovelpreet Thind



### GENERAL COMMENTS

Sample RSM909 [DUPLICATE] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample RSM910 [PFW-1] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample RSM911 [PFW-5] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample RSM912 [HSW-6] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample RSM914 [MW-12S] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample RSM942 [PC-11] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

**Results relate only to the items tested.**



**BUREAU  
VERITAS**

Bureau Veritas Job #: C223621

Report Date: 2022/02/08

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

## QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7815218	XIN	Spiked Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/02/05		115	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/02/05		104	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/02/05		109	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/02/05		102	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/02/05		115	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/02/05		98	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/02/05		107	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/02/05		112	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/02/05		112	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/02/05		113	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/02/05		112	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/02/05		115	%	50 - 150
			13C5-Perfluorononanoic acid	2022/02/05		112	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/02/05		115	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/02/05		98	%	50 - 150
			18O2-Perfluorohexanesulfonic acid	2022/02/05		113	%	50 - 150
			D3-MeFOSA	2022/02/05		81	%	50 - 150
			D5-EtFOSA	2022/02/05		84	%	50 - 150
			D7-MeFOSE	2022/02/05		93	%	50 - 150
			D9-EtFOSE	2022/02/05		94	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/02/05		113	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/02/05		113	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/02/05		108	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/02/05		112	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/02/05		113	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/02/05		113	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/02/05		111	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/02/05		108	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/02/05		116	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/02/05		118	%	70 - 130
			Perfluorotetradecanoic acid (PFTEDA)	2022/02/05		111	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/02/05		112	%	70 - 130
			Perfluorohexanesulfonic acid (PFHxS)	2022/02/05		113	%	70 - 130
			Perfluoroheptanesulfonic acid (PFHpS)	2022/02/05		109	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/02/05		111	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/02/05		106	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/02/05		115	%	70 - 130
			EtFOSA	2022/02/05		112	%	70 - 130
			MeFOSA	2022/02/05		114	%	70 - 130
			EtFOSE	2022/02/05		109	%	70 - 130
			MeFOSE	2022/02/05		109	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/02/05		111	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/02/05		115	%	70 - 130
7815218	XIN	Spiked Blank DUP	13C2-6:2-Fluorotelomersulfonic Acid	2022/02/05		115	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/02/05		113	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/02/05		111	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/02/05		102	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/02/05		117	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/02/05		98	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/02/05		105	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/02/05		115	%	50 - 150



Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
				13C4-Perfluorobutanoic acid	2022/02/05		117	%	50 - 150
				13C4-Perfluoroheptanoic acid	2022/02/05		116	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/02/05		116	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/02/05		115	%	50 - 150
				13C5-Perfluorononanoic acid	2022/02/05		113	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/02/05		118	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/02/05		97	%	50 - 150
				18O2-Perfluorohexanesulfonic acid	2022/02/05		116	%	50 - 150
				D3-MeFOSA	2022/02/05		81	%	50 - 150
				D5-EtFOSA	2022/02/05		80	%	50 - 150
				D7-MeFOSE	2022/02/05		90	%	50 - 150
				D9-EtFOSE	2022/02/05		93	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/02/05		110	%	70 - 130
				Perfluoropentanoic acid (PFPeA)	2022/02/05		109	%	70 - 130
				Perfluorohexanoic acid (PFHxA)	2022/02/05		107	%	70 - 130
				Perfluoroheptanoic acid (PFHpA)	2022/02/05		108	%	70 - 130
				Perfluorooctanoic acid (PFOA)	2022/02/05		111	%	70 - 130
				Perfluorononanoic acid (PFNA)	2022/02/05		110	%	70 - 130
				Perfluorodecanoic acid (PFDA)	2022/02/05		108	%	70 - 130
				Perfluoroundecanoic acid (PFUnA)	2022/02/05		110	%	70 - 130
				Perfluorododecanoic acid (PFDoA)	2022/02/05		110	%	70 - 130
				Perfluorotridecanoic acid (PFTRDA)	2022/02/05		111	%	70 - 130
				Perfluorotetradecanoic acid(PFTEDA)	2022/02/05		106	%	70 - 130
				Perfluorobutanesulfonic acid (PFBS)	2022/02/05		110	%	70 - 130
				Perfluorohexanesulfonic acid(PFHxS)	2022/02/05		111	%	70 - 130
				Perfluoroheptanesulfonic acid PFHpS	2022/02/05		106	%	70 - 130
				Perfluorooctanesulfonic acid (PFOS)	2022/02/05		107	%	70 - 130
				Perfluorodecanesulfonic acid (PFDS)	2022/02/05		101	%	70 - 130
				Perfluorooctane Sulfonamide (PFOSA)	2022/02/05		112	%	70 - 130
				EtFOSA	2022/02/05		103	%	70 - 130
				MeFOSA	2022/02/05		102	%	70 - 130
				EtFOSE	2022/02/05		107	%	70 - 130
				MeFOSE	2022/02/05		110	%	70 - 130
				6:2 Fluorotelomer sulfonic acid	2022/02/05		109	%	70 - 130
				8:2 Fluorotelomer sulfonic acid	2022/02/05		108	%	70 - 130
7815218	XIN	RPD		Perfluorobutanoic acid (PFBA)	2022/02/05	3.1		%	30
				Perfluoropentanoic acid (PFPeA)	2022/02/05	3.3		%	30
				Perfluorohexanoic acid (PFHxA)	2022/02/05	0.90		%	30
				Perfluoroheptanoic acid (PFHpA)	2022/02/05	3.4		%	30
				Perfluorooctanoic acid (PFOA)	2022/02/05	2.0		%	30
				Perfluorononanoic acid (PFNA)	2022/02/05	2.4		%	30
				Perfluorodecanoic acid (PFDA)	2022/02/05	2.7		%	30
				Perfluoroundecanoic acid (PFUnA)	2022/02/05	1.9		%	30
				Perfluorododecanoic acid (PFDoA)	2022/02/05	5.4		%	30
				Perfluorotridecanoic acid (PFTRDA)	2022/02/05	5.7		%	30
				Perfluorotetradecanoic acid(PFTEDA)	2022/02/05	4.2		%	30
				Perfluorobutanesulfonic acid (PFBS)	2022/02/05	2.0		%	30
				Perfluorohexanesulfonic acid(PFHxS)	2022/02/05	1.5		%	30
				Perfluoroheptanesulfonic acid PFHpS	2022/02/05	2.5		%	30
				Perfluorooctanesulfonic acid (PFOS)	2022/02/05	4.3		%	30
				Perfluorodecanesulfonic acid (PFDS)	2022/02/05	5.1		%	30



BUREAU  
VERITAS

Bureau Veritas Job #: C223621

Report Date: 2022/02/08

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

## QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7815218	XIN	Method Blank	Perfluorooctane Sulfonamide (PFOSA)	2022/02/05	2.7		%	30
			EtFOSA	2022/02/05	8.0		%	30
			MeFOSA	2022/02/05	11		%	30
			EtFOSE	2022/02/05	2.1		%	30
			MeFOSE	2022/02/05	0.56		%	30
			6:2 Fluorotelomer sulfonic acid	2022/02/05	1.1		%	30
			8:2 Fluorotelomer sulfonic acid	2022/02/05	6.8		%	30
			13C2-6:2-Fluorotelomersulfonic Acid	2022/02/05		106	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/02/05		99	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/02/05		102	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/02/05		94	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/02/05		110	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/02/05		89	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/02/05		97	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/02/05		106	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/02/05		108	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/02/05		109	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/02/05		102	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/02/05		107	%	50 - 150
			13C5-Perfluorononanoic acid	2022/02/05		102	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/02/05		107	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/02/05		89	%	50 - 150
			18O2-Perfluorohexanesulfonic acid	2022/02/05		104	%	50 - 150
			D3-MeFOSA	2022/02/05		70	%	50 - 150
			D5-EtFOSA	2022/02/05		66	%	50 - 150
			D7-MeFOSE	2022/02/05		83	%	50 - 150
			D9-EtFOSE	2022/02/05		82	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/02/05	<0.0039		ug/L	
			Perfluoropentanoic acid (PFPeA)	2022/02/05	<0.0067		ug/L	
			Perfluorohexanoic acid (PFHxA)	2022/02/05	<0.0053		ug/L	
			Perfluoroheptanoic acid (PFHpA)	2022/02/05	<0.0067		ug/L	
			Perfluorooctanoic acid (PFOA)	2022/02/05	<0.0050		ug/L	
			Perfluorononanoic acid (PFNA)	2022/02/05	<0.0051		ug/L	
			Perfluorodecanoic acid (PFDA)	2022/02/05	<0.0039		ug/L	
			Perfluoroundecanoic acid (PFUnA)	2022/02/05	<0.0062		ug/L	
			Perfluorododecanoic acid (PFDoA)	2022/02/05	<0.0080		ug/L	
			Perfluorotridecanoic acid (PFTRDA)	2022/02/05	<0.0064		ug/L	
			Perfluorotetradecanoic acid(PFTEDA)	2022/02/05	<0.0068		ug/L	
			Perfluorobutanesulfonic acid (PFBS)	2022/02/05	<0.0056		ug/L	
			Perfluorohexanesulfonic acid(PFHxS)	2022/02/05	<0.0044		ug/L	
			Perfluoroheptanesulfonic acid PFHpS	2022/02/05	<0.0065		ug/L	
			Perfluorooctanesulfonic acid (PFOS)	2022/02/05	<0.0057		ug/L	
			Perfluorodecanesulfonic acid (PFDS)	2022/02/05	<0.0064		ug/L	
			Perfluorooctane Sulfonamide (PFOSA)	2022/02/05	<0.0036		ug/L	
			EtFOSA	2022/02/05	<0.0070		ug/L	
			MeFOSA	2022/02/05	<0.0078		ug/L	
			EtFOSE	2022/02/05	<0.0071		ug/L	
			MeFOSE	2022/02/05	<0.0070		ug/L	
			6:2 Fluorotelomer sulfonic acid	2022/02/05	<0.0065		ug/L	
			8:2 Fluorotelomer sulfonic acid	2022/02/05	<0.0067		ug/L	
7819567	LOV	Spiked Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/02/07		102	%	50 - 150





BUREAU  
VERITAS

Bureau Veritas Job #: C223621

Report Date: 2022/02/08

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7819567	LOV	Spiked Blank DUP	13C2-8:2-Fluorotelomersulfonic Acid	2022/02/07		100	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/02/07		105	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/02/07		96	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/02/07		103	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/02/07		92	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/02/07		100	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/02/07		100	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/02/07		99	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/02/07		101	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/02/07		99	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/02/07		105	%	50 - 150
			13C5-Perfluorononanoic acid	2022/02/07		106	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/02/07		102	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/02/07		92	%	50 - 150
			18O2-Perfluorohexanesulfonic acid	2022/02/07		97	%	50 - 150
			D3-MeFOSA	2022/02/07		67	%	50 - 150
			D5-EtFOSA	2022/02/07		66	%	50 - 150
			D7-MeFOSE	2022/02/07		84	%	50 - 150
			D9-EtFOSE	2022/02/07		86	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/02/07		97	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/02/07		99	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/02/07		98	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/02/07		100	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/02/07		98	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/02/07		96	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/02/07		98	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/02/07		96	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/02/07		98	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/02/07		99	%	70 - 130
			Perfluorotetradecanoic acid(PFTEDA)	2022/02/07		101	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/02/07		98	%	70 - 130
			Perfluorohexanesulfonic acid(PFHxS)	2022/02/07		99	%	70 - 130
			Perfluoroheptanesulfonic acid PFHpS	2022/02/07		93	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/02/07		103	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/02/07		86	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/02/07		100	%	70 - 130
			EtFOSA	2022/02/07		101	%	70 - 130
			MeFOSA	2022/02/07		98	%	70 - 130
			EtFOSE	2022/02/07		99	%	70 - 130
			MeFOSE	2022/02/07		96	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/02/07		99	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/02/07		95	%	70 - 130
			13C2-6:2-Fluorotelomersulfonic Acid	2022/02/07		102	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/02/07		97	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/02/07		100	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/02/07		95	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/02/07		100	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/02/07		91	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/02/07		96	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/02/07		96	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/02/07		97	%	50 - 150



BUREAU  
VERITAS

Bureau Veritas Job #: C223621

Report Date: 2022/02/08

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

## QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7819567	LOV	RPD	13C4-Perfluoroheptanoic acid	2022/02/07		99	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/02/07		96	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/02/07		101	%	50 - 150
			13C5-Perfluorononanoic acid	2022/02/07		103	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/02/07		100	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/02/07		88	%	50 - 150
			18O2-Perfluorohexanesulfonic acid	2022/02/07		93	%	50 - 150
			D3-MeFOSA	2022/02/07		67	%	50 - 150
			D5-EtFOSA	2022/02/07		70	%	50 - 150
			D7-MeFOSE	2022/02/07		82	%	50 - 150
			D9-EtFOSE	2022/02/07		81	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/02/07		96	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/02/07		99	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/02/07		96	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/02/07		98	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/02/07		99	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/02/07		96	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/02/07		97	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/02/07		98	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/02/07		97	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/02/07		99	%	70 - 130
			Perfluorotetradecanoic acid(PFTEDA)	2022/02/07		101	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/02/07		96	%	70 - 130
			Perfluorohexanesulfonic acid(PFHxS)	2022/02/07		99	%	70 - 130
			Perfluoroheptanesulfonic acid PFHpS	2022/02/07		94	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/02/07		103	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/02/07		90	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/02/07		103	%	70 - 130
			EtFOSA	2022/02/07		97	%	70 - 130
			MeFOSA	2022/02/07		101	%	70 - 130
			EtFOSE	2022/02/07		96	%	70 - 130
			MeFOSE	2022/02/07		93	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/02/07		95	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/02/07		93	%	70 - 130
			Perfluorobutanoic acid (PFBA)	2022/02/07	1.4		%	30
			Perfluoropentanoic acid (PFPeA)	2022/02/07	0.10		%	30
			Perfluorohexanoic acid (PFHxA)	2022/02/07	1.3		%	30
			Perfluoroheptanoic acid (PFHpA)	2022/02/07	2.1		%	30
			Perfluorooctanoic acid (PFOA)	2022/02/07	0.23		%	30
			Perfluorononanoic acid (PFNA)	2022/02/07	0.35		%	30
			Perfluorodecanoic acid (PFDA)	2022/02/07	1.3		%	30
			Perfluoroundecanoic acid (PFUnA)	2022/02/07	1.8		%	30
			Perfluorododecanoic acid (PFDoA)	2022/02/07	1.3		%	30
			Perfluorotridecanoic acid (PFTRDA)	2022/02/07	0.39		%	30
			Perfluorotetradecanoic acid(PFTEDA)	2022/02/07	0.18		%	30
			Perfluorobutanesulfonic acid (PFBS)	2022/02/07	1.3		%	30
			Perfluorohexanesulfonic acid(PFHxS)	2022/02/07	0.021		%	30
			Perfluoroheptanesulfonic acid PFHpS	2022/02/07	0.49		%	30
			Perfluorooctanesulfonic acid (PFOS)	2022/02/07	0.19		%	30
			Perfluorodecanesulfonic acid (PFDS)	2022/02/07	4.3		%	30
			Perfluorooctane Sulfonamide (PFOSA)	2022/02/07	3.1		%	30



BUREAU  
VERITAS

Bureau Veritas Job #: C223621

Report Date: 2022/02/08

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7819567	LOV	Method Blank	EtFOSA	2022/02/07	4.6		%	30
			MeFOSA	2022/02/07	3.4		%	30
			EtFOSE	2022/02/07	2.4		%	30
			MeFOSE	2022/02/07	2.9		%	30
			6:2 Fluorotelomer sulfonic acid	2022/02/07	4.1		%	30
			8:2 Fluorotelomer sulfonic acid	2022/02/07	2.4		%	30
			13C2-6:2-Fluorotelomersulfonic Acid	2022/02/07		105	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/02/07		94	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/02/07		97	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/02/07		91	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/02/07		100	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/02/07		87	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/02/07		93	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/02/07		95	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/02/07		96	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/02/07		97	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/02/07		98	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/02/07		100	%	50 - 150
			13C5-Perfluorononanoic acid	2022/02/07		100	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/02/07		99	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/02/07		90	%	50 - 150
			18O2-Perfluorohexanesulfonic acid	2022/02/07		92	%	50 - 150
			D3-MeFOSA	2022/02/07		75	%	50 - 150
			D5-EtFOSA	2022/02/07		74	%	50 - 150
			D7-MeFOSE	2022/02/07		76	%	50 - 150
			D9-EtFOSE	2022/02/07		75	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/02/07	<0.0039		ug/L	
			Perfluoropentanoic acid (PFPeA)	2022/02/07	<0.0067		ug/L	
			Perfluorohexanoic acid (PFHxA)	2022/02/07	<0.0053		ug/L	
			Perfluoroheptanoic acid (PFHpA)	2022/02/07	<0.0067		ug/L	
			Perfluorooctanoic acid (PFOA)	2022/02/07	<0.0050		ug/L	
			Perfluorononanoic acid (PFNA)	2022/02/07	<0.0051		ug/L	
			Perfluorodecanoic acid (PFDA)	2022/02/07	<0.0039		ug/L	
			Perfluoroundecanoic acid (PFUnA)	2022/02/07	<0.0062		ug/L	
			Perfluorododecanoic acid (PFDoA)	2022/02/07	<0.0080		ug/L	
			Perfluorotridecanoic acid (PFTRDA)	2022/02/07	<0.0064		ug/L	
			Perfluorotetradecanoic acid(PFTEDA)	2022/02/07	<0.0068		ug/L	
			Perfluorobutanesulfonic acid (PFBS)	2022/02/07	<0.0056		ug/L	
			Perfluorohexanesulfonic acid(PFHxS)	2022/02/07	<0.0044		ug/L	
			Perfluoroheptanesulfonic acid PFHpS	2022/02/07	<0.0065		ug/L	
			Perfluorooctanesulfonic acid (PFOS)	2022/02/07	<0.0057		ug/L	
			Perfluorodecanesulfonic acid (PFDS)	2022/02/07	<0.0064		ug/L	
			Perfluorooctane Sulfonamide (PFOSA)	2022/02/07	<0.0036		ug/L	
			EtFOSA	2022/02/07	<0.0070		ug/L	
			MeFOSA	2022/02/07	<0.0078		ug/L	
			EtFOSE	2022/02/07	<0.0071		ug/L	
			MeFOSE	2022/02/07	<0.0070		ug/L	
			6:2 Fluorotelomer sulfonic acid	2022/02/07	<0.0065		ug/L	



Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC								
Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			8:2 Fluorotelomer sulfonic acid	2022/02/07	<0.0067		ug/L	
Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.								
Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.								
Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.								
Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.								



Bureau Veritas Job #: C223621  
Report Date: 2022/02/08

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in black ink, appearing to read "Colm McNamara", written over a horizontal line.

Colm McNamara, Senior Analyst, Liquid Chromatography

---

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road, Mississauga, Ontario L5N 2L8  
Phone: 905-817-5700 Fax: 905-817-5779 Toll Free: 800-563-6266

## CHAIN OF CUSTODY RECORD

ENV COC - 00014v2

Page 1 of 1

<b>Invoice Information</b>				<b>Report Information (if differs from invoice)</b>				<b>Project Information</b>			
Company : Barnstable County				Company: BETA Group				Quotation #:			
Contact Name: Steve Tebo / Priscilla Ellis				Contact Name: Roger Thibault				P.O. # / AFR:			
Street Address: PO Box 427 3kg5 Mans				Street Address:				Project #: Barnstable 6206			
City: Barnstable Prov: MA Postal Code:				City: Prov: Postal Code:				Site #: BFTA			
Phone:				Phone: 401-333-2282				Site Location: Barnstable, MA USA			
Email: pellis@barnstablecounty.ma				Email: rthibault@beta-inc.com				Site Province:			
Copies: cacko@barnstablecounty.ma				Copies: mmendes@beta-inc.com				Sampled By: Miguel Mendes			

Regulatory Criteria										Regular Turnaround Time (TAT)											
<input type="checkbox"/> Table 1 <input type="checkbox"/> Res/Park <input type="checkbox"/> Med/Fine <input type="checkbox"/> Table 2 <input type="checkbox"/> Ind/Comm <input type="checkbox"/> Course <input type="checkbox"/> Table 3 <input type="checkbox"/> Agri/other <input type="checkbox"/> For RSC <input type="checkbox"/> Table <input type="checkbox"/> Other:										<input type="checkbox"/> 5 to 7 Day <input type="checkbox"/> 10 Day  Rush Turnaround Time (TAT) Surcharges apply <input type="checkbox"/> Same Day <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 4 Day											
Include Criteria on Certificate of Analysis (check if yes): <input type="checkbox"/>																					

SAMPLES MUST BE KEPT COOL (<10°C) FROM TIME OF SAMPLING UNTIL DELIVERY TO BUREAU VERITAS

Sample Identification		Date Sampled			Time (24hr)		Matrix	FIELD FILTERED	FIELD PRESERVED	LAB FILTRATION REQUIRED	BTEX / F1	F2 - F4	VOCs	Reg 153 metals and inorganics	Reg 153 ICPMS metals	Reg 153 metals (Hk, Cr, V, ICMS metals, HWS - B)	USEPA 531 m	# OF CONTAINERS SUBMITTED	HOLD - DO NOT ANALYZE	Comments
		YY	MM	DD	HH	MM														
1	PC-6A	22	01	26	12	04	GW									X		2		
2	PC-38	22	01	26	10	00										X		2		
3	PC-28	22	01	26	13	40										X		2		
4	PC-1	22	01	26	01	04										X		2		
5	MW-22	22	01	25	13	51										X		2		
6	Rmsato 1	22	01	25	14	22	AQ									X		2		
7	Duplicate	22	01	25	12	38										X		2		
8	PFW-1	22	01	25	12	33										X		2		
9	PFW-5	22	01	25	11	36										X		2		
10	HWS-6	22	01	25	13	00										X		2		
11	OW-8A	22	01	25	10	30										X		2		
12	MW-125	22	01	25	14	25	GW									X		2		

\*UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO BUREAU VERITAS STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS AND CONDITIONS WHICH ARE AVAILABLE FOR VIEWING AT WWW.BVNA.COM/TERMS-AND-CONDITIONS OR BY CALLING THE LABORATORY LISTED ABOVE TO OBTAIN A COPY

LAB USE ONLY			LAB USE ONLY			LAB USE ONLY			LAB USE ONLY		
Seal present	Yes	No	Seal present	Yes	No	Seal present	Yes	No	Seal present	Yes	No
Seal intact	✓		Seal intact	✓		Seal intact	✓		Seal intact	✓	
Cooling media present	✓		Cooling media present	✓		Cooling media present	✓		Cooling media present	✓	

Relinquished by: (Signature/ Print)						Received by: (Signature/ Print)						Special Instructions					
Miguel Mendes						Raj Masani											
YY	MM	DD	HH	MM		YY	MM	DD	HH	MM		YY	MM	DD	HH	MM	
22	01	27	10	15		2022	01	28	12	49							





www.BVNA.com

6740 Campobello Road, Mississauga, Ontario L5N 2L8  
Phone: 905-817-5700 Fax: 905-817-5779 Toll Free: 800-563-6266

CHAIN OF CUSTODY RECORD

ENV COC - 00014v2

Page 2 of 2

Invoice Information				Report Information (if differs from invoice)				Project Information				LAB USE ONLY - PLACE STICKER HERE															
Invoice to (requires report) <b>20</b>				Report Information (if differs from invoice)				Project Information																			
Company:	Barnstable County			Company:	BETA Group			Quotation #:																			
Contact Name:	Priscilla Ellis / Steve Tob			Contact Name:	Roger Thibault			P.O. #/ AFER:																			
Street Address:	3195 Main St			Street Address:				Project #:	6206																		
City:	Prov:	MA	Postal Code:	City:	Lincoln	Prov:	RI	Postal Code:	Site #:	BETA																	
Phone:				Phone:				Site Location:	Barnstable, MA			Rush Confirmation #:															
Email:	pellis@barnstablecounty.ma.gov			Email:	rthibault@beta-inc.com			Site Location Province:																			
Copies:	stebo@barnstablecounty.ma.gov			Copies:	mmendes@beta-inc.com			Sampled By:	Mykel Mendes																		
<b>Regulatory Criteria</b>																											
<input type="checkbox"/> Table 1 <input type="checkbox"/> Res/Park <input type="checkbox"/> Med/Fine <input type="checkbox"/> CCME <input type="checkbox"/> Reg 406, Table: <input type="checkbox"/> Reg 558* <input type="checkbox"/> Sanitary Sewer Bylaw																											
<input type="checkbox"/> Table 2 <input type="checkbox"/> Ind/Comm <input type="checkbox"/> Course <input type="checkbox"/> *min 3 day TAT <input type="checkbox"/> Storm Sewer Bylaw																											
<input type="checkbox"/> Table 3 <input type="checkbox"/> Agri/other <input type="checkbox"/> For RSC <input type="checkbox"/> MISA <input type="checkbox"/> PWQO <input type="checkbox"/> Other: Municipality																											
<input type="checkbox"/> Table <input type="checkbox"/> Other: <input type="checkbox"/>																											
Include Criteria on Certificate of Analysis (check if yes): <input type="checkbox"/>																											
SAMPLES MUST BE KEPT COOL (<10°C) FROM TIME OF SAMPLING UNTIL DELIVERY TO BUREAU VERITAS																											
Sample Identification				Date Sampled			Time (24hr)		Matrix																		
				YY	MM	DD	HH	MM																			
1	kinsale 2			22	01	26	14	05	AQ																		
2	PC-11			22	01	26	11	07	GW																		
3	PC-30			22	01	26	12	20	GW																		
4	PC-16D			22	01	26	16	30	GW																		
5																											
6																											
7																											
8																											
9																											
10																											
11																											
12																											
*UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO BUREAU VERITAS STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS AND CONDITIONS WHICH ARE AVAILABLE FOR VIEWING AT WWW.BVNA.COM/TERMS-AND-CONDITIONS OR BY CALLING THE LABORATORY LISTED ABOVE TO OBTAIN A COPY																											
LAB USE ONLY				LAB USE ONLY				LAB USE ONLY				LAB USE ONLY				Temperature reading by:											
Seal present				Seal present				Seal present				Seal present															
Seal intact				Seal intact				Seal intact				Seal intact															
Cooling media present				Cooling media present				Cooling media present				Cooling media present															
Relinquished by: (Signature/ Print)				Date				Time				Received by: (Signature/ Print)				Date				Time				Special Instructions			
Mykel Mendes				22 01 27				10 15				See Page 1															



**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

Your Project #: 6206  
Site#: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: n/a

**Report Date: 2022/05/10**  
Report #: R7118467  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C2B0237**

**Received: 2022/04/26, 13:27**

Sample Matrix: Water  
# Samples Received: 17

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Low level PFOS and PFOA by SPE/LCMS (1)	9	2022/05/04	2022/05/05	CAM SOP-00894	EPA 537.1 m
Low level PFOS and PFOA by SPE/LCMS (1)	8	2022/05/05	2022/05/07	CAM SOP-00894	EPA 537.1 m

**Remarks:**

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Per- and polyfluoroalkyl substances (PFAS) identified as surrogates on the certificate of analysis represent the extracted internal standard.



**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

Your Project #: 6206  
Site#: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: n/a

**Report Date: 2022/05/10**  
Report #: R7118467  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C2B0237**

**Received: 2022/04/26, 13:27**

**Encryption Key**

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Lori Dufour, Project Manager

Email: [Lori.Dufour@bureauveritas.com](mailto:Lori.Dufour@bureauveritas.com)

Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.  
For Service Group specific validation please refer to the Validation Signature Page.



Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL328			SLL329			SLL330			
Sampling Date		2022/04/20 13:40			2022/04/20 12:35			2022/04/20 11:43			
COC Number		n/a			n/a			n/a			
	UNITS	PC-28	RDL	MDL	PC-1	RDL	MDL	MW-12S	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>											
Perfluorobutanoic acid (PFBA)	ng/L	21	2.0	0.67	62	2.0	0.67	34	20	6.7	7974715
Perfluoropentanoic acid (PFPeA)	ng/L	53	2.0	0.52	230	20	5.2	120	20	5.2	7974715
Perfluorohexanoic acid (PFHxA)	ng/L	57	2.0	0.70	250	20	7.0	170	20	7.0	7974715
Perfluoroheptanoic acid (PFHpA)	ng/L	47	2.0	0.51	110	20	5.1	75	20	5.1	7974715
Perfluorooctanoic acid (PFOA)	ng/L	34	2.0	0.49	76	2.0	0.49	170	20	4.9	7974715
Perfluorononanoic acid (PFNA)	ng/L	59	2.0	0.80	30	2.0	0.80	18	20	8.0	7974715
Perfluorodecanoic acid (PFDA)	ng/L	14	2.0	0.64	6.7	2.0	0.64	<6.4	20	6.4	7974715
Perfluoroundecanoic acid (PFUnA)	ng/L	59	2.0	0.77	230	20	7.7	29	20	7.7	7974715
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	0.64	2.0	0.59	<5.9	20	5.9	7974715
Perfluorotridecanoic acid (PFTRDA)	ng/L	<0.48	2.0	0.48	<0.48	2.0	0.48	<4.8	20	4.8	7974715
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	<0.37	2.0	0.37	<3.7	20	3.7	7974715
Perfluorobutanesulfonic acid (PFBS)	ng/L	5.6	2.0	0.47	21	2.0	0.47	21	20	4.7	7974715
Perfluoropentanesulfonic acid (PFPeS)	ng/L	9.3	2.0	0.73	38	2.0	0.73	33	20	7.3	7974715
Perfluorohexanesulfonic acid (PFHxS)	ng/L	95	2.0	0.53	270	20	5.3	830	20	5.3	7974715
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	6.1	2.0	0.57	4.1	2.0	0.57	16	20	5.7	7974715
Perfluorooctanesulfonic acid (PFOS)	ng/L	1200	200	43	660	20	4.3	1700	200	43	7974715
Perfluorononanesulfonic acid (PFNS)	ng/L	<0.64	2.0	0.64	4.8	2.0	0.64	<6.4	20	6.4	7974715
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	<0.53	2.0	0.53	<5.3	20	5.3	7974715
Perfluorooctane Sulfonamide (PFOSA)	ng/L	3.8	4.0	0.81	5.2	4.0	0.81	230	40	8.1	7974715
6:2 Fluorotelomer sulfonic acid	ng/L	58	4.0	0.59	390	40	5.9	65	40	5.9	7974715
8:2 Fluorotelomer sulfonic acid	ng/L	11	4.0	0.75	120	40	7.5	30	40	7.5	7974715
<b>Surrogate Recovery (%)</b>											
13C2-6:2-Fluorotelomersulfonic Acid	%	130	N/A	N/A	115	N/A	N/A	131	N/A	N/A	7974715
13C2-8:2-Fluorotelomersulfonic Acid	%	126	N/A	N/A	112	N/A	N/A	127	N/A	N/A	7974715
13C2-Perfluorodecanoic acid	%	107	N/A	N/A	106	N/A	N/A	98	N/A	N/A	7974715
13C2-Perfluorododecanoic acid	%	95	N/A	N/A	90	N/A	N/A	81	N/A	N/A	7974715
13C2-Perfluorohexanoic acid	%	91	N/A	N/A	99	N/A	N/A	90	N/A	N/A	7974715
13C2-perfluorotetradecanoic acid	%	86	N/A	N/A	78	N/A	N/A	67	N/A	N/A	7974715
13C2-Perfluoroundecanoic acid	%	97	N/A	N/A	92	N/A	N/A	88	N/A	N/A	7974715
13C3-Perfluorobutanesulfonic acid	%	98	N/A	N/A	97	N/A	N/A	94	N/A	N/A	7974715
13C4-Perfluorobutanoic acid	%	96	N/A	N/A	98	N/A	N/A	86	N/A	N/A	7974715
13C4-Perfluoroheptanoic acid	%	94	N/A	N/A	98	N/A	N/A	91	N/A	N/A	7974715
13C4-Perfluorooctanesulfonic acid	%	88	N/A	N/A	125	N/A	N/A	97	N/A	N/A	7974715
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable											



Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL328			SLL329			SLL330			
Sampling Date		2022/04/20 13:40			2022/04/20 12:35			2022/04/20 11:43			
COC Number		n/a			n/a			n/a			
	UNITS	PC-28	RDL	MDL	PC-1	RDL	MDL	MW-12S	RDL	MDL	QC Batch
13C4-Perfluorooctanoic acid	%	92	N/A	N/A	91	N/A	N/A	92	N/A	N/A	7974715
13C5-Perfluorononanoic acid	%	80	N/A	N/A	82	N/A	N/A	97	N/A	N/A	7974715
13C5-Perfluoropentanoic acid	%	85	N/A	N/A	99	N/A	N/A	85	N/A	N/A	7974715
13C8-Perfluorooctane Sulfonamide	%	80	N/A	N/A	82	N/A	N/A	75	N/A	N/A	7974715
18O2-Perfluorohexanesulfonic acid	%	97	N/A	N/A	109	N/A	N/A	90	N/A	N/A	7974715
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable											



Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL331			SLL332			SLL333			
Sampling Date		2022/04/20 10:37			2022/04/20 14:00			2022/04/20 13:00			
COC Number		n/a			n/a			n/a			
	UNITS	MW-22	RDL	MDL	PC-11	RDL	MDL	PC-6A	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>											
Perfluorobutanoic acid (PFBA)	ng/L	<0.67	2.0	0.67	38	20	6.7	16	2.0	0.67	7974715
Perfluoropentanoic acid (PFPeA)	ng/L	0.90	2.0	0.52	150	20	5.2	48	2.0	0.52	7974715
Perfluorohexanoic acid (PFHxA)	ng/L	1.6	2.0	0.70	160	20	7.0	57	2.0	0.70	7974715
Perfluoroheptanoic acid (PFHpA)	ng/L	0.88	2.0	0.51	87	20	5.1	40	2.0	0.51	7974715
Perfluorooctanoic acid (PFOA)	ng/L	3.3	2.0	0.49	70	20	4.9	34	2.0	0.49	7974715
Perfluorononanoic acid (PFNA)	ng/L	<0.80	2.0	0.80	88	20	8.0	72	2.0	0.80	7974715
Perfluorodecanoic acid (PFDA)	ng/L	<0.64	2.0	0.64	20	20	6.4	16	2.0	0.64	7974715
Perfluoroundecanoic acid (PFUnA)	ng/L	<0.77	2.0	0.77	79	20	7.7	30	2.0	0.77	7974715
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	<5.9	20	5.9	<0.59	2.0	0.59	7974715
Perfluorotridecanoic acid (PFTRDA)	ng/L	<0.48	2.0	0.48	<4.8	20	4.8	<0.48	2.0	0.48	7974715
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	<3.7	20	3.7	<0.37	2.0	0.37	7974715
Perfluorobutanesulfonic acid (PFBS)	ng/L	<0.47	2.0	0.47	19	20	4.7	5.3	2.0	0.47	7974715
Perfluoropentanesulfonic acid (PFPeS)	ng/L	<0.73	2.0	0.73	27	20	7.3	8.6	2.0	0.73	7974715
Perfluorohexanesulfonic acid (PFHxS)	ng/L	18	2.0	0.53	240	20	5.3	83	2.0	0.53	7974715
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	<0.57	2.0	0.57	11	20	5.7	7.1	2.0	0.57	7974715
Perfluorooctanesulfonic acid (PFOS)	ng/L	35	2.0	0.43	1600	200	43	1100	40	8.6	7974715
Perfluorononanesulfonic acid (PFNS)	ng/L	<0.64	2.0	0.64	<6.4	20	6.4	<0.64	2.0	0.64	7974715
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	<5.3	20	5.3	<0.53	2.0	0.53	7974715
Perfluorooctane Sulfonamide (PFOSA)	ng/L	<0.81	4.0	0.81	8.9	40	8.1	<0.81	4.0	0.81	7974715
6:2 Fluorotelomer sulfonic acid	ng/L	1.2	4.0	0.59	130	40	5.9	25	4.0	0.59	7974715
8:2 Fluorotelomer sulfonic acid	ng/L	<0.75	4.0	0.75	140	40	7.5	9.5	4.0	0.75	7974715
<b>Surrogate Recovery (%)</b>											
13C2-6:2-Fluorotelomersulfonic Acid	%	111	N/A	N/A	136	N/A	N/A	147	N/A	N/A	7974715
13C2-8:2-Fluorotelomersulfonic Acid	%	105	N/A	N/A	131	N/A	N/A	134	N/A	N/A	7974715
13C2-Perfluorodecanoic acid	%	105	N/A	N/A	102	N/A	N/A	111	N/A	N/A	7974715
13C2-Perfluorododecanoic acid	%	99	N/A	N/A	94	N/A	N/A	96	N/A	N/A	7974715
13C2-Perfluorohexanoic acid	%	109	N/A	N/A	98	N/A	N/A	106	N/A	N/A	7974715
13C2-perfluorotetradecanoic acid	%	83	N/A	N/A	82	N/A	N/A	65	N/A	N/A	7974715
13C2-Perfluoroundecanoic acid	%	98	N/A	N/A	94	N/A	N/A	100	N/A	N/A	7974715
13C3-Perfluorobutanesulfonic acid	%	114	N/A	N/A	101	N/A	N/A	109	N/A	N/A	7974715
13C4-Perfluorobutanoic acid	%	112	N/A	N/A	98	N/A	N/A	116	N/A	N/A	7974715
13C4-Perfluoroheptanoic acid	%	111	N/A	N/A	98	N/A	N/A	111	N/A	N/A	7974715
13C4-Perfluorooctanesulfonic acid	%	114	N/A	N/A	99	N/A	N/A	110	N/A	N/A	7974715
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable											





Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL331			SLL332			SLL333			
Sampling Date		2022/04/20 10:37			2022/04/20 14:00			2022/04/20 13:00			
COC Number		n/a			n/a			n/a			
	UNITS	MW-22	RDL	MDL	PC-11	RDL	MDL	PC-6A	RDL	MDL	QC Batch
13C4-Perfluorooctanoic acid	%	112	N/A	N/A	100	N/A	N/A	112	N/A	N/A	7974715
13C5-Perfluorononanoic acid	%	113	N/A	N/A	103	N/A	N/A	115	N/A	N/A	7974715
13C5-Perfluoropentanoic acid	%	106	N/A	N/A	95	N/A	N/A	93	N/A	N/A	7974715
13C8-Perfluorooctane Sulfonamide	%	65	N/A	N/A	73	N/A	N/A	83	N/A	N/A	7974715
18O2-Perfluorohexanesulfonic acid	%	110	N/A	N/A	99	N/A	N/A	111	N/A	N/A	7974715
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable											



### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL334			SLL335			SLL336			
Sampling Date		2022/04/20 11:40			2022/04/20 10:40			2022/04/20 14:30			
COC Number		n/a			n/a			n/a			
	UNITS	PC-16D	RDL	MDL	PC-30	RDL	MDL	RINSATE 1	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>											
Perfluorobutanoic acid (PFBA)	ng/L	21	2.0	0.67	14	2.0	0.67	<0.67	2.0	0.67	7974715
Perfluoropentanoic acid (PFPeA)	ng/L	74	2.0	0.52	38	2.0	0.52	<0.52	2.0	0.52	7974715
Perfluorohexanoic acid (PFHxA)	ng/L	69	2.0	0.70	48	2.0	0.70	<0.70	2.0	0.70	7974715
Perfluoroheptanoic acid (PFHpA)	ng/L	42	2.0	0.51	33	2.0	0.51	<0.51	2.0	0.51	7974715
Perfluorooctanoic acid (PFOA)	ng/L	38	2.0	0.49	23	2.0	0.49	<0.49	2.0	0.49	7974715
Perfluorononanoic acid (PFNA)	ng/L	45	2.0	0.80	23	2.0	0.80	<0.80	2.0	0.80	7974715
Perfluorodecanoic acid (PFDA)	ng/L	4.2	2.0	0.64	4.7	2.0	0.64	<0.64	2.0	0.64	7974715
Perfluoroundecanoic acid (PFUnA)	ng/L	17	2.0	0.77	16	2.0	0.77	<0.77	2.0	0.77	7974715
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	<0.59	2.0	0.59	<0.59	2.0	0.59	7974715
Perfluorotridecanoic acid (PFTRDA)	ng/L	<0.48	2.0	0.48	<0.48	2.0	0.48	<0.48	2.0	0.48	7974715
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	<0.37	2.0	0.37	<0.37	2.0	0.37	7974715
Perfluorobutanesulfonic acid (PFBS)	ng/L	10	2.0	0.47	4.6	2.0	0.47	<0.47	2.0	0.47	7974715
Perfluoropentanesulfonic acid (PFPeS)	ng/L	19	2.0	0.73	6.9	2.0	0.73	<0.73	2.0	0.73	7974715
Perfluorohexanesulfonic acid (PFHxS)	ng/L	160	2.0	5.3	63	2.0	0.53	<0.53	2.0	0.53	7974715
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	5.6	2.0	0.57	3.4	2.0	0.57	<0.57	2.0	0.57	7974715
Perfluorooctanesulfonic acid (PFOS)	ng/L	580	2.0	4.3	340	2.0	4.3	<0.43	2.0	0.43	7974715
Perfluorononanesulfonic acid (PFNS)	ng/L	<0.64	2.0	0.64	<0.64	2.0	0.64	<0.64	2.0	0.64	7974715
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	<0.53	2.0	0.53	<0.53	2.0	0.53	7974715
Perfluorooctane Sulfonamide (PFOSA)	ng/L	4.3	4.0	0.81	0.99	4.0	0.81	<0.81	4.0	0.81	7974715
6:2 Fluorotelomer sulfonic acid	ng/L	41	4.0	0.59	20	4.0	0.59	<0.59	4.0	0.59	7974715
8:2 Fluorotelomer sulfonic acid	ng/L	3.4	4.0	0.75	4.4	4.0	0.75	<0.75	4.0	0.75	7974715
<b>Surrogate Recovery (%)</b>											
13C2-6:2-Fluorotelomersulfonic Acid	%	121	N/A	N/A	118	N/A	N/A	116	N/A	N/A	7974715
13C2-8:2-Fluorotelomersulfonic Acid	%	127	N/A	N/A	115	N/A	N/A	134	N/A	N/A	7974715
13C2-Perfluorodecanoic acid	%	102	N/A	N/A	102	N/A	N/A	115	N/A	N/A	7974715
13C2-Perfluorododecanoic acid	%	90	N/A	N/A	91	N/A	N/A	104	N/A	N/A	7974715
13C2-Perfluorohexanoic acid	%	97	N/A	N/A	105	N/A	N/A	106	N/A	N/A	7974715
13C2-perfluorotetradecanoic acid	%	61	N/A	N/A	73	N/A	N/A	98	N/A	N/A	7974715
13C2-Perfluoroundecanoic acid	%	91	N/A	N/A	95	N/A	N/A	106	N/A	N/A	7974715
13C3-Perfluorobutanesulfonic acid	%	99	N/A	N/A	106	N/A	N/A	106	N/A	N/A	7974715
13C4-Perfluorobutanoic acid	%	106	N/A	N/A	110	N/A	N/A	106	N/A	N/A	7974715
13C4-Perfluoroheptanoic acid	%	103	N/A	N/A	107	N/A	N/A	105	N/A	N/A	7974715
13C4-Perfluorooctanesulfonic acid	%	95	N/A	N/A	111	N/A	N/A	118	N/A	N/A	7974715
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable											



BUREAU  
VERITAS

Bureau Veritas Job #: C2B0237

Report Date: 2022/05/10

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: CO

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL334			SLL335			SLL336			
Sampling Date		2022/04/20 11:40			2022/04/20 10:40			2022/04/20 14:30			
COC Number		n/a			n/a			n/a			
	UNITS	PC-16D	RDL	MDL	PC-30	RDL	MDL	RINSATE 1	RDL	MDL	QC Batch
13C4-Perfluorooctanoic acid	%	105	N/A	N/A	107	N/A	N/A	110	N/A	N/A	7974715
13C5-Perfluorononanoic acid	%	107	N/A	N/A	110	N/A	N/A	114	N/A	N/A	7974715
13C5-Perfluoropentanoic acid	%	84	N/A	N/A	92	N/A	N/A	107	N/A	N/A	7974715
13C8-Perfluorooctane Sulfonamide	%	67	N/A	N/A	56	N/A	N/A	83	N/A	N/A	7974715
18O2-Perfluorohexanesulfonic acid	%	96	N/A	N/A	104	N/A	N/A	105	N/A	N/A	7974715
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable											



BUREAU  
VERITAS

Bureau Veritas Job #: C2B0237

Report Date: 2022/05/10

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: CO

## RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL337	SLL338			SLL339			SLL340			
Sampling Date		2022/04/21 14:10	2022/04/21 13:00			2022/04/21 11:50			2022/04/21 11:50			
COC Number		n/a	n/a			n/a			n/a			
	UNITS	PFW-1	MW-3S	RDL	MDL	OW-8A	RDL	MDL	PFW-5	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>												
Perfluorobutanoic acid (PFBA)	ng/L	160	100	20	6.7	51	20	6.7	20	2.0	0.67	7978337
Perfluoropentanoic acid (PFPeA)	ng/L	630	320	20	5.2	160	20	5.2	53	2.0	0.52	7978337
Perfluorohexanoic acid (PFHxA)	ng/L	580	290	20	7.0	180	20	7.0	66	2.0	0.70	7978337
Perfluoroheptanoic acid (PFHpA)	ng/L	350	160	20	5.1	130	20	5.1	45	2.0	0.51	7978337
Perfluorooctanoic acid (PFOA)	ng/L	260	330	20	4.9	260	20	4.9	73	2.0	0.49	7978337
Perfluorononanoic acid (PFNA)	ng/L	74	64	20	8.0	100	20	8.0	40	2.0	0.80	7978337
Perfluorodecanoic acid (PFDA)	ng/L	36	7.2	20	6.4	15	20	6.4	11	2.0	0.64	7978337
Perfluoroundecanoic acid (PFUnA)	ng/L	87	14	20	7.7	25	20	7.7	32	2.0	0.77	7978337
Perfluorododecanoic acid (PFDoA)	ng/L	<5.9	<5.9	20	5.9	<5.9	20	5.9	<0.59	2.0	0.59	7978337
Perfluorotridecanoic acid (PFTRDA)	ng/L	<4.8	<4.8	20	4.8	<4.8	20	4.8	<0.48	2.0	0.48	7978337
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<3.7	<3.7	20	3.7	<3.7	20	3.7	<0.37	2.0	0.37	7978337
Perfluorobutanesulfonic acid (PFBS)	ng/L	73	52	20	4.7	20	20	4.7	17	2.0	0.47	7978337
Perfluoropentanesulfonic acid (PFPeS)	ng/L	160	90	20	7.3	26	20	7.3	29	2.0	0.73	7978337
Perfluorohexanesulfonic acid (PFHxS)	ng/L	1500	1100	200	53	620	20	5.3	340	20	5.3	7978337
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	76	25	20	5.7	13	20	5.7	15	2.0	0.57	7978337
Perfluorooctanesulfonic acid (PFOS)	ng/L	4500	1300	200	43	1200	200	43	1000	20	4.3	7978337
Perfluorononanesulfonic acid (PFNS)	ng/L	6.9	<6.4	20	6.4	<6.4	20	6.4	1.1	2.0	0.64	7978337
Perfluorodecanesulfonic acid (PFDS)	ng/L	<5.3	<5.3	20	5.3	<5.3	20	5.3	0.83	2.0	0.53	7978337
Perfluorooctane Sulfonamide (PFOSA)	ng/L	<8.1	<8.1	40	8.1	<8.1	40	8.1	22	4.0	0.81	7978337
6:2 Fluorotelomer sulfonic acid	ng/L	600	29	40	5.9	28	40	5.9	11	4.0	0.59	7978337
8:2 Fluorotelomer sulfonic acid	ng/L	570	<7.5	40	7.5	8.5	40	7.5	60	4.0	0.75	7978337
<b>Surrogate Recovery (%)</b>												
13C2-6:2-Fluorotelomersulfonic Acid	%	97	96	N/A	N/A	95	N/A	N/A	82	N/A	N/A	7978337
13C2-8:2-Fluorotelomersulfonic Acid	%	107	97	N/A	N/A	106	N/A	N/A	81	N/A	N/A	7978337
13C2-Perfluorodecanoic acid	%	114	102	N/A	N/A	108	N/A	N/A	85	N/A	N/A	7978337
13C2-Perfluorododecanoic acid	%	107	99	N/A	N/A	105	N/A	N/A	76	N/A	N/A	7978337
13C2-Perfluorohexanoic acid	%	111	92	N/A	N/A	108	N/A	N/A	97	N/A	N/A	7978337
13C2-perfluorotetradecanoic acid	%	96	101	N/A	N/A	102	N/A	N/A	63	N/A	N/A	7978337
13C2-Perfluoroundecanoic acid	%	112	97	N/A	N/A	106	N/A	N/A	76	N/A	N/A	7978337
13C3-Perfluorobutanesulfonic acid	%	119	96	N/A	N/A	111	N/A	N/A	95	N/A	N/A	7978337
13C4-Perfluorobutanoic acid	%	101	65	N/A	N/A	88	N/A	N/A	85	N/A	N/A	7978337
13C4-Perfluoroheptanoic acid	%	115	100	N/A	N/A	112	N/A	N/A	101	N/A	N/A	7978337
13C4-Perfluorooctanesulfonic acid	%	110	133	N/A	N/A	115	N/A	N/A	88	N/A	N/A	7978337
RDL = Reportable Detection Limit												
QC Batch = Quality Control Batch												
N/A = Not Applicable												



BUREAU  
VERITAS

Bureau Veritas Job #: C2B0237

Report Date: 2022/05/10

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: CO

## RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL337	SLL338			SLL339			SLL340			
Sampling Date		2022/04/21 14:10	2022/04/21 13:00			2022/04/21 11:50			2022/04/21 11:50			
COC Number		n/a	n/a			n/a			n/a			
	UNITS	PFW-1	MW-3S	RDL	MDL	OW-8A	RDL	MDL	PFW-5	RDL	MDL	QC Batch
13C4-Perfluorooctanoic acid	%	117	108	N/A	N/A	110	N/A	N/A	96	N/A	N/A	7978337
13C5-Perfluorononanoic acid	%	117	113	N/A	N/A	111	N/A	N/A	94	N/A	N/A	7978337
13C5-Perfluoropentanoic acid	%	103	78	N/A	N/A	97	N/A	N/A	77	N/A	N/A	7978337
13C8-Perfluorooctane Sulfonamide	%	49	59	N/A	N/A	54	N/A	N/A	66	N/A	N/A	7978337
18O2-Perfluorohexanesulfonic acid	%	116	139	N/A	N/A	111	N/A	N/A	106	N/A	N/A	7978337
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable												



### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL341			SLL342			SLL343			
Sampling Date		2022/04/21 14:30			2022/04/21 13:30			2022/04/21 14:45			
COC Number		n/a			n/a			n/a			
	UNITS	PFW-2	RDL	MDL	PC-34S	RDL	MDL	DUPLICATE	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>											
Perfluorobutanoic acid (PFBA)	ng/L	260	20	6.7	37	2.0	0.67	270	20	6.7	7978337
Perfluoropentanoic acid (PFPeA)	ng/L	880	20	5.2	120	20	5.2	910	20	5.2	7978337
Perfluorohexanoic acid (PFHxA)	ng/L	1200	200	70	160	20	7.0	1300	200	70	7978337
Perfluoroheptanoic acid (PFHpA)	ng/L	250	20	5.1	77	2.0	0.51	250	20	5.1	7978337
Perfluorooctanoic acid (PFOA)	ng/L	620	20	4.9	65	2.0	0.49	630	20	4.9	7978337
Perfluorononanoic acid (PFNA)	ng/L	64	20	8.0	100	20	8.0	65	20	8.0	7978337
Perfluorodecanoic acid (PFDA)	ng/L	6.8	20	6.4	7.2	2.0	0.64	7.8	20	6.4	7978337
Perfluoroundecanoic acid (PFUnA)	ng/L	400	20	7.7	3.7	2.0	0.77	400	20	7.7	7978337
Perfluorododecanoic acid (PFDoA)	ng/L	<5.9	20	5.9	<0.59	2.0	0.59	<5.9	20	5.9	7978337
Perfluorotridecanoic acid (PFTRDA)	ng/L	<4.8	20	4.8	<0.48	2.0	0.48	<4.8	20	4.8	7978337
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<3.7	20	3.7	<0.37	2.0	0.37	<3.7	20	3.7	7978337
Perfluorobutanesulfonic acid (PFBS)	ng/L	61	20	4.7	23	2.0	0.47	64	20	4.7	7978337
Perfluoropentanesulfonic acid (PFPeS)	ng/L	83	20	7.3	30	2.0	0.73	85	20	7.3	7978337
Perfluorohexanesulfonic acid (PFHxS)	ng/L	940	20	5.3	140	20	5.3	960	20	5.3	7978337
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	21	20	5.7	8.4	2.0	0.57	20	20	5.7	7978337
Perfluorooctanesulfonic acid (PFOS)	ng/L	630	20	4.3	580	20	4.3	680	20	4.3	7978337
Perfluorononanesulfonic acid (PFNS)	ng/L	<6.4	20	6.4	<0.64	2.0	0.64	<6.4	20	6.4	7978337
Perfluorodecanesulfonic acid (PFDS)	ng/L	<5.3	20	5.3	<0.53	2.0	0.53	<5.3	20	5.3	7978337
Perfluorooctane Sulfonamide (PFOSA)	ng/L	9.8	40	8.1	<0.81	4.0	0.81	9.0	40	8.1	7978337
6:2 Fluorotelomer sulfonic acid	ng/L	4500	400	59	65	4.0	0.59	5000	400	59	7978337
8:2 Fluorotelomer sulfonic acid	ng/L	180	40	7.5	5.4	4.0	0.75	190	40	7.5	7978337
<b>Surrogate Recovery (%)</b>											
13C2-6:2-Fluorotelomersulfonic Acid	%	136	N/A	N/A	119	N/A	N/A	86	N/A	N/A	7978337
13C2-8:2-Fluorotelomersulfonic Acid	%	103	N/A	N/A	132	N/A	N/A	104	N/A	N/A	7978337
13C2-Perfluorodecanoic acid	%	108	N/A	N/A	129	N/A	N/A	107	N/A	N/A	7978337
13C2-Perfluorododecanoic acid	%	99	N/A	N/A	106	N/A	N/A	101	N/A	N/A	7978337
13C2-Perfluorohexanoic acid	%	107	N/A	N/A	113	N/A	N/A	109	N/A	N/A	7978337
13C2-perfluorotetradecanoic acid	%	94	N/A	N/A	79	N/A	N/A	95	N/A	N/A	7978337
13C2-Perfluoroundecanoic acid	%	103	N/A	N/A	120	N/A	N/A	105	N/A	N/A	7978337
13C3-Perfluorobutanesulfonic acid	%	115	N/A	N/A	122	N/A	N/A	116	N/A	N/A	7978337
13C4-Perfluorobutanoic acid	%	97	N/A	N/A	100	N/A	N/A	101	N/A	N/A	7978337
13C4-Perfluoroheptanoic acid	%	112	N/A	N/A	133	N/A	N/A	116	N/A	N/A	7978337
13C4-Perfluorooctanesulfonic acid	%	108	N/A	N/A	106	N/A	N/A	108	N/A	N/A	7978337
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable											





Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL341			SLL342			SLL343			
Sampling Date		2022/04/21 14:30			2022/04/21 13:30			2022/04/21 14:45			
COC Number		n/a			n/a			n/a			
	UNITS	PFW-2	RDL	MDL	PC-34S	RDL	MDL	DUPLICATE	RDL	MDL	QC Batch
13C4-Perfluorooctanoic acid	%	111	N/A	N/A	136	N/A	N/A	113	N/A	N/A	7978337
13C5-Perfluorononanoic acid	%	114	N/A	N/A	110	N/A	N/A	116	N/A	N/A	7978337
13C5-Perfluoropentanoic acid	%	128	N/A	N/A	103	N/A	N/A	84	N/A	N/A	7978337
13C8-Perfluorooctane Sulfonamide	%	43	N/A	N/A	115	N/A	N/A	65	N/A	N/A	7978337
18O2-Perfluorohexanesulfonic acid	%	114	N/A	N/A	109	N/A	N/A	116	N/A	N/A	7978337
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable											



### RESULTS OF ANALYSES OF WATER

<b>Bureau Veritas ID</b>		SLL344			
<b>Sampling Date</b>		2022/04/21 15:30			
<b>COC Number</b>		n/a			
	<b>UNITS</b>	<b>RINSATE 2</b>	<b>RDL</b>	<b>MDL</b>	<b>QC Batch</b>
<b>Perfluorinated Compounds</b>					
Perfluorobutanoic acid (PFBA)	ng/L	<0.67	2.0	0.67	7978337
Perfluoropentanoic acid (PFPeA)	ng/L	<0.52	2.0	0.52	7978337
Perfluorohexanoic acid (PFHxA)	ng/L	<0.70	2.0	0.70	7978337
Perfluoroheptanoic acid (PFHpA)	ng/L	<0.51	2.0	0.51	7978337
Perfluorooctanoic acid (PFOA)	ng/L	<0.49	2.0	0.49	7978337
Perfluorononanoic acid (PFNA)	ng/L	<0.80	2.0	0.80	7978337
Perfluorodecanoic acid (PFDA)	ng/L	<0.64	2.0	0.64	7978337
Perfluoroundecanoic acid (PFUnA)	ng/L	<0.77	2.0	0.77	7978337
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	7978337
Perfluorotridecanoic acid (PFTRDA)	ng/L	<0.48	2.0	0.48	7978337
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	7978337
Perfluorobutanesulfonic acid (PFBS)	ng/L	<0.47	2.0	0.47	7978337
Perfluoropentanesulfonic acid (PFPeS)	ng/L	<0.73	2.0	0.73	7978337
Perfluorohexanesulfonic acid (PFHxS)	ng/L	<0.53	2.0	0.53	7978337
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	<0.57	2.0	0.57	7978337
Perfluorooctanesulfonic acid (PFOS)	ng/L	<0.43	2.0	0.43	7978337
Perfluorononanesulfonic acid (PFNS)	ng/L	<0.64	2.0	0.64	7978337
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	7978337
Perfluorooctane Sulfonamide (PFOSA)	ng/L	<0.81	4.0	0.81	7978337
6:2 Fluorotelomer sulfonic acid	ng/L	<0.59	4.0	0.59	7978337
8:2 Fluorotelomer sulfonic acid	ng/L	<0.75	4.0	0.75	7978337
<b>Surrogate Recovery (%)</b>					
13C2-6:2-Fluorotelomersulfonic Acid	%	69	N/A	N/A	7978337
13C2-8:2-Fluorotelomersulfonic Acid	%	70	N/A	N/A	7978337
13C2-Perfluorodecanoic acid	%	71	N/A	N/A	7978337
13C2-Perfluorododecanoic acid	%	70	N/A	N/A	7978337
13C2-Perfluorohexanoic acid	%	69	N/A	N/A	7978337
13C2-perfluorotetradecanoic acid	%	69	N/A	N/A	7978337
13C2-Perfluoroundecanoic acid	%	71	N/A	N/A	7978337
13C3-Perfluorobutanesulfonic acid	%	69	N/A	N/A	7978337
13C4-Perfluorobutanoic acid	%	69	N/A	N/A	7978337
13C4-Perfluoroheptanoic acid	%	68	N/A	N/A	7978337
13C4-Perfluorooctanesulfonic acid	%	72	N/A	N/A	7978337
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable					



Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

### RESULTS OF ANALYSES OF WATER

<b>Bureau Veritas ID</b>		SLL344			
<b>Sampling Date</b>		2022/04/21 15:30			
<b>COC Number</b>		n/a			
	<b>UNITS</b>	<b>RINSATE 2</b>	<b>RDL</b>	<b>MDL</b>	<b>QC Batch</b>
13C4-Perfluorooctanoic acid	%	71	N/A	N/A	7978337
13C5-Perfluorononanoic acid	%	74	N/A	N/A	7978337
13C5-Perfluoropentanoic acid	%	68	N/A	N/A	7978337
13C8-Perfluorooctane Sulfonamide	%	49	N/A	N/A	7978337
18O2-Perfluorohexanesulfonic acid	%	70	N/A	N/A	7978337
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable					



Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

## TEST SUMMARY

**Bureau Veritas ID:** SLL328  
**Sample ID:** PC-28  
**Matrix:** Water

**Collected:** 2022/04/20  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7974715	2022/05/04	2022/05/05	Adnan Khan

**Bureau Veritas ID:** SLL329  
**Sample ID:** PC-1  
**Matrix:** Water

**Collected:** 2022/04/20  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7974715	2022/05/04	2022/05/05	Adnan Khan

**Bureau Veritas ID:** SLL330  
**Sample ID:** MW-12S  
**Matrix:** Water

**Collected:** 2022/04/20  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7974715	2022/05/04	2022/05/05	Adnan Khan

**Bureau Veritas ID:** SLL331  
**Sample ID:** MW-22  
**Matrix:** Water

**Collected:** 2022/04/20  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7974715	2022/05/04	2022/05/05	Adnan Khan

**Bureau Veritas ID:** SLL332  
**Sample ID:** PC-11  
**Matrix:** Water

**Collected:** 2022/04/20  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7974715	2022/05/04	2022/05/05	Adnan Khan

**Bureau Veritas ID:** SLL333  
**Sample ID:** PC-6A  
**Matrix:** Water

**Collected:** 2022/04/20  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7974715	2022/05/04	2022/05/05	Adnan Khan

**Bureau Veritas ID:** SLL334  
**Sample ID:** PC-16D  
**Matrix:** Water

**Collected:** 2022/04/20  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7974715	2022/05/04	2022/05/05	Adnan Khan



Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

## TEST SUMMARY

**Bureau Veritas ID:** SLL335  
**Sample ID:** PC-30  
**Matrix:** Water

**Collected:** 2022/04/20  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7974715	2022/05/04	2022/05/05	Adnan Khan

**Bureau Veritas ID:** SLL336  
**Sample ID:** RINSATE 1  
**Matrix:** Water

**Collected:** 2022/04/20  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7974715	2022/05/04	2022/05/05	Adnan Khan

**Bureau Veritas ID:** SLL337  
**Sample ID:** PFW-1  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan

**Bureau Veritas ID:** SLL338  
**Sample ID:** MW-3S  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan

**Bureau Veritas ID:** SLL339  
**Sample ID:** OW-8A  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan

**Bureau Veritas ID:** SLL340  
**Sample ID:** PFW-5  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan

**Bureau Veritas ID:** SLL341  
**Sample ID:** PFW-2  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan



Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

## TEST SUMMARY

**Bureau Veritas ID:** SLL342  
**Sample ID:** PC-34S  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan

**Bureau Veritas ID:** SLL343  
**Sample ID:** DUPLICATE  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan

**Bureau Veritas ID:** SLL344  
**Sample ID:** RINSATE 2  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan





## GENERAL COMMENTS

Sample SLL328 [PC-28] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample SLL329 [PC-1] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample SLL330 [MW-12S] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample SLL332 [PC-11] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample SLL333 [PC-6A] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample SLL334 [PC-16D] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample SLL335 [PC-30] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample SLL337 [PFW-1] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample SLL338 [MW-3S] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample SLL339 [OW-8A] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample SLL340 [PFW-5] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample SLL341 [PFW-2] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample SLL342 [PC-34S] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample SLL343 [DUPLICATE] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

**Results relate only to the items tested.**



**BUREAU  
VERITAS**

Bureau Veritas Job #: C2B0237

Report Date: 2022/05/10

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: CO

## QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7974715	AKH	Spiked Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/05/05		104	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/05/05		113	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/05/05		109	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/05/05		97	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/05/05		110	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/05/05		89	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/05/05		101	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/05/05		112	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/05/05		110	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/05/05		109	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/05/05		115	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/05/05		110	%	50 - 150
			13C5-Perfluorononanoic acid	2022/05/05		112	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/05/05		109	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/05/05		54	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/05/05		108	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/05/05		96	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/05/05		94	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/05/05		100	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/05/05		96	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/05/05		94	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/05/05		96	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/05/05		93	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/05/05		95	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/05/05		95	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/05/05		103	%	70 - 130
			Perfluorotetradecanoic acid (PFTEDA)	2022/05/05		96	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/05/05		94	%	70 - 130
			Perfluoropentanesulfonic acid (PFPeS)	2022/05/05		99	%	70 - 130
			Perfluorohexanesulfonic acid (PFHxS)	2022/05/05		100	%	70 - 130
			Perfluoroheptanesulfonic acid (PFHpS)	2022/05/05		93	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/05/05		95	%	70 - 130
			Perfluorononanesulfonic acid (PFNS)	2022/05/05		87	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/05/05		83	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/05/05		94	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/05/05		97	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/05/05		102	%	70 - 130
7974715	AKH	Spiked Blank DUP	13C2-6:2-Fluorotelomersulfonic Acid	2022/05/05		114	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/05/05		121	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/05/05		122	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/05/05		113	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/05/05		123	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/05/05		107	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/05/05		115	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/05/05		123	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/05/05		123	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/05/05		120	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/05/05		130	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/05/05		123	%	50 - 150
			13C5-Perfluorononanoic acid	2022/05/05		126	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/05/05		121	%	50 - 150



Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7974715	AKH	RPD	13C8-Perfluorooctane Sulfonamide	2022/05/05		75	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/05/05		118	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/05/05		99	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/05/05		97	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/05/05		101	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/05/05		100	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/05/05		97	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/05/05		99	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/05/05		98	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/05/05		98	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/05/05		96	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/05/05		103	%	70 - 130
			Perfluorotetradecanoic acid(PFTEDA)	2022/05/05		98	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/05/05		98	%	70 - 130
			Perfluoropentanesulfonic acid PFPes	2022/05/05		101	%	70 - 130
			Perfluorohexanesulfonic acid(PFHxS)	2022/05/05		107	%	70 - 130
			Perfluoroheptanesulfonic acid PFHpS	2022/05/05		97	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/05/05		96	%	70 - 130
			Perfluorononanesulfonic acid (PFNS)	2022/05/05		89	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/05/05		92	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/05/05		93	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/05/05		101	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/05/05		110	%	70 - 130
			Perfluorobutanoic acid (PFBA)	2022/05/05	3.3		%	30
			Perfluoropentanoic acid (PFPeA)	2022/05/05	2.4		%	30
			Perfluorohexanoic acid (PFHxA)	2022/05/05	1.5		%	30
			Perfluoroheptanoic acid (PFHpA)	2022/05/05	4.0		%	30
			Perfluorooctanoic acid (PFOA)	2022/05/05	3.0		%	30
			Perfluorononanoic acid (PFNA)	2022/05/05	2.7		%	30
			Perfluorodecanoic acid (PFDA)	2022/05/05	5.0		%	30
			Perfluoroundecanoic acid (PFUnA)	2022/05/05	3.9		%	30
			Perfluorododecanoic acid (PFDoA)	2022/05/05	1.8		%	30
			Perfluorotridecanoic acid (PFTRDA)	2022/05/05	0.080		%	30
			Perfluorotetradecanoic acid(PFTEDA)	2022/05/05	1.4		%	30
			Perfluorobutanesulfonic acid (PFBS)	2022/05/05	4.5		%	30
			Perfluoropentanesulfonic acid PFPes	2022/05/05	2.3		%	30
			Perfluorohexanesulfonic acid(PFHxS)	2022/05/05	6.3		%	30
			Perfluoroheptanesulfonic acid PFHpS	2022/05/05	4.1		%	30
			Perfluorooctanesulfonic acid (PFOS)	2022/05/05	1.5		%	30
			Perfluorononanesulfonic acid (PFNS)	2022/05/05	2.3		%	30
			Perfluorodecanesulfonic acid (PFDS)	2022/05/05	10		%	30
			Perfluorooctane Sulfonamide (PFOSA)	2022/05/05	1.5		%	30
			6:2 Fluorotelomer sulfonic acid	2022/05/05	3.9		%	30
			8:2 Fluorotelomer sulfonic acid	2022/05/05	7.1		%	30
7974715	AKH	Method Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/05/05		107	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/05/05		106	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/05/05		101	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/05/05		92	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/05/05		104	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/05/05		84	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/05/05		93	%	50 - 150



BUREAU  
VERITAS

Bureau Veritas Job #: C2B0237

Report Date: 2022/05/10

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: CO

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			13C3-Perfluorobutanesulfonic acid	2022/05/05		106	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/05/05		109	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/05/05		105	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/05/05		109	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/05/05		103	%	50 - 150
			13C5-Perfluorononanoic acid	2022/05/05		108	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/05/05		103	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/05/05		37	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/05/05		103	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/05/05	<0.67		ng/L	
			Perfluoropentanoic acid (PFPeA)	2022/05/05	<0.52		ng/L	
			Perfluorohexanoic acid (PFHxA)	2022/05/05	<0.70		ng/L	
			Perfluoroheptanoic acid (PFHpA)	2022/05/05	<0.51		ng/L	
			Perfluorooctanoic acid (PFOA)	2022/05/05	<0.49		ng/L	
			Perfluorononanoic acid (PFNA)	2022/05/05	<0.80		ng/L	
			Perfluorodecanoic acid (PFDA)	2022/05/05	<0.64		ng/L	
			Perfluoroundecanoic acid (PFUnA)	2022/05/05	<0.77		ng/L	
			Perfluorododecanoic acid (PFDoA)	2022/05/05	<0.59		ng/L	
			Perfluorotridecanoic acid (PFTRDA)	2022/05/05	<0.48		ng/L	
			Perfluorotetradecanoic acid (PFTEDA)	2022/05/05	<0.37		ng/L	
			Perfluorobutanesulfonic acid (PFBS)	2022/05/05	<0.47		ng/L	
			Perfluoropentanesulfonic acid (PFPeS)	2022/05/05	<0.73		ng/L	
			Perfluorohexanesulfonic acid (PFHxS)	2022/05/05	<0.53		ng/L	
			Perfluoroheptanesulfonic acid (PFHpS)	2022/05/05	<0.57		ng/L	
			Perfluorooctanesulfonic acid (PFOS)	2022/05/05	<0.43		ng/L	
			Perfluorononanesulfonic acid (PFNS)	2022/05/05	<0.64		ng/L	
			Perfluorodecanesulfonic acid (PFDS)	2022/05/05	<0.53		ng/L	
			Perfluorooctane Sulfonamide (PFOSA)	2022/05/05	<0.81		ng/L	
			6:2 Fluorotelomer sulfonic acid	2022/05/05	<0.59		ng/L	
			8:2 Fluorotelomer sulfonic acid	2022/05/05	<0.75		ng/L	
7978337	AKH	Spiked Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/05/07		112	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/05/07		109	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/05/07		112	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/05/07		106	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/05/07		118	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/05/07		104	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/05/07		109	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/05/07		117	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/05/07		115	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/05/07		118	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/05/07		114	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/05/07		117	%	50 - 150
			13C5-Perfluorononanoic acid	2022/05/07		119	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/05/07		115	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/05/07		72	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/05/07		115	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/05/07		93	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/05/07		90	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/05/07		93	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/05/07		93	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/05/07		91	%	70 - 130



**BUREAU  
VERITAS**

Bureau Veritas Job #: C2B0237

Report Date: 2022/05/10

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: CO

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7978337	AKH	Spiked Blank DUP	Perfluorononanoic acid (PFNA)	2022/05/07		88	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/05/07		92	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/05/07		93	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/05/07		94	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/05/07		101	%	70 - 130
			Perfluorotetradecanoic acid (PFTEDA)	2022/05/07		92	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/05/07		89	%	70 - 130
			Perfluoropentanesulfonic acid (PFPeS)	2022/05/07		94	%	70 - 130
			Perfluorohexanesulfonic acid (PFHxS)	2022/05/07		92	%	70 - 130
			Perfluoroheptanesulfonic acid (PFHpS)	2022/05/07		91	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/05/07		91	%	70 - 130
			Perfluorononanesulfonic acid (PFNS)	2022/05/07		86	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/05/07		88	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/05/07		92	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/05/07		91	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/05/07		98	%	70 - 130
			13C2-6:2-Fluorotelomersulfonic Acid	2022/05/07		121	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/05/07		121	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/05/07		125	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/05/07		118	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/05/07		131	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/05/07		115	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/05/07		119	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/05/07		128	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/05/07		130	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/05/07		129	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/05/07		121	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/05/07		130	%	50 - 150
			13C5-Perfluorononanoic acid	2022/05/07		130	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/05/07		128	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/05/07		88	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/05/07		130	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/05/07		94	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/05/07		92	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/05/07		94	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/05/07		94	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/05/07		91	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/05/07		90	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/05/07		89	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/05/07		92	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/05/07		91	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/05/07		96	%	70 - 130
			Perfluorotetradecanoic acid (PFTEDA)	2022/05/07		91	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/05/07		90	%	70 - 130
			Perfluoropentanesulfonic acid (PFPeS)	2022/05/07		94	%	70 - 130
			Perfluorohexanesulfonic acid (PFHxS)	2022/05/07		93	%	70 - 130
			Perfluoroheptanesulfonic acid (PFHpS)	2022/05/07		91	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/05/07		94	%	70 - 130
			Perfluorononanesulfonic acid (PFNS)	2022/05/07		85	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/05/07		89	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/05/07		92	%	70 - 130



BUREAU  
VERITAS

Bureau Veritas Job #: C2B0237

Report Date: 2022/05/10

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: CO

## QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7978337	AKH	RPD	6:2 Fluorotelomer sulfonic acid	2022/05/07		93	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/05/07		96	%	70 - 130
			Perfluorobutanoic acid (PFBA)	2022/05/07	0.93		%	30
			Perfluoropentanoic acid (PFPeA)	2022/05/07	1.7		%	30
			Perfluorohexanoic acid (PFHxA)	2022/05/07	0.80		%	30
			Perfluoroheptanoic acid (PFHpA)	2022/05/07	1.6		%	30
			Perfluorooctanoic acid (PFOA)	2022/05/07	0.33		%	30
			Perfluorononanoic acid (PFNA)	2022/05/07	1.9		%	30
			Perfluorodecanoic acid (PFDA)	2022/05/07	2.8		%	30
			Perfluoroundecanoic acid (PFUnA)	2022/05/07	0.96		%	30
			Perfluorododecanoic acid (PFDoA)	2022/05/07	2.7		%	30
			Perfluorotridecanoic acid (PFTRDA)	2022/05/07	5.0		%	30
			Perfluorotetradecanoic acid (PFTEDA)	2022/05/07	0.93		%	30
			Perfluorobutanesulfonic acid (PFBS)	2022/05/07	1.2		%	30
			Perfluoropentanesulfonic acid (PFPeS)	2022/05/07	0.39		%	30
			Perfluorohexanesulfonic acid (PFHxS)	2022/05/07	1.4		%	30
			Perfluoroheptanesulfonic acid (PFHpS)	2022/05/07	0.64		%	30
			Perfluorooctanesulfonic acid (PFOS)	2022/05/07	2.9		%	30
			Perfluorononanesulfonic acid (PFNS)	2022/05/07	0.95		%	30
			Perfluorodecanesulfonic acid (PFDS)	2022/05/07	0.80		%	30
			Perfluorooctane Sulfonamide (PFOSA)	2022/05/07	0.83		%	30
			6:2 Fluorotelomer sulfonic acid	2022/05/07	2.2		%	30
			8:2 Fluorotelomer sulfonic acid	2022/05/07	1.4		%	30
7978337	AKH	Method Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/05/07		111	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/05/07		101	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/05/07		101	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/05/07		100	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/05/07		108	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/05/07		89	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/05/07		98	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/05/07		106	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/05/07		106	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/05/07		108	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/05/07		101	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/05/07		106	%	50 - 150
			13C5-Perfluorononanoic acid	2022/05/07		107	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/05/07		106	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/05/07		52	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/05/07		104	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/05/07	<0.67		ng/L	
			Perfluoropentanoic acid (PFPeA)	2022/05/07	<0.52		ng/L	
			Perfluorohexanoic acid (PFHxA)	2022/05/07	<0.70		ng/L	
			Perfluoroheptanoic acid (PFHpA)	2022/05/07	<0.51		ng/L	
			Perfluorooctanoic acid (PFOA)	2022/05/07	<0.49		ng/L	
			Perfluorononanoic acid (PFNA)	2022/05/07	<0.80		ng/L	
			Perfluorodecanoic acid (PFDA)	2022/05/07	<0.64		ng/L	
			Perfluoroundecanoic acid (PFUnA)	2022/05/07	<0.77		ng/L	
			Perfluorododecanoic acid (PFDoA)	2022/05/07	<0.59		ng/L	
			Perfluorotridecanoic acid (PFTRDA)	2022/05/07	<0.48		ng/L	
			Perfluorotetradecanoic acid (PFTEDA)	2022/05/07	<0.37		ng/L	
			Perfluorobutanesulfonic acid (PFBS)	2022/05/07	<0.47		ng/L	





Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			Perfluoropentanesulfonic acid PFPes	2022/05/07	<0.73		ng/L	
			Perfluorohexanesulfonic acid(PFHxS)	2022/05/07	<0.53		ng/L	
			Perfluoroheptanesulfonic acid PFHpS	2022/05/07	<0.57		ng/L	
			Perfluorooctanesulfonic acid (PFOS)	2022/05/07	<0.43		ng/L	
			Perfluorononanesulfonic acid (PFNS)	2022/05/07	<0.64		ng/L	
			Perfluorodecanesulfonic acid (PFDS)	2022/05/07	<0.53		ng/L	
			Perfluorooctane Sulfonamide (PFOSA)	2022/05/07	<0.81		ng/L	
			6:2 Fluorotelomer sulfonic acid	2022/05/07	<0.59		ng/L	
			8:2 Fluorotelomer sulfonic acid	2022/05/07	<0.75		ng/L	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



Bureau Veritas Job #: C2B0237  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: CO

### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in black ink, appearing to be "Colm McNamara", written over a horizontal line.

Colm McNamara, Senior Analyst, Liquid Chromatography

---

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road, Mississauga, Ontario L5N 2L8  
Phone: 905-817-5700 Fax: 905-817-5729 Toll Free: 800-563-6266

## ENV COC - 00014v3

Page 1 of 1

Invoice Information					Report Information (If differs from Invoice)					Project Information	
Invoice to (requires report) <input checked="" type="checkbox"/>											
Company:		Barnstable County			Company:		BETA Group, Inc			Quotation #:	
Contact Name:		Priscilla Ellis/ Steve Tebo			Contact Name:		Roger Thibault			P.O. #/ AF#:	
Street Address:		3195 Main St. PO Box 427			Street Address:		701 George Washington Hwy			Project #:	6206
City:	Barnstable	Prov:		Postal Code:		City:	Lincoln	Prov:		Postal Code:	
Phone:					Phone:					Site #:	BFTA
Email:	pellis@barnstablecounty.org				Email:	Rthibault@BETA-Inc.com; Lbouley@BETA-Inc.com				Site Location:	Barnstable, MA
Copies:	stebo@barnstablecounty.org				Copies:	stebo@barnstablecounty.org				Province:	
										Sampled by:	Chris Oien, Scott Nee, Laura Boulev

26-Apr-22 13:27  
Lori Dufour  
C2B0237  
SRS ENV-1980

REG 153		Regulatory Criteria																						# OF CONTAINERS SUBMITTED		HOLD - DO NOT ANALYZE		Regular Turnaround Time (TAT)				
		<input type="checkbox"/> Table 1 <input type="checkbox"/> Res/Park <input type="checkbox"/> Med/Fine <input type="checkbox"/> Table 2 <input type="checkbox"/> Ind/Comm <input type="checkbox"/> Course <input type="checkbox"/> Table 3 <input type="checkbox"/> Agri/other <input type="checkbox"/> For RSC <input type="checkbox"/> Table _____										OTHER																<input checked="" type="checkbox"/> 5 to 7 Day <input checked="" type="checkbox"/> 10 Day				
		<input type="checkbox"/> CCME <input type="checkbox"/> Reg 406, Table: <input type="checkbox"/> *Reg 558* <input type="checkbox"/> Sanitary Sewer Bylaw <input type="checkbox"/> *min 3 day TAT <input type="checkbox"/> Storm Sewer Bylaw <input type="checkbox"/> MISA    Municipality <input type="checkbox"/> PWQO <input type="checkbox"/> Other:																				Rush Turnaround Time (TAT) Surcharges apply										
		Include Criteria on Certificate of Analysis (check if yes): <input type="checkbox"/>																				<input type="checkbox"/> Same Day <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 4 Day										
SAMPLES MUST BE KEPT COOL (<10°C) FROM TIME OF SAMPLING UNTIL DELIVERY TO BUREAU VERITAS																																
Sample Identification		Date Sampled			Time (24hr)		Matrix	FIELD FILTERED	FIELD PRESERVED	LAB FILTRATION REQUIRED	BTEX/F1	F2 - F4	VOCs	Reg 153 metals and inorganics	Reg 153 ICPMS metals	Reg 153 metals (H4, C-VI, ICPMS metals, HWS - B)	US EPA 537/m (PFAS)	11	12	13	14	15	16	17	18	19	20	21	22	Date Required:		
		YY	MM	DD	HH	MM																								YY	MM	DD
1	PC-28	22	04	20	13	40	Water - Ground										X											2		Use Lower		
2	PC-1	22	04	20	12	35	Water - Ground										X											2		RDL values		
3	MW-12S	22	04	20	11	43	Water - Ground										X											2		for all samples		
4	MW-22	22	04	20	10	37	Water - Ground										X											2				
5	PC-11	22	04	20	14	00	Water - Ground										X											2				
6	PC-6A	22	04	20	13	00	Water - Ground										X											2				
7	PC-16D	22	04	20	11	40	Water - Ground										X											2				
8	PC-30	22	04	20	10	40	Water - Ground										X											2				
9	RINSATE 1	22	04	20	14	30	Water										X											2				
10	PFW-1	22	04	21	14	10	Water - Ground										X											2				
11	MW-3S	22	04	21	13	00	Water - Ground										X											2				
12	OW-8A	22	04	21	11	50	Water - Ground										X											2				

\*UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO BUREAU VERITAS STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS AND CONDITIONS WHICH ARE AVAILABLE FOR VIEWING AT [WWW.BVNA.COM/TERMS-AND-CONDITIONS](http://WWW.BVNA.COM/TERMS-AND-CONDITIONS) OR BY CALLING THE LABORATORY LISTED ABOVE TO OBTAIN A COPY

LAB USE ONLY			Yes	No		LAB USE ONLY			Yes	No		LAB USE ONLY			Yes	No		Temperature reading by:		
Seal present	<input checked="" type="checkbox"/>		°C	49	49	3-9	Seal present	<input checked="" type="checkbox"/>				Seal present	<input checked="" type="checkbox"/>				°C			
Seal intact	<input checked="" type="checkbox"/>						Seal intact	<input checked="" type="checkbox"/>				Seal intact	<input checked="" type="checkbox"/>							
Cooling media present	<input checked="" type="checkbox"/>		1	2	3	Cooling media present	<input checked="" type="checkbox"/>					Cooling media present	<input checked="" type="checkbox"/>					1	2	3
Relinquished by: (Signature/ Print)						Received by: (Signature/ Print)						Special instructions								
Date YY MM DD HH MM						Time HH MM						Date YY MM DD HH MM								
1 Alex SO 2022 04 25 10 00						1 Kavithaselvan LH 2022 04 26 13 27														
2						2														



CHAIN OF CUSTODY RECORD  
ENV COC - 00014v3

Page 1 of 2



## **APPENDIX C**

### LABORATORY REPORTS/CERTIFICATES OF ANALYSIS

#### Site Groundwater Monitoring



Your Project #: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: n/a

**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/02/15**  
Report #: R7006209  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C223630**

**Received: 2022/01/28, 12:49**

Sample Matrix: Water  
# Samples Received: 5

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Low level PFOS and PFOA by SPE/LCMS (1)	1	2022/02/07	2022/02/10	CAM SOP-00894	EPA 537 m
Low level PFOS and PFOA by SPE/LCMS (1)	4	2022/02/07	2022/02/09	CAM SOP-00894	EPA 537 m

**Remarks:**

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Per- and polyfluoroalkyl substances (PFAS) identified as surrogates on the certificate of analysis represent the extracted internal standard.





Your Project #: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: n/a

**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/02/15**  
Report #: R7006209  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C223630**

**Received: 2022/01/28, 12:49**

Encryption Key

Lori Dufour  
Project Manager  
16 Feb 2022 10:52:23

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Lori Dufour, Project Manager

Email: [Lori.Dufour@bureauveritas.com](mailto:Lori.Dufour@bureauveritas.com)

Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.  
For Service Group specific validation please refer to the Validation Signature Page.



### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		RSM962			RSM963			
Sampling Date		2022/01/25 14:45			2022/01/25 14:50			
COC Number		n/a			n/a			
	UNITS	INFLUENT (PRW-4)	RDL	MDL	SYSTEM#1 MIDPOINT	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>								
Perfluorobutanoic acid (PFBA)	ng/L	20	2.0	0.67	11	2.0	0.67	7820838
Perfluoropentanoic acid (PFPeA)	ng/L	68	2.0	0.52	33	2.0	0.52	7820838
Perfluorohexanoic acid (PFHxA)	ng/L	70	2.0	0.70	36	2.0	0.70	7820838
Perfluoroheptanoic acid (PFHpA)	ng/L	37	2.0	0.51	21	2.0	0.51	7820838
Perfluorooctanoic acid (PFOA)	ng/L	23	2.0	0.49	12	2.0	0.49	7820838
Perfluorononanoic acid (PFNA)	ng/L	20	2.0	0.80	9.5	2.0	0.80	7820838
Perfluorodecanoic acid (PFDA)	ng/L	5.5	2.0	0.64	2.4	2.0	0.64	7820838
Perfluoroundecanoic acid (PFUnA)	ng/L	47	2.0	0.77	18	2.0	0.77	7820838
Perfluorododecanoic acid (PFDoA)	ng/L	<2.0	2.0	0.59	<2.0	2.0	0.59	7820838
Perfluorotridecanoic acid (PFTRDA)	ng/L	<2.0	2.0	0.48	<2.0	2.0	0.48	7820838
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<2.0	2.0	0.37	<2.0	2.0	0.37	7820838
Perfluorobutanesulfonic acid (PFBS)	ng/L	9.2	2.0	0.47	4.2	2.0	0.47	7820838
Perfluoropentanesulfonic acid (PFPeS)	ng/L	15	2.0	0.73	6.1	2.0	0.73	7820838
Perfluorohexanesulfonic acid (PFHxS)	ng/L	110	2.0	5.3	56	2.0	0.53	7820838
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	3.0	2.0	0.57	<2.0	2.0	0.57	7820838
Perfluorooctanesulfonic acid (PFOS)	ng/L	600	2.0	4.3	250	2.0	4.3	7820838
Perfluorooctane Sulfonamide (PFOSA)	ng/L	<4.0	4.0	0.81	<4.0	4.0	0.81	7820838
6:2 Fluorotelomer sulfonic acid	ng/L	51	4.0	0.59	25	4.0	0.59	7820838
8:2 Fluorotelomer sulfonic acid	ng/L	53	4.0	0.75	26	4.0	0.75	7820838
<b>Surrogate Recovery (%)</b>								
13C2-6:2-Fluorotelomersulfonic Acid	%	70	N/A	N/A	90	N/A	N/A	7820838
13C2-8:2-Fluorotelomersulfonic Acid	%	64	N/A	N/A	78	N/A	N/A	7820838
13C2-Perfluorodecanoic acid	%	61	N/A	N/A	86	N/A	N/A	7820838
13C2-Perfluorododecanoic acid	%	49 (1)	N/A	N/A	74	N/A	N/A	7820838
13C2-Perfluorohexanoic acid	%	72	N/A	N/A	98	N/A	N/A	7820838
13C2-perfluorotetradecanoic acid	%	47 (2)	N/A	N/A	51	N/A	N/A	7820838
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable (1) Extracted internal standard analyte recovery was below the defined lower control limit (LCL). Laboratory spiked water resulted in satisfactory recovery of the extracted internal standard analyte. When considered together, these QC data suggest that matrix interferences may be increasing the variability of the associated native analyte result (PFDoA). (2) Extracted internal standard analyte recovery was below the defined lower control limit (LCL). Laboratory spiked water resulted in satisfactory recovery of the extracted internal standard analyte. When considered together, these QC data suggest that matrix interferences may be increasing the variability of the associated native analyte results (PFTrDA, PFTeDA).								



Bureau Veritas Job #: C223630  
Report Date: 2022/02/15

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		RSM962			RSM963			
Sampling Date		2022/01/25 14:45			2022/01/25 14:50			
COC Number		n/a			n/a			
	UNITS	INFLUENT (PRW-4)	RDL	MDL	SYSTEM#1 MIDPOINT	RDL	MDL	QC Batch
13C2-Perfluoroundecanoic acid	%	54	N/A	N/A	80	N/A	N/A	7820838
13C3-Perfluorobutanesulfonic acid	%	67	N/A	N/A	90	N/A	N/A	7820838
13C4-Perfluorobutanoic acid	%	63	N/A	N/A	84	N/A	N/A	7820838
13C4-Perfluoroheptanoic acid	%	64	N/A	N/A	81	N/A	N/A	7820838
13C4-Perfluorooctanesulfonic acid	%	62	N/A	N/A	78	N/A	N/A	7820838
13C4-Perfluorooctanoic acid	%	67	N/A	N/A	88	N/A	N/A	7820838
13C5-Perfluorononanoic acid	%	63	N/A	N/A	83	N/A	N/A	7820838
13C5-Perfluoropentanoic acid	%	62	N/A	N/A	88	N/A	N/A	7820838
13C8-Perfluorooctane Sulfonamide	%	55	N/A	N/A	77	N/A	N/A	7820838
18O2-Perfluorohexanesulfonic acid	%	67	N/A	N/A	86	N/A	N/A	7820838
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable								



Bureau Veritas Job #: C223630  
Report Date: 2022/02/15

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

## RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		RSM964			RSM965	RSM966			
Sampling Date		2022/01/25 14:55			2022/01/25 14:40	2022/01/25 14:30			
COC Number		n/a			n/a	n/a			
	UNITS	SYSTEM#1 EFFLUENT	RDL	MDL	SYSTEM#2 MIDPOINT	SYSTEM#2 EFFLUENT	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>									
Perfluorobutanoic acid (PFBA)	ng/L	<2.0	2.0	0.67	18	19	2.0	0.67	7820838
Perfluoropentanoic acid (PFPeA)	ng/L	<2.0	2.0	0.52	64	61	2.0	0.52	7820838
Perfluorohexanoic acid (PFHxA)	ng/L	<2.0	2.0	0.70	61	69	2.0	0.70	7820838
Perfluoroheptanoic acid (PFHpA)	ng/L	<2.0	2.0	0.51	34	36	2.0	0.51	7820838
Perfluorooctanoic acid (PFOA)	ng/L	<2.0	2.0	0.49	21	22	2.0	0.49	7820838
Perfluorononanoic acid (PFNA)	ng/L	<2.0	2.0	0.80	19	18	2.0	0.80	7820838
Perfluorodecanoic acid (PFDA)	ng/L	<2.0	2.0	0.64	4.6	4.8	2.0	0.64	7820838
Perfluoroundecanoic acid (PFUnA)	ng/L	<2.0	2.0	0.77	46	43	2.0	0.77	7820838
Perfluorododecanoic acid (PFDoA)	ng/L	<2.0	2.0	0.59	<2.0	<2.0	2.0	0.59	7820838
Perfluorotridecanoic acid (PFTRDA)	ng/L	<2.0	2.0	0.48	<2.0	<2.0	2.0	0.48	7820838
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<2.0	2.0	0.37	<2.0	<2.0	2.0	0.37	7820838
Perfluorobutanesulfonic acid (PFBS)	ng/L	<2.0	2.0	0.47	7.9	7.8	2.0	0.47	7820838
Perfluoropentanesulfonic acid PFPes	ng/L	<2.0	2.0	0.73	13	12	2.0	0.73	7820838
Perfluorohexanesulfonic acid (PFHxS)	ng/L	<2.0	2.0	0.53	110	110	20	5.3	7820838
Perfluoroheptanesulfonic acid PFHpS	ng/L	<2.0	2.0	0.57	2.9	2.7	2.0	0.57	7820838
Perfluorooctanesulfonic acid (PFOS)	ng/L	<2.0	2.0	0.43	530	550	20	4.3	7820838
Perfluorooctane Sulfonamide (PFOSA)	ng/L	<4.0	4.0	0.81	<4.0	<4.0	4.0	0.81	7820838
6:2 Fluorotelomer sulfonic acid	ng/L	<4.0	4.0	0.59	49	45	4.0	0.59	7820838
8:2 Fluorotelomer sulfonic acid	ng/L	<4.0	4.0	0.75	55	52	4.0	0.75	7820838
<b>Surrogate Recovery (%)</b>									
13C2-6:2-Fluorotelomersulfonic Acid	%	78	N/A	N/A	84	67	N/A	N/A	7820838
13C2-8:2-Fluorotelomersulfonic Acid	%	73	N/A	N/A	72	58	N/A	N/A	7820838
13C2-Perfluorodecanoic acid	%	73	N/A	N/A	72	56	N/A	N/A	7820838
13C2-Perfluorododecanoic acid	%	62	N/A	N/A	65	53	N/A	N/A	7820838
13C2-Perfluorohexanoic acid	%	88	N/A	N/A	87	73	N/A	N/A	7820838
13C2-perfluorotetradecanoic acid	%	35 (1)	N/A	N/A	50	43 (1)	N/A	N/A	7820838
13C2-Perfluoroundecanoic acid	%	67	N/A	N/A	66	52	N/A	N/A	7820838
13C3-Perfluorobutanesulfonic acid	%	85	N/A	N/A	89	69	N/A	N/A	7820838
13C4-Perfluorobutanoic acid	%	86	N/A	N/A	77	61	N/A	N/A	7820838
13C4-Perfluoroheptanoic acid	%	81	N/A	N/A	80	66	N/A	N/A	7820838
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable (1) Extracted internal standard analyte recovery was below the defined lower control limit (LCL). Laboratory spiked water resulted in satisfactory recovery of the extracted internal standard analyte. When considered together, these QC data suggest that matrix interferences may be increasing the variability of the associated native analyte results (PFTrDA, PFTeDA).									



BUREAU  
VERITAS

Bureau Veritas Job #: C223630

Report Date: 2022/02/15

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

## RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		RSM964			RSM965	RSM966			
Sampling Date		2022/01/25 14:55			2022/01/25 14:40	2022/01/25 14:30			
COC Number		n/a			n/a	n/a			
	UNITS	SYSTEM#1 EFFLUENT	RDL	MDL	SYSTEM#2 MIDPOINT	SYSTEM#2 EFFLUENT	RDL	MDL	QC Batch
13C4-Perfluorooctanesulfonic acid	%	70	N/A	N/A	74	59	N/A	N/A	7820838
13C4-Perfluorooctanoic acid	%	81	N/A	N/A	78	62	N/A	N/A	7820838
13C5-Perfluorononanoic acid	%	74	N/A	N/A	72	59	N/A	N/A	7820838
13C5-Perfluoropentanoic acid	%	85	N/A	N/A	76	65	N/A	N/A	7820838
13C8-Perfluorooctane Sulfonamide	%	69	N/A	N/A	69	55	N/A	N/A	7820838
18O2-Perfluorohexanesulfonic acid	%	79	N/A	N/A	72	58	N/A	N/A	7820838

RDL = Reportable Detection Limit

QC Batch = Quality Control Batch

N/A = Not Applicable



Bureau Veritas Job #: C223630  
Report Date: 2022/02/15

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

## TEST SUMMARY

**Bureau Veritas ID:** RSM962  
**Sample ID:** INFLUENT (PRW-4)  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7820838	2022/02/07	2022/02/09	Aby Thong

**Bureau Veritas ID:** RSM963  
**Sample ID:** SYSTEM#1 MIDPOINT  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7820838	2022/02/07	2022/02/09	Aby Thong

**Bureau Veritas ID:** RSM964  
**Sample ID:** SYSTEM#1 EFFLUENT  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7820838	2022/02/07	2022/02/09	Aby Thong

**Bureau Veritas ID:** RSM965  
**Sample ID:** SYSTEM#2 MIDPOINT  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7820838	2022/02/07	2022/02/09	Aby Thong

**Bureau Veritas ID:** RSM966  
**Sample ID:** SYSTEM#2 EFFLUENT  
**Matrix:** Water

**Collected:** 2022/01/25  
**Shipped:**  
**Received:** 2022/01/28

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7820838	2022/02/07	2022/02/10	Aby Thong





Bureau Veritas Job #: C223630  
Report Date: 2022/02/15

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### GENERAL COMMENTS

Sample RSM962 [INFLUENT (PRW-4)] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample RSM963 [SYSTEM#1 MIDPOINT] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample RSM965 [SYSTEM#2 MIDPOINT] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample RSM966 [SYSTEM#2 EFFLUENT] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

**Results relate only to the items tested.**



**BUREAU  
VERITAS**

Bureau Veritas Job #: C223630

Report Date: 2022/02/15

Barnstable County

Client Project #: BFTA

Site Location: BARNSTABLE, MA

Sampler Initials: MM

## QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7820838	ATN	Spiked Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/02/09		105	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/02/09		106	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/02/09		104	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/02/09		94	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/02/09		116	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/02/09		93	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/02/09		94	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/02/09		104	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/02/09		103	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/02/09		90	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/02/09		97	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/02/09		102	%	50 - 150
			13C5-Perfluorononanoic acid	2022/02/09		106	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/02/09		103	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/02/09		88	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/02/09		96	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/02/09		99	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/02/09		102	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/02/09		91	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/02/09		110	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/02/09		97	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/02/09		96	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/02/09		96	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/02/09		101	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/02/09		103	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/02/09		99	%	70 - 130
			Perfluorotetradecanoic acid (PFTEDA)	2022/02/09		100	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/02/09		103	%	70 - 130
			Perfluoropentanesulfonic acid (PFPeS)	2022/02/09		107	%	70 - 130
			Perfluorohexanesulfonic acid (PFHxS)	2022/02/09		104	%	70 - 130
			Perfluoroheptanesulfonic acid (PFHpS)	2022/02/09		114	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/02/09		105	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/02/09		98	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/02/09		97	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/02/09		98	%	70 - 130
7820838	ATN	Spiked Blank DUP	13C2-6:2-Fluorotelomersulfonic Acid	2022/02/09		96	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/02/09		98	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/02/09		96	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/02/09		88	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/02/09		104	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/02/09		90	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/02/09		89	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/02/09		100	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/02/09		103	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/02/09		90	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/02/09		92	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/02/09		97	%	50 - 150
			13C5-Perfluorononanoic acid	2022/02/09		96	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/02/09		95	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/02/09		81	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/02/09		97	%	50 - 150



Bureau Veritas Job #: C223630  
Report Date: 2022/02/15

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7820838	ATN	RPD		Perfluorobutanoic acid (PFBA)	2022/02/09		91	%	70 - 130
				Perfluoropentanoic acid (PFPeA)	2022/02/09		92	%	70 - 130
				Perfluorohexanoic acid (PFHxA)	2022/02/09		92	%	70 - 130
				Perfluoroheptanoic acid (PFHpA)	2022/02/09		94	%	70 - 130
				Perfluorooctanoic acid (PFOA)	2022/02/09		92	%	70 - 130
				Perfluorononanoic acid (PFNA)	2022/02/09		93	%	70 - 130
				Perfluorodecanoic acid (PFDA)	2022/02/09		91	%	70 - 130
				Perfluoroundecanoic acid (PFUnA)	2022/02/09		94	%	70 - 130
				Perfluorododecanoic acid (PFDoA)	2022/02/09		96	%	70 - 130
				Perfluorotridecanoic acid (PFTRDA)	2022/02/09		98	%	70 - 130
				Perfluorotetradecanoic acid(PFTEDA)	2022/02/09		91	%	70 - 130
				Perfluorobutanesulfonic acid (PFBS)	2022/02/09		95	%	70 - 130
				Perfluoropentanesulfonic acid PFPes	2022/02/09		99	%	70 - 130
				Perfluorohexanesulfonic acid(PFHxS)	2022/02/09		91	%	70 - 130
				Perfluoroheptanesulfonic acid PFHpS	2022/02/09		102	%	70 - 130
				Perfluorooctanesulfonic acid (PFOS)	2022/02/09		97	%	70 - 130
				Perfluorooctane Sulfonamide (PFOSA)	2022/02/09		96	%	70 - 130
				6:2 Fluorotelomer sulfonic acid	2022/02/09		94	%	70 - 130
				8:2 Fluorotelomer sulfonic acid	2022/02/09		90	%	70 - 130
				Perfluorobutanoic acid (PFBA)	2022/02/09	8.3		%	30
				Perfluoropentanoic acid (PFPeA)	2022/02/09	11		%	30
				Perfluorohexanoic acid (PFHxA)	2022/02/09	1.4		%	30
				Perfluoroheptanoic acid (PFHpA)	2022/02/09	16		%	30
				Perfluorooctanoic acid (PFOA)	2022/02/09	5.8		%	30
				Perfluorononanoic acid (PFNA)	2022/02/09	2.7		%	30
				Perfluorodecanoic acid (PFDA)	2022/02/09	4.9		%	30
				Perfluoroundecanoic acid (PFUnA)	2022/02/09	7.7		%	30
				Perfluorododecanoic acid (PFDoA)	2022/02/09	6.2		%	30
				Perfluorotridecanoic acid (PFTRDA)	2022/02/09	1.5		%	30
				Perfluorotetradecanoic acid(PFTEDA)	2022/02/09	9.5		%	30
				Perfluorobutanesulfonic acid (PFBS)	2022/02/09	7.8		%	30
				Perfluoropentanesulfonic acid PFPes	2022/02/09	8.3		%	30
				Perfluorohexanesulfonic acid(PFHxS)	2022/02/09	13		%	30
				Perfluoroheptanesulfonic acid PFHpS	2022/02/09	11		%	30
				Perfluorooctanesulfonic acid (PFOS)	2022/02/09	7.8		%	30
				Perfluorooctane Sulfonamide (PFOSA)	2022/02/09	1.9		%	30
				6:2 Fluorotelomer sulfonic acid	2022/02/09	3.5		%	30
				8:2 Fluorotelomer sulfonic acid	2022/02/09	8.2		%	30
7820838	ATN	Method Blank		13C2-6:2-Fluorotelomersulfonic Acid	2022/02/09		93	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/02/09		87	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/02/09		84	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/02/09		78	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/02/09		89	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/02/09		93	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/02/09		83	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/02/09		94	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/02/09		95	%	50 - 150
				13C4-Perfluoroheptanoic acid	2022/02/09		89	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/02/09		80	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/02/09		88	%	50 - 150
				13C5-Perfluorononanoic acid	2022/02/09		89	%	50 - 150



Bureau Veritas Job #: C223630  
Report Date: 2022/02/15

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			13C5-Perfluoropentanoic acid	2022/02/09		94	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/02/09		65	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/02/09		81	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/02/09	<2.0		ng/L	
			Perfluoropentanoic acid (PFPeA)	2022/02/09	<2.0		ng/L	
			Perfluorohexanoic acid (PFHxA)	2022/02/09	<2.0		ng/L	
			Perfluoroheptanoic acid (PFHpA)	2022/02/09	<2.0		ng/L	
			Perfluorooctanoic acid (PFOA)	2022/02/09	<2.0		ng/L	
			Perfluorononanoic acid (PFNA)	2022/02/09	<2.0		ng/L	
			Perfluorodecanoic acid (PFDA)	2022/02/09	<2.0		ng/L	
			Perfluoroundecanoic acid (PFUnA)	2022/02/09	<2.0		ng/L	
			Perfluorododecanoic acid (PFDoA)	2022/02/09	<2.0		ng/L	
			Perfluorotridecanoic acid (PFTRDA)	2022/02/09	<2.0		ng/L	
			Perfluorotetradecanoic acid(PFTEDA)	2022/02/09	<2.0		ng/L	
			Perfluorobutanesulfonic acid (PFBS)	2022/02/09	<2.0		ng/L	
			Perfluoropentanesulfonic acid PFPes	2022/02/09	<2.0		ng/L	
			Perfluorohexanesulfonic acid(PFHxS)	2022/02/09	<2.0		ng/L	
			Perfluoroheptanesulfonic acid PFHpS	2022/02/09	<2.0		ng/L	
			Perfluorooctanesulfonic acid (PFOS)	2022/02/09	<2.0		ng/L	
			Perfluorooctane Sulfonamide (PFOSA)	2022/02/09	<4.0		ng/L	
			6:2 Fluorotelomer sulfonic acid	2022/02/09	<4.0		ng/L	
			8:2 Fluorotelomer sulfonic acid	2022/02/09	<4.0		ng/L	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



Bureau Veritas Job #: C223630  
Report Date: 2022/02/15

Barnstable County  
Client Project #: BFTA  
Site Location: BARNSTABLE, MA  
Sampler Initials: MM

### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in black ink, appearing to read "Sin Chii Chia".

---

Sin Chii Chia, Scientific Specialist

---

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road, Mississauga, Ontario L5N 2L8  
Phone: 905-817-5700 Fax: 905-817-5779 Toll Free: 800-563-6266

## CHAIN OF CUSTODY RECORD

ENV COC - 00014v2

Page 1 of

28-Jan-22 12:49

Lori Dufour



**C223630**

RJM ENV-1458

Invoice Information				Report Information (if differs from invoice)				Project Information				28-Jan-22 12:49			
Company: Barnstable County				Company: BETA Group				Quotation #:				Lori Dufour			
Contact Name: Priscilla Ellis Sterechebo				Contact Name: Roger Thibault				P.O. #/ AFER:				71111111111111111111111111111111			
Street Address: PO Box 427 Main St.				Street Address: 901 George Wash. Hwy				Project #:				C223630			
City: Barnstable		Prov: MA		City: Lincoln		Prov: RI		Postal Code: 02815		Site #:		Barnstable FTA		Barnstable, MA	
Phone:				Phone: 401-333-2352				Site Location:				RJM ENV-1458			
Email: peilis@barnstablecounty.ma				Email: nmendes@beta-inc.com				Site Location Province:							
Copies: stcbo@barnstablecounty.ma				Copies: rthibault@beta-inc.com				Sampled By: Mykel Mendes							
Regulatory Criteria				1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22				Regular Turnaround Time (TAT)							
<input type="checkbox"/> Table 1 <input type="checkbox"/> Res/Park <input type="checkbox"/> Med/Fine <input type="checkbox"/> CCME <input type="checkbox"/> Reg 406, Table: <input type="checkbox"/> Reg 558* <input type="checkbox"/> Sanitary Sewer Bylaw <input type="checkbox"/> Table 2 <input type="checkbox"/> Ind/Comm <input type="checkbox"/> Course <input type="checkbox"/> MISA <input type="checkbox"/> Storm Sewer Bylaw <input type="checkbox"/> Table 3 <input type="checkbox"/> Agri/other <input type="checkbox"/> For RSC <input type="checkbox"/> PWQLO <input type="checkbox"/> Other: <input checked="" type="checkbox"/> Mass DEP GW-1				Include Criteria on Certificate of Analysis (check if yes):				Rush Turnaround Time (TAT) Surcharges apply							
SAMPLES MUST BE KEPT COOL (<10°C) FROM TIME OF SAMPLING UNTIL DELIVERY TO BUREAU VERITAS								Same Day <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 4 Day <input type="checkbox"/>							
Sample Identification				Date Sampled				Time (24hr)				Matrix			
				YY MM DD HH MM											
1 INFLUENT (PRW-4)				22 01 25 14 45				GW							
2 SYSTEM#1 MIDPOINT				22 01 25 14 50											
3 SYSTEM#1 EFFLUENT				22 01 25 14 55											
4 SYSTEM #2 MIDPOINT				22 01 25 14 40											
5 SYSTEM #2 EFFLUENT				22 01 25 14 30				GW							
6															
7															
8															
9															
10															
11															
12															
*UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO BUREAU VERITAS STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS AND CONDITIONS WHICH ARE AVAILABLE FOR VIEWING AT WWW.BVNA.COM/TERMS-AND-CONDITIONS OR BY CALLING THE LABORATORY LISTED ABOVE TO OBTAIN A COPY															
LAB USE ONLY				LAB USE ONLY				LAB USE ONLY				Temperature reading by			
Seal present				Seal present				Seal present							
Seal intact				Seal intact				Seal intact							
Cooling media present				Cooling media present				Cooling media present							
Relinquished by: (Signature/ Print)				Received by: (Signature/ Print)				Special Instructions							
Mykel Mendes				Roy Mawani											
22 01 27 10 00				2022 01 28 12 49											





Your Project #: BARNSTABLE COUNTY/6206  
Site#: BCFRTA  
Your C.O.C. #: 747591-06-01

**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/03/14**  
Report #: R7042263  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C253566**

**Received: 2022/03/01, 13:13**

Sample Matrix: Water  
# Samples Received: 3

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Low level PFOS and PFOA by SPE/LCMS (1)	3	2022/03/10	2022/03/11	CAM SOP-00894	EPA 537 m

**Remarks:**

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Per- and polyfluoroalkyl substances (PFAS) identified as surrogates on the certificate of analysis represent the extracted internal standard.



Your Project #: BARNSTABLE COUNTY/6206  
Site#: BCFRTA  
Your C.O.C. #: 747591-06-01

**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/03/14**  
Report #: R7042263  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C253566**

**Received: 2022/03/01, 13:13**

**Encryption Key**

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Lori Dufour, Project Manager

Email: [Lori.Dufour@bureauveritas.com](mailto:Lori.Dufour@bureauveritas.com)

Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.  
For Service Group specific validation please refer to the Validation Signature Page.

BUREAU  
VERITAS

Bureau Veritas Job #: C253566

Report Date: 2022/03/14

Barnstable County

Client Project #: BARNSTABLE COUNTY/6206

Sampler Initials: LB

## RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		RYY758	RYY759			RYY760			
Sampling Date		2022/02/24 11:45	2022/02/24 11:50			2022/02/24 11:55			
COC Number		747591-06-01	747591-06-01			747591-06-01			
	UNITS	INFLUEBNT (PRW-4)	SYSTEM #1 MIDPOINT	RDL	MDL	SYSTEM #1 EFFLUENT	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>									
Perfluorobutanoic acid (PFBA)	ng/L	20	18	2.0	0.67	<0.67	2.0	0.67	7875771
Perfluoropentanoic acid (PFPeA)	ng/L	74	62	2.0	0.52	<0.52	2.0	0.52	7875771
Perfluorohexanoic acid (PFHxA)	ng/L	66	56	2.0	0.70	<0.70	2.0	0.70	7875771
Perfluoroheptanoic acid (PFHpA)	ng/L	39	33	2.0	0.51	<0.51	2.0	0.51	7875771
Perfluorooctanoic acid (PFOA)	ng/L	29	26	2.0	0.49	<0.49	2.0	0.49	7875771
Perfluorononanoic acid (PFNA)	ng/L	19	17	2.0	0.80	<0.80	2.0	0.80	7875771
Perfluorodecanoic acid (PFDA)	ng/L	4.1	3.4	2.0	0.64	<0.64	2.0	0.64	7875771
Perfluoroundecanoic acid (PFUnA)	ng/L	34	36	2.0	0.77	<0.77	2.0	0.77	7875771
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	<0.59	2.0	0.59	<0.59	2.0	0.59	7875771
Perfluorotridecanoic acid (PFTTrDA)	ng/L	<0.48	<0.48	2.0	0.48	<0.48	2.0	0.48	7875771
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	<0.37	2.0	0.37	<0.37	2.0	0.37	7875771
Perfluorobutanesulfonic acid (PFBS)	ng/L	10	8.2	2.0	0.47	<0.47	2.0	0.47	7875771
Perfluoropentanesulfonic acid PFPeS	ng/L	17	13	2.0	0.73	<0.73	2.0	0.73	7875771
Perfluorohexanesulfonic acid (PFHxS)	ng/L	130	110	20	5.3	<0.53	2.0	0.53	7875771
Perfluoroheptanesulfonic acid PFHpS	ng/L	5.9	4.4	2.0	0.57	<0.57	2.0	0.57	7875771
Perfluorooctanesulfonic acid (PFOS)	ng/L	610	620	20	4.3	<0.43	2.0	0.43	7875771
Perfluorononanesulfonic acid (PFNS)	ng/L	<0.64	<0.64	2.0	0.64	<0.64	2.0	0.64	7875771
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	<0.53	2.0	0.53	<0.53	2.0	0.53	7875771
Perfluorooctane Sulfonamide (PFOSA)	ng/L	3.1	3.3	4.0	0.81	<0.81	4.0	0.81	7875771
6:2 Fluorotelomer sulfonic acid	ng/L	65	54	4.0	0.59	<0.59	4.0	0.59	7875771
8:2 Fluorotelomer sulfonic acid	ng/L	46	43	4.0	0.75	<0.75	4.0	0.75	7875771
<b>Surrogate Recovery (%)</b>									
13C2-6:2-Fluorotelomersulfonic Acid	%	87	89	N/A	N/A	95	N/A	N/A	7875771
13C2-8:2-Fluorotelomersulfonic Acid	%	95	91	N/A	N/A	91	N/A	N/A	7875771
13C2-Perfluorodecanoic acid	%	94	102	N/A	N/A	103	N/A	N/A	7875771
13C2-Perfluorododecanoic acid	%	87	90	N/A	N/A	92	N/A	N/A	7875771
13C2-Perfluorohexanoic acid	%	82	101	N/A	N/A	88	N/A	N/A	7875771
13C2-perfluorotetradecanoic acid	%	72	71	N/A	N/A	66	N/A	N/A	7875771
13C2-Perfluoroundecanoic acid	%	91	95	N/A	N/A	96	N/A	N/A	7875771
13C3-Perfluorobutanesulfonic acid	%	98	110	N/A	N/A	111	N/A	N/A	7875771
13C4-Perfluorobutanoic acid	%	89	99	N/A	N/A	80	N/A	N/A	7875771
13C4-Perfluoroheptanoic acid	%	81	102	N/A	N/A	94	N/A	N/A	7875771
13C4-Perfluorooctanesulfonic acid	%	84	77	N/A	N/A	109	N/A	N/A	7875771
RDL = Reportable Detection Limit									
QC Batch = Quality Control Batch									
N/A = Not Applicable									



BUREAU  
VERITAS

Bureau Veritas Job #: C253566

Report Date: 2022/03/14

Barnstable County

Client Project #: BARNSTABLE COUNTY/6206

Sampler Initials: LB

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		YYY758	YYY759			YYY760			
Sampling Date		2022/02/24 11:45	2022/02/24 11:50			2022/02/24 11:55			
COC Number		747591-06-01	747591-06-01			747591-06-01			
	UNITS	INFLUEBNT (PRW-4)	SYSTEM #1 MIDPOINT	RDL	MDL	SYSTEM #1 EFFLUENT	RDL	MDL	QC Batch
13C4-Perfluorooctanoic acid	%	88	103	N/A	N/A	98	N/A	N/A	7875771
13C5-Perfluorononanoic acid	%	93	105	N/A	N/A	101	N/A	N/A	7875771
13C5-Perfluoropentanoic acid	%	78	95	N/A	N/A	82	N/A	N/A	7875771
13C8-Perfluorooctane Sulfonamide	%	35	30	N/A	N/A	21	N/A	N/A	7875771
18O2-Perfluorohexanesulfonic acid	%	86	99	N/A	N/A	111	N/A	N/A	7875771
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									



Bureau Veritas Job #: C253566  
Report Date: 2022/03/14

Barnstable County  
Client Project #: BARNSTABLE COUNTY/6206  
Sampler Initials: LB

## TEST SUMMARY

**Bureau Veritas ID:** RYY758  
**Sample ID:** INFLUEBNT (PRW-4)  
**Matrix:** Water

**Collected:** 2022/02/24  
**Shipped:**  
**Received:** 2022/03/01

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7875771	2022/03/10	2022/03/11	Adnan Khan

**Bureau Veritas ID:** RYY759  
**Sample ID:** SYSTEM #1 MIDPOINT  
**Matrix:** Water

**Collected:** 2022/02/24  
**Shipped:**  
**Received:** 2022/03/01

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7875771	2022/03/10	2022/03/11	Adnan Khan

**Bureau Veritas ID:** RYY760  
**Sample ID:** SYSTEM #1 EFFLUENT  
**Matrix:** Water

**Collected:** 2022/02/24  
**Shipped:**  
**Received:** 2022/03/01

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7875771	2022/03/10	2022/03/11	Adnan Khan



Bureau Veritas Job #: C253566  
Report Date: 2022/03/14

Barnstable County  
Client Project #: BARNSTABLE COUNTY/6206  
Sampler Initials: LB

### GENERAL COMMENTS

Sample RYY758 [INFLUEBNT (PRW-4)] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample RYY759 [SYSTEM #1 MIDPOINT] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

**Results relate only to the items tested.**



BUREAU  
VERITAS

Bureau Veritas Job #: C253566

Report Date: 2022/03/14

Barnstable County

Client Project #: BARNSTABLE COUNTY/6206

Sampler Initials: LB

## QUALITY ASSURANCE REPORT

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7875771	AKH	Spiked Blank		13C2-6:2-Fluorotelomersulfonic Acid	2022/03/11		90	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/03/11		94	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/03/11		94	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/03/11		87	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/03/11		94	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/03/11		79	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/03/11		89	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/03/11		95	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/03/11		92	%	50 - 150
				13C4-Perfluoroheptanoic acid	2022/03/11		94	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/03/11		96	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/03/11		97	%	50 - 150
				13C5-Perfluorononanoic acid	2022/03/11		97	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/03/11		93	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/03/11		9.2 (1)	%	20 - 130
				18O2-Perfluorohexanesulfonic acid	2022/03/11		98	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/03/11		95	%	70 - 130
				Perfluoropentanoic acid (PFPeA)	2022/03/11		95	%	70 - 130
				Perfluorohexanoic acid (PFHxA)	2022/03/11		96	%	70 - 130
				Perfluoroheptanoic acid (PFHpA)	2022/03/11		94	%	70 - 130
				Perfluorooctanoic acid (PFOA)	2022/03/11		94	%	70 - 130
				Perfluorononanoic acid (PFNA)	2022/03/11		96	%	70 - 130
				Perfluorodecanoic acid (PFDA)	2022/03/11		96	%	70 - 130
				Perfluoroundecanoic acid (PFUnA)	2022/03/11		93	%	70 - 130
				Perfluorododecanoic acid (PFDoA)	2022/03/11		95	%	70 - 130
				Perfluorotridecanoic acid (PFTRDA)	2022/03/11		99	%	70 - 130
				Perfluorotetradecanoic acid (PFTEDA)	2022/03/11		97	%	70 - 130
				Perfluorobutanesulfonic acid (PFBS)	2022/03/11		108	%	70 - 130
				Perfluoropentanesulfonic acid (PFPeS)	2022/03/11		103	%	70 - 130
				Perfluorohexanesulfonic acid (PFHxS)	2022/03/11		97	%	70 - 130
				Perfluoroheptanesulfonic acid (PFHpS)	2022/03/11		95	%	70 - 130
				Perfluorooctanesulfonic acid (PFOS)	2022/03/11		102	%	70 - 130
				Perfluorononanesulfonic acid (PFNS)	2022/03/11		90	%	70 - 130
				Perfluorodecanesulfonic acid (PFDS)	2022/03/11		90	%	70 - 130
				Perfluorooctane Sulfonamide (PFOSA)	2022/03/11		105	%	70 - 130
				6:2 Fluorotelomer sulfonic acid	2022/03/11		99	%	70 - 130
				8:2 Fluorotelomer sulfonic acid	2022/03/11		98	%	70 - 130
7875771	AKH	Spiked Blank DUP		13C2-6:2-Fluorotelomersulfonic Acid	2022/03/11		99	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/03/11		103	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/03/11		104	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/03/11		94	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/03/11		107	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/03/11		89	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/03/11		100	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/03/11		108	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/03/11		102	%	50 - 150
				13C4-Perfluoroheptanoic acid	2022/03/11		103	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/03/11		106	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/03/11		107	%	50 - 150
				13C5-Perfluorononanoic acid	2022/03/11		105	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/03/11		104	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/03/11		20	%	20 - 130



Bureau Veritas Job #: C253566  
Report Date: 2022/03/14

Barnstable County  
Client Project #: BARNSTABLE COUNTY/6206  
Sampler Initials: LB

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
				18O2-Perfluorohexanesulfonic acid	2022/03/11		108	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/03/11		97	%	70 - 130
				Perfluoropentanoic acid (PFPeA)	2022/03/11		96	%	70 - 130
				Perfluorohexanoic acid (PFHxA)	2022/03/11		94	%	70 - 130
				Perfluoroheptanoic acid (PFHpA)	2022/03/11		94	%	70 - 130
				Perfluorooctanoic acid (PFOA)	2022/03/11		95	%	70 - 130
				Perfluorononanoic acid (PFNA)	2022/03/11		97	%	70 - 130
				Perfluorodecanoic acid (PFDA)	2022/03/11		98	%	70 - 130
				Perfluoroundecanoic acid (PFUnA)	2022/03/11		90	%	70 - 130
				Perfluorododecanoic acid (PFDoA)	2022/03/11		95	%	70 - 130
				Perfluorotridecanoic acid (PFTRDA)	2022/03/11		98	%	70 - 130
				Perfluorotetradecanoic acid(PFTEDA)	2022/03/11		98	%	70 - 130
				Perfluorobutanesulfonic acid (PFBS)	2022/03/11		106	%	70 - 130
				Perfluoropentanesulfonic acid PFPes	2022/03/11		102	%	70 - 130
				Perfluorohexanesulfonic acid(PFHxS)	2022/03/11		98	%	70 - 130
				Perfluoroheptanesulfonic acid PFHpS	2022/03/11		94	%	70 - 130
				Perfluorooctanesulfonic acid (PFOS)	2022/03/11		100	%	70 - 130
				Perfluorononanesulfonic acid (PFNS)	2022/03/11		91	%	70 - 130
				Perfluorodecanesulfonic acid (PFDS)	2022/03/11		88	%	70 - 130
				Perfluorooctane Sulfonamide (PFOSA)	2022/03/11		103	%	70 - 130
				6:2 Fluorotelomer sulfonic acid	2022/03/11		99	%	70 - 130
				8:2 Fluorotelomer sulfonic acid	2022/03/11		97	%	70 - 130
7875771	AKH	RPD		Perfluorobutanoic acid (PFBA)	2022/03/11	2.2		%	30
				Perfluoropentanoic acid (PFPeA)	2022/03/11	0.92		%	30
				Perfluorohexanoic acid (PFHxA)	2022/03/11	1.8		%	30
				Perfluoroheptanoic acid (PFHpA)	2022/03/11	0.71		%	30
				Perfluorooctanoic acid (PFOA)	2022/03/11	0.66		%	30
				Perfluorononanoic acid (PFNA)	2022/03/11	1.7		%	30
				Perfluorodecanoic acid (PFDA)	2022/03/11	1.9		%	30
				Perfluoroundecanoic acid (PFUnA)	2022/03/11	2.9		%	30
				Perfluorododecanoic acid (PFDoA)	2022/03/11	0.051		%	30
				Perfluorotridecanoic acid (PFTRDA)	2022/03/11	0.55		%	30
				Perfluorotetradecanoic acid(PFTEDA)	2022/03/11	0.79		%	30
				Perfluorobutanesulfonic acid (PFBS)	2022/03/11	1.9		%	30
				Perfluoropentanesulfonic acid PFPes	2022/03/11	1.1		%	30
				Perfluorohexanesulfonic acid(PFHxS)	2022/03/11	0.47		%	30
				Perfluoroheptanesulfonic acid PFHpS	2022/03/11	0.081		%	30
				Perfluorooctanesulfonic acid (PFOS)	2022/03/11	1.9		%	30
				Perfluorononanesulfonic acid (PFNS)	2022/03/11	0.42		%	30
				Perfluorodecanesulfonic acid (PFDS)	2022/03/11	1.8		%	30
				Perfluorooctane Sulfonamide (PFOSA)	2022/03/11	1.1		%	30
				6:2 Fluorotelomer sulfonic acid	2022/03/11	0.53		%	30
				8:2 Fluorotelomer sulfonic acid	2022/03/11	1.5		%	30
7875771	AKH	Method Blank		13C2-6:2-Fluorotelomersulfonic Acid	2022/03/11		99	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/03/11		97	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/03/11		101	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/03/11		93	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/03/11		100	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/03/11		90	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/03/11		96	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/03/11		106	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/03/11		100	%	50 - 150



### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
				13C4-Perfluoroheptanoic acid	2022/03/11		101	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/03/11		103	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/03/11		102	%	50 - 150
				13C5-Perfluorononanoic acid	2022/03/11		103	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/03/11		100	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/03/11		37	%	20 - 130
				18O2-Perfluorohexanesulfonic acid	2022/03/11		103	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/03/11	<0.67		ng/L	
				Perfluoropentanoic acid (PFPeA)	2022/03/11	<0.52		ng/L	
				Perfluorohexanoic acid (PFHxA)	2022/03/11	<0.70		ng/L	
				Perfluoroheptanoic acid (PFHpA)	2022/03/11	<0.51		ng/L	
				Perfluorooctanoic acid (PFOA)	2022/03/11	<0.49		ng/L	
				Perfluorononanoic acid (PFNA)	2022/03/11	<0.80		ng/L	
				Perfluorodecanoic acid (PFDA)	2022/03/11	<0.64		ng/L	
				Perfluoroundecanoic acid (PFUnA)	2022/03/11	<0.77		ng/L	
				Perfluorododecanoic acid (PFDoA)	2022/03/11	<0.59		ng/L	
				Perfluorotridecanoic acid (PFTRDA)	2022/03/11	<0.48		ng/L	
				Perfluorotetradecanoic acid(PFTEDA)	2022/03/11	<0.37		ng/L	
				Perfluorobutanesulfonic acid (PFBS)	2022/03/11	<0.47		ng/L	
				Perfluoropentanesulfonic acid PFPes	2022/03/11	<0.73		ng/L	
				Perfluorohexanesulfonic acid(PFHxS)	2022/03/11	<0.53		ng/L	
				Perfluoroheptanesulfonic acid PFHpS	2022/03/11	<0.57		ng/L	
				Perfluorooctanesulfonic acid (PFOS)	2022/03/11	<0.43		ng/L	
				Perfluorononanesulfonic acid (PFNS)	2022/03/11	<0.64		ng/L	
				Perfluorodecanesulfonic acid (PFDS)	2022/03/11	<0.53		ng/L	
				Perfluorooctane Sulfonamide (PFOSA)	2022/03/11	<0.81		ng/L	
				6:2 Fluorotelomer sulfonic acid	2022/03/11	<0.59		ng/L	
				8:2 Fluorotelomer sulfonic acid	2022/03/11	<0.75		ng/L	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

(1) Recovery or RPD for this parameter is outside control limits. The overall quality control for this analysis meets acceptability criteria.



Bureau Veritas Job #: C253566  
Report Date: 2022/03/14

Barnstable County  
Client Project #: BARNSTABLE COUNTY/6206  
Sampler Initials: LB

### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in black ink, appearing to be "Colm McNamara", written over a horizontal line.

Colm McNamara, Senior Analyst, Liquid Chromatography

---

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



Bureau Veritas Laboratories  
6740 Campobello Road, Mississauga, Ontario Canada L5N 2L8 Tel: (905) 817-5700 Toll-free 800-563-6266 Fax: (905) 817-5777 www.bvlab.com

01-Mar-22 13:13

Patricia Legette

C253566

KSE

ENV-1108

COC #:



C#747591-06-01

Page of

Bottle Order #:

747591

Project Manager:

Patricia Legette

INVOICE TO:  
Company Name: #29803 Barnstable County  
Attention: Accounts Payable  
Address: 3195 Main Street PO Box 427  
Barnstable MA 02630  
Tel: (508) 362-3828 Ext: 1234 Fax:  
Email: [pellis@barnstablecounty.org](mailto:pellis@barnstablecounty.org), [stebo@barnstableco](mailto:stebo@barnstableco)

REPORT TO:  
Company Name: BETA Group  
Attention: Steven Tebo Roger Thibault  
Address: 701 George Wash Hwy  
Lincoln RI 02865  
Tel: (608) 375-6603 401-353-2886 Fax:  
Email: [stebo@barnstablecounty.org](mailto:stebo@barnstablecounty.org), [rthibault@beta-inc.com](mailto:rthibault@beta-inc.com), [revere@strong.com](mailto:revere@strong.com)

PROJECT INFORMATION:  
Quotation #: B57344  
P.O. #:  
Project: BARNSTABLE COUNTY  
Project Name: B#6206  
Site #: BCFRTA  
Sampled By: Laura Bouley

MOE REGULATED DRINKING WATER OR WATER INTENDED FOR HUMAN CONSUMPTION MUST BE SUBMITTED ON THE BV LABS DRINKING WATER CHAIN OF CUSTODY

Regulation 153 (2011)			Other Regulations		Special Instructions
<input type="checkbox"/> Table 1	<input type="checkbox"/> Res/Park	<input type="checkbox"/> Medium/Fine	<input type="checkbox"/> CCME	<input type="checkbox"/> Sanitary Sewer Bylaw	
<input type="checkbox"/> Table 2	<input type="checkbox"/> Ind/Comm	<input type="checkbox"/> Coarse	<input type="checkbox"/> Reg 558	<input type="checkbox"/> Storm Sewer Bylaw	
<input type="checkbox"/> Table 3	<input type="checkbox"/> Agri/Other	<input type="checkbox"/> For RSC	<input type="checkbox"/> MISA	Municipality	
<input type="checkbox"/> Table			<input type="checkbox"/> PWQO		
			<input checked="" type="checkbox"/> Other	Mass DEP GW-1	

Include Criteria on Certificate of Analysis (Y/N)?

Sample Barcode Label	Sample (Location) Identification	Date Sampled	Time Sampled	Matrix
1	Influent (PRW-4)	2/24/22	11:45	GW
2	System #1 Midpoint	2/24/22	11:50	GW
3	System #1 Effluent	2/24/22	11:55	GW
4				
5				
6				
7				
8				
9				
10				

Field Filtered (please circle):  
Metals / Hg / Cr VI

USEPA 533M (PFAS)

ANALYSIS REQUESTED (PLEASE BE SPECIFIC)

Turnaround Time (TAT) Required:

Please provide advance notice for rush projects

Regular (Standard) TAT:

(will be applied if Rush TAT is not specified):

Standard TAT = 5-7 Working days for most tests.

Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)

Date Required: Time Required:

Rush Confirmation Number:

(call lab for #)

# of Bottles	Comments
2	use lower
2	RDL values
2	for all samples

* RELINQUISHED BY: (Signature/Print)		Date: (YY/MM/DD)	Time	RECEIVED BY: (Signature/Print)		Date: (YY/MM/DD)	Time	# jars used and not submitted	Laboratory Use Only				
Laura Bouley		22/02/22	11:00	Ray Nawam		2022/03/01	1313		Time Sensitive	Temperature (°C) on Reel	Custody Seal	Yes	No
										2.9 2.9 3.2	Present		
											Intact		

\* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO BV LABS' STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT [WWW.BVLABS.COM/TERMS-AND-CONDITIONS](http://WWW.BVLABS.COM/TERMS-AND-CONDITIONS).

\*\* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.

\*\* SAMPLE CONTAINER, PRESERVATION, HOLD TIME AND PACKAGE INFORMATION CAN BE VIEWED AT [WWW.BVLABS.COM/RESOURCES/CHAIN-OF-CUSTODY-FORMS](http://WWW.BVLABS.COM/RESOURCES/CHAIN-OF-CUSTODY-FORMS).

SAMPLES MUST BE KEPT COOL (< 10° C) FROM TIME OF SAMPLING UNTIL DELIVERY TO BV LABS

White: BV Labs Yellow: Client

Bureau Veritas Canada (2019) Inc.

BV-461002



**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

Your Project #: 6206  
Site#: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: N/A

**Report Date: 2022/04/03**  
Report #: R7070799  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C277635**

**Received: 2022/03/24, 12:50**

Sample Matrix: Water  
# Samples Received: 3

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Low level PFOS and PFOA by SPE/LCMS (1)	2	2022/03/28	2022/03/29	CAM SOP-00894	EPA 537 m
Low level PFOS and PFOA by SPE/LCMS (1)	1	2022/03/29	2022/03/30	CAM SOP-00894	EPA 537 m

**Remarks:**

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Per- and polyfluoroalkyl substances (PFAS) identified as surrogates on the certificate of analysis represent the extracted internal standard.





Your Project #: 6206  
Site#: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: N/A

**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/04/03**  
Report #: R7070799  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C277635**

**Received: 2022/03/24, 12:50**

**Encryption Key**

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Lori Dufour, Project Manager

Email: [Lori.Dufour@bureauveritas.com](mailto:Lori.Dufour@bureauveritas.com)

Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.  
For Service Group specific validation please refer to the Validation Signature Page.



BUREAU  
VERITAS

Bureau Veritas Job #: C277635

Report Date: 2022/04/03

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

## RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SEG008				SEG009			
Sampling Date		2022/03/22 10:50				2022/03/22 10:55			
	UNITS	INFLUENT (PRW-4)	RDL	MDL	QC Batch	SYSTEM#1 MIDPOINT	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>									
Perfluorobutanoic acid (PFBA)	ng/L	22	2.0	0.67	7909797	7.2	2.0	0.67	7908002
Perfluoropentanoic acid (PFPeA)	ng/L	83	2.0	0.52	7909797	21	2.0	0.52	7908002
Perfluorohexanoic acid (PFHxA)	ng/L	77	2.0	0.70	7909797	18	2.0	0.70	7908002
Perfluoroheptanoic acid (PFHpA)	ng/L	41	2.0	0.51	7909797	9.2	2.0	0.51	7908002
Perfluorooctanoic acid (PFOA)	ng/L	33	2.0	0.49	7909797	7.4	2.0	0.49	7908002
Perfluorononanoic acid (PFNA)	ng/L	22	2.0	0.80	7909797	5.0	2.0	0.80	7908002
Perfluorodecanoic acid (PFDA)	ng/L	4.4	2.0	0.64	7909797	1.2	2.0	0.64	7908002
Perfluoroundecanoic acid (PFUnA)	ng/L	42	2.0	0.77	7909797	7.8	2.0	0.77	7908002
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	7909797	<0.59	2.0	0.59	7908002
Perfluorotridecanoic acid (PFTnA)	ng/L	<0.48	2.0	0.48	7909797	<0.48	2.0	0.48	7908002
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	7909797	<0.37	2.0	0.37	7908002
Perfluorobutanesulfonic acid (PFBS)	ng/L	10	2.0	0.47	7909797	2.4	2.0	0.47	7908002
Perfluoropentanesulfonic acid (PFPeS)	ng/L	18	2.0	0.73	7909797	2.9	2.0	0.73	7908002
Perfluorohexanesulfonic acid (PFHxS)	ng/L	130	20	5.3	7909797	24	2.0	0.53	7908002
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	6.6	2.0	0.57	7909797	1.5	2.0	0.57	7908002
Perfluorooctanesulfonic acid (PFOS)	ng/L	630	20	4.3	7909797	110	20	4.3	7908002
Perfluorononanesulfonic acid (PFNS)	ng/L	1.2	2.0	0.64	7909797	<0.64	2.0	0.64	7908002
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	7909797	<0.53	2.0	0.53	7908002
Perfluorooctane Sulfonamide (PFOSA)	ng/L	4.1	4.0	0.81	7909797	<0.81	4.0	0.81	7908002
6:2 Fluorotelomer sulfonic acid	ng/L	75	4.0	0.59	7909797	16	4.0	0.59	7908002
8:2 Fluorotelomer sulfonic acid	ng/L	48	4.0	0.75	7909797	9.3	4.0	0.75	7908002
<b>Surrogate Recovery (%)</b>									
13C2-6:2-Fluorotelomersulfonic Acid	%	103	N/A	N/A	7909797	85	N/A	N/A	7908002
13C2-8:2-Fluorotelomersulfonic Acid	%	108	N/A	N/A	7909797	84	N/A	N/A	7908002
13C2-Perfluorodecanoic acid	%	107	N/A	N/A	7909797	85	N/A	N/A	7908002
13C2-Perfluorododecanoic acid	%	98	N/A	N/A	7909797	79	N/A	N/A	7908002
13C2-Perfluorohexanoic acid	%	106	N/A	N/A	7909797	82	N/A	N/A	7908002
13C2-perfluorotetradecanoic acid	%	80	N/A	N/A	7909797	70	N/A	N/A	7908002
13C2-Perfluoroundecanoic acid	%	100	N/A	N/A	7909797	79	N/A	N/A	7908002
13C3-Perfluorobutanesulfonic acid	%	110	N/A	N/A	7909797	90	N/A	N/A	7908002
13C4-Perfluorobutanoic acid	%	101	N/A	N/A	7909797	79	N/A	N/A	7908002
13C4-Perfluoroheptanoic acid	%	108	N/A	N/A	7909797	84	N/A	N/A	7908002
13C4-Perfluorooctanesulfonic acid	%	81	N/A	N/A	7909797	79	N/A	N/A	7908002
13C4-Perfluorooctanoic acid	%	111	N/A	N/A	7909797	87	N/A	N/A	7908002
13C5-Perfluorononanoic acid	%	100	N/A	N/A	7909797	84	N/A	N/A	7908002
RDL = Reportable Detection Limit									
QC Batch = Quality Control Batch									
N/A = Not Applicable									



BUREAU  
VERITAS

Bureau Veritas Job #: C277635

Report Date: 2022/04/03

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

### RESULTS OF ANALYSES OF WATER

<b>Bureau Veritas ID</b>		SEG008				SEG009			
<b>Sampling Date</b>		2022/03/22 10:50				2022/03/22 10:55			
	<b>UNITS</b>	<b>INFLUENT (PRW-4)</b>	<b>RDL</b>	<b>MDL</b>	<b>QC Batch</b>	<b>SYSTEM#1 MIDPOINT</b>	<b>RDL</b>	<b>MDL</b>	<b>QC Batch</b>
13C5-Perfluoropentanoic acid	%	89	N/A	N/A	7909797	79	N/A	N/A	7908002
13C8-Perfluorooctane Sulfonamide	%	68	N/A	N/A	7909797	54	N/A	N/A	7908002
18O2-Perfluorohexanesulfonic acid	%	92	N/A	N/A	7909797	91	N/A	N/A	7908002
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									



### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SEG010			
Sampling Date		2022/03/22 11:00			
	UNITS	SYSTEM#1EFFLUENT	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>					
Perfluorobutanoic acid (PFBA)	ng/L	<0.67	2.0	0.67	7908002
Perfluoropentanoic acid (PFPeA)	ng/L	<0.52	2.0	0.52	7908002
Perfluorohexanoic acid (PFHxA)	ng/L	<0.70	2.0	0.70	7908002
Perfluoroheptanoic acid (PFHpA)	ng/L	<0.51	2.0	0.51	7908002
Perfluorooctanoic acid (PFOA)	ng/L	<0.49	2.0	0.49	7908002
Perfluorononanoic acid (PFNA)	ng/L	<0.80	2.0	0.80	7908002
Perfluorodecanoic acid (PFDA)	ng/L	<0.64	2.0	0.64	7908002
Perfluoroundecanoic acid (PFUnA)	ng/L	<0.77	2.0	0.77	7908002
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	7908002
Perfluorotridecanoic acid (PFTRDA)	ng/L	<0.48	2.0	0.48	7908002
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	7908002
Perfluorobutanesulfonic acid (PFBS)	ng/L	<0.47	2.0	0.47	7908002
Perfluoropentanesulfonic acid (PFPS)	ng/L	<0.73	2.0	0.73	7908002
Perfluorohexanesulfonic acid (PFHxS)	ng/L	<0.53	2.0	0.53	7908002
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	<0.57	2.0	0.57	7908002
Perfluorooctanesulfonic acid (PFOS)	ng/L	<0.43	2.0	0.43	7908002
Perfluorononanesulfonic acid (PFNS)	ng/L	<0.64	2.0	0.64	7908002
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	7908002
Perfluorooctane Sulfonamide (PFOSA)	ng/L	<0.81	4.0	0.81	7908002
6:2 Fluorotelomer sulfonic acid	ng/L	<0.59	4.0	0.59	7908002
8:2 Fluorotelomer sulfonic acid	ng/L	<0.75	4.0	0.75	7908002
<b>Surrogate Recovery (%)</b>					
13C2-6:2-Fluorotelomersulfonic Acid	%	90	N/A	N/A	7908002
13C2-8:2-Fluorotelomersulfonic Acid	%	88	N/A	N/A	7908002
13C2-Perfluorodecanoic acid	%	87	N/A	N/A	7908002
13C2-Perfluorododecanoic acid	%	81	N/A	N/A	7908002
13C2-Perfluorohexanoic acid	%	82	N/A	N/A	7908002
13C2-perfluorotetradecanoic acid	%	70	N/A	N/A	7908002
13C2-Perfluoroundecanoic acid	%	82	N/A	N/A	7908002
13C3-Perfluorobutanesulfonic acid	%	93	N/A	N/A	7908002
13C4-Perfluorobutanoic acid	%	75	N/A	N/A	7908002
13C4-Perfluoroheptanoic acid	%	86	N/A	N/A	7908002
13C4-Perfluorooctanesulfonic acid	%	88	N/A	N/A	7908002
13C4-Perfluorooctanoic acid	%	88	N/A	N/A	7908002
13C5-Perfluorononanoic acid	%	91	N/A	N/A	7908002
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable					



Bureau Veritas Job #: C277635  
Report Date: 2022/04/03

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

### RESULTS OF ANALYSES OF WATER

<b>Bureau Veritas ID</b>		SEG010			
<b>Sampling Date</b>		2022/03/22 11:00			
	<b>UNITS</b>	<b>SYSTEM#1EFFLUENT</b>	<b>RDL</b>	<b>MDL</b>	<b>QC Batch</b>
13C5-Perfluoropentanoic acid	%	78	N/A	N/A	7908002
13C8-Perfluorooctane Sulfonamide	%	31	N/A	N/A	7908002
18O2-Perfluorohexanesulfonic acid	%	93	N/A	N/A	7908002
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable					



Bureau Veritas Job #: C277635  
Report Date: 2022/04/03

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

## TEST SUMMARY

**Bureau Veritas ID:** SEG008  
**Sample ID:** INFLUENT (PRW-4)  
**Matrix:** Water

**Collected:** 2022/03/22  
**Shipped:**  
**Received:** 2022/03/24

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7909797	2022/03/29	2022/03/30	Patrick Yu Peng Li

**Bureau Veritas ID:** SEG009  
**Sample ID:** SYSTEM#1 MIDPOINT  
**Matrix:** Water

**Collected:** 2022/03/22  
**Shipped:**  
**Received:** 2022/03/24

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7908002	2022/03/28	2022/03/29	Thanh Tam Tran

**Bureau Veritas ID:** SEG010  
**Sample ID:** SYSTEM#1EFFLUENT  
**Matrix:** Water

**Collected:** 2022/03/22  
**Shipped:**  
**Received:** 2022/03/24

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7908002	2022/03/28	2022/03/29	Thanh Tam Tran



Bureau Veritas Job #: C277635  
Report Date: 2022/04/03

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

### GENERAL COMMENTS

Sample SEG008 [INFLUENT (PRW-4)] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample SEG009 [SYSTEM#1 MIDPOINT] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

**Results relate only to the items tested.**

BUREAU  
VERITAS

Bureau Veritas Job #: C277635

Report Date: 2022/04/03

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

## QUALITY ASSURANCE REPORT

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7908002	TTM	Spiked Blank		13C2-6:2-Fluorotelomersulfonic Acid	2022/03/29		88	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/03/29		87	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/03/29		86	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/03/29		82	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/03/29		86	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/03/29		79	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/03/29		82	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/03/29		91	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/03/29		89	%	50 - 150
				13C4-Perfluoroheptanoic acid	2022/03/29		88	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/03/29		85	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/03/29		89	%	50 - 150
				13C5-Perfluorononanoic acid	2022/03/29		87	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/03/29		89	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/03/29		65	%	20 - 130
				18O2-Perfluorohexanesulfonic acid	2022/03/29		87	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/03/29		84	%	70 - 130
				Perfluoropentanoic acid (PFPeA)	2022/03/29		85	%	70 - 130
				Perfluorohexanoic acid (PFHxA)	2022/03/29		84	%	70 - 130
				Perfluoroheptanoic acid (PFHpA)	2022/03/29		82	%	70 - 130
				Perfluorooctanoic acid (PFOA)	2022/03/29		85	%	70 - 130
				Perfluorononanoic acid (PFNA)	2022/03/29		85	%	70 - 130
				Perfluorodecanoic acid (PFDA)	2022/03/29		85	%	70 - 130
				Perfluoroundecanoic acid (PFUnA)	2022/03/29		82	%	70 - 130
				Perfluorododecanoic acid (PFDoA)	2022/03/29		85	%	70 - 130
				Perfluorotridecanoic acid (PFTRDA)	2022/03/29		85	%	70 - 130
				Perfluorotetradecanoic acid(PFTEDA)	2022/03/29		85	%	70 - 130
				Perfluorobutanesulfonic acid (PFBS)	2022/03/29		89	%	70 - 130
				Perfluoropentanesulfonic acid PFPes	2022/03/29		85	%	70 - 130
				Perfluorohexanesulfonic acid(PFHxS)	2022/03/29		89	%	70 - 130
				Perfluoroheptanesulfonic acid PFHpS	2022/03/29		80	%	70 - 130
				Perfluorooctanesulfonic acid (PFOS)	2022/03/29		89	%	70 - 130
				Perfluorononanesulfonic acid (PFNS)	2022/03/29		81	%	70 - 130
				Perfluorodecanesulfonic acid (PFDS)	2022/03/29		81	%	70 - 130
				Perfluorooctane Sulfonamide (PFOSA)	2022/03/29		83	%	70 - 130
				6:2 Fluorotelomer sulfonic acid	2022/03/29		87	%	70 - 130
				8:2 Fluorotelomer sulfonic acid	2022/03/29		86	%	70 - 130
7908002	TTM	Spiked Blank DUP		13C2-6:2-Fluorotelomersulfonic Acid	2022/03/29		100	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/03/29		99	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/03/29		99	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/03/29		95	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/03/29		102	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/03/29		91	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/03/29		94	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/03/29		104	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/03/29		104	%	50 - 150
				13C4-Perfluoroheptanoic acid	2022/03/29		103	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/03/29		101	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/03/29		103	%	50 - 150
				13C5-Perfluorononanoic acid	2022/03/29		101	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/03/29		105	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/03/29		90	%	20 - 130





Bureau Veritas Job #: C277635  
Report Date: 2022/04/03

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7908002	TTM	RPD		18O2-Perfluorohexanesulfonic acid	2022/03/29		104	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/03/29		88	%	70 - 130
				Perfluoropentanoic acid (PFPeA)	2022/03/29		88	%	70 - 130
				Perfluorohexanoic acid (PFHxA)	2022/03/29		87	%	70 - 130
				Perfluoroheptanoic acid (PFHpA)	2022/03/29		85	%	70 - 130
				Perfluorooctanoic acid (PFOA)	2022/03/29		90	%	70 - 130
				Perfluorononanoic acid (PFNA)	2022/03/29		90	%	70 - 130
				Perfluorodecanoic acid (PFDA)	2022/03/29		88	%	70 - 130
				Perfluoroundecanoic acid (PFUnA)	2022/03/29		87	%	70 - 130
				Perfluorododecanoic acid (PFDoA)	2022/03/29		88	%	70 - 130
				Perfluorotridecanoic acid (PFTRDA)	2022/03/29		88	%	70 - 130
				Perfluorotetradecanoic acid(PFTEDA)	2022/03/29		89	%	70 - 130
				Perfluorobutanesulfonic acid (PFBS)	2022/03/29		95	%	70 - 130
				Perfluoropentanesulfonic acid PFPes	2022/03/29		86	%	70 - 130
				Perfluorohexanesulfonic acid(PFHxS)	2022/03/29		90	%	70 - 130
				Perfluoroheptanesulfonic acid PFHpS	2022/03/29		85	%	70 - 130
				Perfluorooctanesulfonic acid (PFOS)	2022/03/29		92	%	70 - 130
				Perfluorononanesulfonic acid (PFNS)	2022/03/29		85	%	70 - 130
				Perfluorodecanesulfonic acid (PFDS)	2022/03/29		86	%	70 - 130
				Perfluorooctane Sulfonamide (PFOSA)	2022/03/29		88	%	70 - 130
				6:2 Fluorotelomer sulfonic acid	2022/03/29		91	%	70 - 130
				8:2 Fluorotelomer sulfonic acid	2022/03/29		90	%	70 - 130
				Perfluorobutanoic acid (PFBA)	2022/03/29	4.9		%	30
				Perfluoropentanoic acid (PFPeA)	2022/03/29	3.7		%	30
				Perfluorohexanoic acid (PFHxA)	2022/03/29	3.4		%	30
				Perfluoroheptanoic acid (PFHpA)	2022/03/29	3.0		%	30
				Perfluorooctanoic acid (PFOA)	2022/03/29	5.5		%	30
				Perfluorononanoic acid (PFNA)	2022/03/29	5.6		%	30
				Perfluorodecanoic acid (PFDA)	2022/03/29	3.5		%	30
				Perfluoroundecanoic acid (PFUnA)	2022/03/29	5.9		%	30
				Perfluorododecanoic acid (PFDoA)	2022/03/29	3.5		%	30
				Perfluorotridecanoic acid (PFTRDA)	2022/03/29	3.5		%	30
				Perfluorotetradecanoic acid(PFTEDA)	2022/03/29	5.2		%	30
				Perfluorobutanesulfonic acid (PFBS)	2022/03/29	6.1		%	30
				Perfluoropentanesulfonic acid PFPes	2022/03/29	0.71		%	30
				Perfluorohexanesulfonic acid(PFHxS)	2022/03/29	2.0		%	30
				Perfluoroheptanesulfonic acid PFHpS	2022/03/29	6.0		%	30
				Perfluorooctanesulfonic acid (PFOS)	2022/03/29	3.3		%	30
				Perfluorononanesulfonic acid (PFNS)	2022/03/29	4.2		%	30
				Perfluorodecanesulfonic acid (PFDS)	2022/03/29	5.7		%	30
				Perfluorooctane Sulfonamide (PFOSA)	2022/03/29	5.4		%	30
				6:2 Fluorotelomer sulfonic acid	2022/03/29	4.8		%	30
				8:2 Fluorotelomer sulfonic acid	2022/03/29	4.0		%	30
7908002	TTM	Method Blank		13C2-6:2-Fluorotelomersulfonic Acid	2022/03/29		97	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/03/29		91	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/03/29		89	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/03/29		87	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/03/29		92	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/03/29		85	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/03/29		87	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/03/29		95	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/03/29		95	%	50 - 150



Bureau Veritas Job #: C277635  
Report Date: 2022/04/03

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
				13C4-Perfluoroheptanoic acid	2022/03/29		92	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/03/29		90	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/03/29		95	%	50 - 150
				13C5-Perfluorononanoic acid	2022/03/29		92	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/03/29		94	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/03/29		71	%	20 - 130
				18O2-Perfluorohexanesulfonic acid	2022/03/29		95	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/03/29	<0.67		ng/L	
				Perfluoropentanoic acid (PFPeA)	2022/03/29	<0.52		ng/L	
				Perfluorohexanoic acid (PFHxA)	2022/03/29	<0.70		ng/L	
				Perfluoroheptanoic acid (PFHpA)	2022/03/29	<0.51		ng/L	
				Perfluorooctanoic acid (PFOA)	2022/03/29	<0.49		ng/L	
				Perfluorononanoic acid (PFNA)	2022/03/29	<0.80		ng/L	
				Perfluorodecanoic acid (PFDA)	2022/03/29	<0.64		ng/L	
				Perfluoroundecanoic acid (PFUnA)	2022/03/29	<0.77		ng/L	
				Perfluorododecanoic acid (PFDoA)	2022/03/29	<0.59		ng/L	
				Perfluorotridecanoic acid (PFTRDA)	2022/03/29	<0.48		ng/L	
				Perfluorotetradecanoic acid(PFTEDA)	2022/03/29	<0.37		ng/L	
				Perfluorobutanesulfonic acid (PFBS)	2022/03/29	<0.47		ng/L	
				Perfluoropentanesulfonic acid PFPes	2022/03/29	<0.73		ng/L	
				Perfluorohexanesulfonic acid(PFHxS)	2022/03/29	<0.53		ng/L	
				Perfluoroheptanesulfonic acid PFHpS	2022/03/29	<0.57		ng/L	
				Perfluorooctanesulfonic acid (PFOS)	2022/03/29	<0.43		ng/L	
				Perfluorononanesulfonic acid (PFNS)	2022/03/29	<0.64		ng/L	
				Perfluorodecanesulfonic acid (PFDS)	2022/03/29	<0.53		ng/L	
				Perfluorooctane Sulfonamide (PFOSA)	2022/03/29	<0.81		ng/L	
				6:2 Fluorotelomer sulfonic acid	2022/03/29	<0.59		ng/L	
				8:2 Fluorotelomer sulfonic acid	2022/03/29	<0.75		ng/L	
7909797	YPL	Spiked Blank		13C2-6:2-Fluorotelomersulfonic Acid	2022/03/30		93	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/03/30		92	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/03/30		93	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/03/30		87	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/03/30		97	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/03/30		84	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/03/30		88	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/03/30		96	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/03/30		97	%	50 - 150
				13C4-Perfluoroheptanoic acid	2022/03/30		98	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/03/30		95	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/03/30		99	%	50 - 150
				13C5-Perfluorononanoic acid	2022/03/30		94	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/03/30		97	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/03/30		42	%	20 - 130
				18O2-Perfluorohexanesulfonic acid	2022/03/30		96	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/03/30		89	%	70 - 130
				Perfluoropentanoic acid (PFPeA)	2022/03/30		91	%	70 - 130
				Perfluorohexanoic acid (PFHxA)	2022/03/30		90	%	70 - 130
				Perfluoroheptanoic acid (PFHpA)	2022/03/30		89	%	70 - 130
				Perfluorooctanoic acid (PFOA)	2022/03/30		92	%	70 - 130
				Perfluorononanoic acid (PFNA)	2022/03/30		93	%	70 - 130
				Perfluorodecanoic acid (PFDA)	2022/03/30		90	%	70 - 130
				Perfluoroundecanoic acid (PFUnA)	2022/03/30		90	%	70 - 130

BUREAU  
VERITAS

Bureau Veritas Job #: C277635

Report Date: 2022/04/03

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

## QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7909797	YPL	Spiked Blank DUP	Perfluorododecanoic acid (PFDoA)	2022/03/30		90	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/03/30		86	%	70 - 130
			Perfluorotetradecanoic acid (PFTEDA)	2022/03/30		92	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/03/30		99	%	70 - 130
			Perfluoropentanesulfonic acid (PFPeS)	2022/03/30		94	%	70 - 130
			Perfluorohexanesulfonic acid (PFHxS)	2022/03/30		93	%	70 - 130
			Perfluoroheptanesulfonic acid (PFHpS)	2022/03/30		86	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/03/30		93	%	70 - 130
			Perfluorononanesulfonic acid (PFNS)	2022/03/30		86	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/03/30		85	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/03/30		93	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/03/30		94	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/03/30		95	%	70 - 130
			13C2-6:2-Fluorotelomersulfonic Acid	2022/03/30		101	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/03/30		103	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/03/30		100	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/03/30		90	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/03/30		105	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/03/30		83	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/03/30		95	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/03/30		107	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/03/30		105	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/03/30		105	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/03/30		103	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/03/30		104	%	50 - 150
			13C5-Perfluorononanoic acid	2022/03/30		101	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/03/30		104	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/03/30		43	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/03/30		102	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/03/30		92	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/03/30		94	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/03/30		92	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/03/30		89	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/03/30		96	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/03/30		94	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/03/30		94	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/03/30		89	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/03/30		94	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/03/30		96	%	70 - 130
			Perfluorotetradecanoic acid (PFTEDA)	2022/03/30		93	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/03/30		99	%	70 - 130
			Perfluoropentanesulfonic acid (PFPeS)	2022/03/30		96	%	70 - 130
			Perfluorohexanesulfonic acid (PFHxS)	2022/03/30		98	%	70 - 130
			Perfluoroheptanesulfonic acid (PFHpS)	2022/03/30		89	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/03/30		95	%	70 - 130
			Perfluorononanesulfonic acid (PFNS)	2022/03/30		85	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/03/30		86	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/03/30		93	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/03/30		93	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/03/30		96	%	70 - 130
7909797	YPL	RPD	Perfluorobutanoic acid (PFBA)	2022/03/30	3.1		%	30
			Perfluoropentanoic acid (PFPeA)	2022/03/30	2.9		%	30



BUREAU  
VERITAS

Bureau Veritas Job #: C277635

Report Date: 2022/04/03

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			Perfluorohexanoic acid (PFHxA)	2022/03/30	2.3		%	30
			Perfluoroheptanoic acid (PFHpA)	2022/03/30	0.43		%	30
			Perfluorooctanoic acid (PFOA)	2022/03/30	4.0		%	30
			Perfluorononanoic acid (PFNA)	2022/03/30	1.5		%	30
			Perfluorodecanoic acid (PFDA)	2022/03/30	3.8		%	30
			Perfluoroundecanoic acid (PFUnA)	2022/03/30	1.4		%	30
			Perfluorododecanoic acid (PFDoA)	2022/03/30	4.3		%	30
			Perfluorotridecanoic acid (PFTRDA)	2022/03/30	10		%	30
			Perfluorotetradecanoic acid (PFTEDA)	2022/03/30	0.88		%	30
			Perfluorobutanesulfonic acid (PFBS)	2022/03/30	0.19		%	30
			Perfluoropentanesulfonic acid PFPes	2022/03/30	2.6		%	30
			Perfluorohexanesulfonic acid (PFHxS)	2022/03/30	5.0		%	30
			Perfluoroheptanesulfonic acid PFHpS	2022/03/30	3.5		%	30
			Perfluorooctanesulfonic acid (PFOS)	2022/03/30	1.9		%	30
			Perfluorononanesulfonic acid (PFNS)	2022/03/30	0.99		%	30
			Perfluorodecanesulfonic acid (PFDS)	2022/03/30	1.1		%	30
			Perfluorooctane Sulfonamide (PFOSA)	2022/03/30	0.39		%	30
			6:2 Fluorotelomer sulfonic acid	2022/03/30	1.3		%	30
			8:2 Fluorotelomer sulfonic acid	2022/03/30	0.27		%	30
7909797	YPL	Method Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/03/30		104	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/03/30		108	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/03/30		101	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/03/30		95	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/03/30		106	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/03/30		93	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/03/30		94	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/03/30		105	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/03/30		107	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/03/30		109	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/03/30		101	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/03/30		109	%	50 - 150
			13C5-Perfluorononanoic acid	2022/03/30		104	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/03/30		108	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/03/30		33	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/03/30		107	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/03/30	<0.67		ng/L	
			Perfluoropentanoic acid (PFPeA)	2022/03/30	<0.52		ng/L	
			Perfluorohexanoic acid (PFHxA)	2022/03/30	<0.70		ng/L	
			Perfluoroheptanoic acid (PFHpA)	2022/03/30	<0.51		ng/L	
			Perfluorooctanoic acid (PFOA)	2022/03/30	<0.49		ng/L	
			Perfluorononanoic acid (PFNA)	2022/03/30	<0.80		ng/L	
			Perfluorodecanoic acid (PFDA)	2022/03/30	<0.64		ng/L	
			Perfluoroundecanoic acid (PFUnA)	2022/03/30	<0.77		ng/L	
			Perfluorododecanoic acid (PFDoA)	2022/03/30	<0.59		ng/L	
			Perfluorotridecanoic acid (PFTRDA)	2022/03/30	<0.48		ng/L	
			Perfluorotetradecanoic acid (PFTEDA)	2022/03/30	<0.37		ng/L	
			Perfluorobutanesulfonic acid (PFBS)	2022/03/30	<0.47		ng/L	
			Perfluoropentanesulfonic acid PFPes	2022/03/30	<0.73		ng/L	
			Perfluorohexanesulfonic acid (PFHxS)	2022/03/30	<0.53		ng/L	
			Perfluoroheptanesulfonic acid PFHpS	2022/03/30	<0.57		ng/L	
			Perfluorooctanesulfonic acid (PFOS)	2022/03/30	<0.43		ng/L	
			Perfluorononanesulfonic acid (PFNS)	2022/03/30	<0.64		ng/L	



Bureau Veritas Job #: C277635  
Report Date: 2022/04/03

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
				Perfluorodecanesulfonic acid (PFDS)	2022/03/30	<0.53		ng/L	
				Perfluorooctane Sulfonamide (PFOSA)	2022/03/30	<0.81		ng/L	
				6:2 Fluorotelomer sulfonic acid	2022/03/30	<0.59		ng/L	
				8:2 Fluorotelomer sulfonic acid	2022/03/30	<0.75		ng/L	
Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.									
Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.									
Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.									
Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.									



Bureau Veritas Job #: C277635  
Report Date: 2022/04/03

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in black ink, appearing to be "Colm McNamara", written over a horizontal line.

Colm McNamara, Senior Analyst, Liquid Chromatography

A handwritten signature in black ink, appearing to be "Sin Chii Chia", written over a horizontal line.

Sin Chii Chia, Scientific Specialist

---

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.





6740 Campobello Road, Mississauga, Ontario L5N 2L8  
Phone: 905-817-5700 Fax: 905-817-5779 Toll Free: 800-563-6266

CHAIN OF CUSTODY RECORD  
ENV COC - 00014v3

Page 1 of 1

Invoice Information				Report Information (if differs from invoice)				Project Information				LAB USE ONLY - PLACE STICKER HERE																							
Company: Barnstable County				Company: BETA Group, Inc				Quotation #:																											
Contact Name: Priscilla Ellis/ Steve Tebo				Contact Name: Roger Thibault				P.O. #/ AFE#:																											
Street Address: 3195 Main St				Street Address: 701 George Washington Hwy				Project #: 6206																											
City: Barnstable		Prov:		City: Lincoln		Prov:		Site #: BFTA		Site Location: Barnstable, MA																									
Phone:				Phone:				Site Location Province:																											
Email: pellis@barnstablecounty.org				Email: Rthibault@BETA-Inc.com				Sampled By: Laura Bouley																											
Copies: stebo@barnstablecounty.org				Copies:				Rush Confirmation #:																											
<b>Regulatory Criteria</b>																																			
<input type="checkbox"/> Table 1 <input type="checkbox"/> Res/Park <input type="checkbox"/> Med/Fine <input type="checkbox"/> CCME <input type="checkbox"/> Reg 406, Table: <input type="checkbox"/> Reg 558* <input type="checkbox"/> Sanitary Sewer Bylaw <input type="checkbox"/> *min 3 day TAT <input type="checkbox"/> Storm Sewer Bylaw <input type="checkbox"/> MISA <input type="checkbox"/> Municipality <input type="checkbox"/> PWQD <input type="checkbox"/> Other:																																			
Include Criteria on Certificate of Analysis (check if yes): <input type="checkbox"/>																																			
SAMPLES MUST BE KEPT COOL (<10°C) FROM TIME OF SAMPLING UNTIL DELIVERY TO BUREAU VERITAS																																			
Sample Identification		Date Sampled		Time (24hr)		Matrix		FIELD FILTERED		LAB PRESERVED		LAB FILTRATION (REQUIRED)		BTEX/ F1		F2 - F4		VOCs		Reg 153 metals and inorganics		Reg 153 ICPMS metals		Reg 153 metals (Hk, C-VI, ICPMS metals, HWS - B)		US EPA 537m (PFAS)		# OF CONTAINERS SUBMITTED		HOLD - DO NOT ANALYZE		Regular Turnaround Time (TAT)		Rush Turnaround Time (TAT) Surcharges apply	
		YY MM DD		HH MM																															
1 Influent (PRW-4)		22 03 22		10 50		Water - Ground																												Use Lower	
2 System #1 Midpoint		22 03 22		10 55		Water - Ground																										RDL values			
3 System #1 Effluent		22 03 22		11 00		Water - Ground																										for all samples			
4																																			
5																																			
6																																			
7																																			
8																																			
9																																			
10																																			
11																																			
12																																			
						</																													





Your Project #: 6206  
Site#: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: n/a

**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/05/10**  
Report #: R7118466  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C2B0224**

**Received: 2022/04/26, 13:27**

Sample Matrix: Water  
# Samples Received: 3

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Low level PFOS and PFOA by SPE/LCMS (1)	3	2022/05/05	2022/05/07	CAM SOP-00894	EPA 537.1 m

**Remarks:**

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Per- and polyfluoroalkyl substances (PFAS) identified as surrogates on the certificate of analysis represent the extracted internal standard.



Your Project #: 6206  
Site#: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: n/a

**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/05/10**  
Report #: R7118466  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C2B0224**

**Received: 2022/04/26, 13:27**

**Encryption Key**

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Lori Dufour, Project Manager

Email: [Lori.Dufour@bureauveritas.com](mailto:Lori.Dufour@bureauveritas.com)

Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.  
For Service Group specific validation please refer to the Validation Signature Page.



### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL293			SLL294			
Sampling Date		2022/04/21 15:05			2022/04/21 15:10			
COC Number		n/a			n/a			
	UNITS	INFLUENT (PRW-4)	RDL	MDL	SYSTEM#1 MIDPOINT	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>								
Perfluorobutanoic acid (PFBA)	ng/L	19	2.0	0.67	12	2.0	0.67	7978337
Perfluoropentanoic acid (PFPeA)	ng/L	69	2.0	0.52	40	2.0	0.52	7978337
Perfluorohexanoic acid (PFHxA)	ng/L	70	2.0	0.70	39	2.0	0.70	7978337
Perfluoroheptanoic acid (PFHpA)	ng/L	38	2.0	0.51	22	2.0	0.51	7978337
Perfluorooctanoic acid (PFOA)	ng/L	23	2.0	0.49	13	2.0	0.49	7978337
Perfluorononanoic acid (PFNA)	ng/L	20	2.0	0.80	11	2.0	0.80	7978337
Perfluorodecanoic acid (PFDA)	ng/L	4.9	2.0	0.64	2.8	2.0	0.64	7978337
Perfluoroundecanoic acid (PFUnA)	ng/L	39	2.0	0.77	22	2.0	0.77	7978337
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	<0.59	2.0	0.59	7978337
Perfluorotridecanoic acid (PFTRDA)	ng/L	<0.48	2.0	0.48	<0.48	2.0	0.48	7978337
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	<0.37	2.0	0.37	7978337
Perfluorobutanesulfonic acid (PFBS)	ng/L	8.2	2.0	0.47	5.0	2.0	0.47	7978337
Perfluoropentanesulfonic acid (PFPeS)	ng/L	14	2.0	0.73	7.1	2.0	0.73	7978337
Perfluorohexanesulfonic acid (PFHxS)	ng/L	110	20	5.3	65	2.0	0.53	7978337
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	3.6	2.0	0.57	2.0	2.0	0.57	7978337
Perfluorooctanesulfonic acid (PFOS)	ng/L	490	20	4.3	280	20	4.3	7978337
Perfluorononanesulfonic acid (PFNS)	ng/L	0.92	2.0	0.64	<0.64	2.0	0.64	7978337
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	<0.53	2.0	0.53	7978337
Perfluorooctane Sulfonamide (PFOSA)	ng/L	3.8	4.0	0.81	2.0	4.0	0.81	7978337
6:2 Fluorotelomer sulfonic acid	ng/L	76	4.0	0.59	43	4.0	0.59	7978337
8:2 Fluorotelomer sulfonic acid	ng/L	54	4.0	0.75	29	4.0	0.75	7978337
<b>Surrogate Recovery (%)</b>								
13C2-6:2-Fluorotelomersulfonic Acid	%	89	N/A	N/A	80	N/A	N/A	7978337
13C2-8:2-Fluorotelomersulfonic Acid	%	96	N/A	N/A	82	N/A	N/A	7978337
13C2-Perfluorodecanoic acid	%	96	N/A	N/A	90	N/A	N/A	7978337
13C2-Perfluorododecanoic acid	%	88	N/A	N/A	84	N/A	N/A	7978337
13C2-Perfluorohexanoic acid	%	108	N/A	N/A	95	N/A	N/A	7978337
13C2-perfluorotetradecanoic acid	%	71	N/A	N/A	68	N/A	N/A	7978337
13C2-Perfluoroundecanoic acid	%	89	N/A	N/A	81	N/A	N/A	7978337
13C3-Perfluorobutanesulfonic acid	%	117	N/A	N/A	97	N/A	N/A	7978337
13C4-Perfluorobutanoic acid	%	98	N/A	N/A	87	N/A	N/A	7978337
13C4-Perfluoroheptanoic acid	%	113	N/A	N/A	97	N/A	N/A	7978337
13C4-Perfluorooctanesulfonic acid	%	136	N/A	N/A	94	N/A	N/A	7978337
13C4-Perfluorooctanoic acid	%	114	N/A	N/A	100	N/A	N/A	7978337
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable								



BUREAU  
VERITAS

Bureau Veritas Job #: C2B0224

Report Date: 2022/05/10

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

## RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL293			SLL294			
Sampling Date		2022/04/21 15:05			2022/04/21 15:10			
COC Number		n/a			n/a			
	UNITS	INFLUENT (PRW-4)	RDL	MDL	SYSTEM#1 MIDPOINT	RDL	MDL	QC Batch
13C5-Perfluorononanoic acid	%	111	N/A	N/A	102	N/A	N/A	7978337
13C5-Perfluoropentanoic acid	%	93	N/A	N/A	91	N/A	N/A	7978337
13C8-Perfluorooctane Sulfonamide	%	66	N/A	N/A	69	N/A	N/A	7978337
18O2-Perfluorohexanesulfonic acid	%	158 (1)	N/A	N/A	96	N/A	N/A	7978337
<p>RDL = Reportable Detection Limit            QC Batch = Quality Control Batch            N/A = Not Applicable            (1) Extracted internal standard analyte recovery was above the defined upper control limit (UCL). Laboratory spiked water resulted in satisfactory recovery of the extracted internal standard analyte. When considered together, these QC data suggest that matrix interferences may be increasing the variability of the associated native analyte result (PFHxS).</p>								



### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SLL295			
Sampling Date		2022/04/21 15:15			
COC Number		n/a			
	UNITS	SYSTEM#1 EFFLUENT	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>					
Perfluorobutanoic acid (PFBA)	ng/L	<0.67	2.0	0.67	7978337
Perfluoropentanoic acid (PFPeA)	ng/L	<0.52	2.0	0.52	7978337
Perfluorohexanoic acid (PFHxA)	ng/L	<0.70	2.0	0.70	7978337
Perfluoroheptanoic acid (PFHpA)	ng/L	<0.51	2.0	0.51	7978337
Perfluorooctanoic acid (PFOA)	ng/L	<0.49	2.0	0.49	7978337
Perfluorononanoic acid (PFNA)	ng/L	<0.80	2.0	0.80	7978337
Perfluorodecanoic acid (PFDA)	ng/L	<0.64	2.0	0.64	7978337
Perfluoroundecanoic acid (PFUnA)	ng/L	<0.77	2.0	0.77	7978337
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	7978337
Perfluorotridecanoic acid (PFTRDA)	ng/L	<0.48	2.0	0.48	7978337
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	7978337
Perfluorobutanesulfonic acid (PFBS)	ng/L	<0.47	2.0	0.47	7978337
Perfluoropentanesulfonic acid (PFPeS)	ng/L	<0.73	2.0	0.73	7978337
Perfluorohexanesulfonic acid (PFHxS)	ng/L	<0.53	2.0	0.53	7978337
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	<0.57	2.0	0.57	7978337
Perfluorooctanesulfonic acid (PFOS)	ng/L	<0.43	2.0	0.43	7978337
Perfluorononanesulfonic acid (PFNS)	ng/L	<0.64	2.0	0.64	7978337
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	7978337
Perfluorooctane Sulfonamide (PFOSA)	ng/L	<0.81	4.0	0.81	7978337
6:2 Fluorotelomer sulfonic acid	ng/L	<0.59	4.0	0.59	7978337
8:2 Fluorotelomer sulfonic acid	ng/L	<0.75	4.0	0.75	7978337
<b>Surrogate Recovery (%)</b>					
13C2-6:2-Fluorotelomersulfonic Acid	%	118	N/A	N/A	7978337
13C2-8:2-Fluorotelomersulfonic Acid	%	101	N/A	N/A	7978337
13C2-Perfluorodecanoic acid	%	103	N/A	N/A	7978337
13C2-Perfluorododecanoic acid	%	97	N/A	N/A	7978337
13C2-Perfluorohexanoic acid	%	110	N/A	N/A	7978337
13C2-perfluorotetradecanoic acid	%	66	N/A	N/A	7978337
13C2-Perfluoroundecanoic acid	%	100	N/A	N/A	7978337
13C3-Perfluorobutanesulfonic acid	%	114	N/A	N/A	7978337
13C4-Perfluorobutanoic acid	%	98	N/A	N/A	7978337
13C4-Perfluoroheptanoic acid	%	113	N/A	N/A	7978337
13C4-Perfluorooctanesulfonic acid	%	104	N/A	N/A	7978337
13C4-Perfluorooctanoic acid	%	113	N/A	N/A	7978337
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable					



Bureau Veritas Job #: C2B0224  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

### RESULTS OF ANALYSES OF WATER

<b>Bureau Veritas ID</b>		SLL295			
<b>Sampling Date</b>		2022/04/21 15:15			
<b>COC Number</b>		n/a			
	<b>UNITS</b>	<b>SYSTEM#1 EFFLUENT</b>	<b>RDL</b>	<b>MDL</b>	<b>QC Batch</b>
13C5-Perfluorononanoic acid	%	110	N/A	N/A	7978337
13C5-Perfluoropentanoic acid	%	102	N/A	N/A	7978337
13C8-Perfluorooctane Sulfonamide	%	56	N/A	N/A	7978337
18O2-Perfluorohexanesulfonic acid	%	114	N/A	N/A	7978337
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable					



Bureau Veritas Job #: C2B0224  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

## TEST SUMMARY

**Bureau Veritas ID:** SLL293  
**Sample ID:** INFLUENT (PRW-4)  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan

**Bureau Veritas ID:** SLL294  
**Sample ID:** SYSTEM#1 MIDPOINT  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan

**Bureau Veritas ID:** SLL295  
**Sample ID:** SYSTEM#1 EFFLUENT  
**Matrix:** Water

**Collected:** 2022/04/21  
**Shipped:**  
**Received:** 2022/04/26

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	7978337	2022/05/05	2022/05/07	Adnan Khan





Bureau Veritas Job #: C2B0224  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

### GENERAL COMMENTS

Sample SLL293 [INFLUENT (PRW-4)] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

Sample SLL294 [SYSTEM#1 MIDPOINT] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, a reduced sample volume was extracted and analyzed. Detection limits were adjusted accordingly.

**Results relate only to the items tested.**



Bureau Veritas Job #: C2B0224  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

### QUALITY ASSURANCE REPORT

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
7978337	AKH	Spiked Blank		13C2-6:2-Fluorotelomersulfonic Acid	2022/05/07		112	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/05/07		109	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/05/07		112	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/05/07		106	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/05/07		118	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/05/07		104	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/05/07		109	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/05/07		117	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/05/07		115	%	50 - 150
				13C4-Perfluoroheptanoic acid	2022/05/07		118	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/05/07		114	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/05/07		117	%	50 - 150
				13C5-Perfluorononanoic acid	2022/05/07		119	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/05/07		115	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/05/07		72	%	20 - 130
				18O2-Perfluorohexanesulfonic acid	2022/05/07		115	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/05/07		93	%	70 - 130
				Perfluoropentanoic acid (PFPeA)	2022/05/07		90	%	70 - 130
				Perfluorohexanoic acid (PFHxA)	2022/05/07		93	%	70 - 130
				Perfluoroheptanoic acid (PFHpA)	2022/05/07		93	%	70 - 130
				Perfluorooctanoic acid (PFOA)	2022/05/07		91	%	70 - 130
				Perfluorononanoic acid (PFNA)	2022/05/07		88	%	70 - 130
				Perfluorodecanoic acid (PFDA)	2022/05/07		92	%	70 - 130
				Perfluoroundecanoic acid (PFUnA)	2022/05/07		93	%	70 - 130
				Perfluorododecanoic acid (PFDoA)	2022/05/07		94	%	70 - 130
				Perfluorotridecanoic acid (PFTRDA)	2022/05/07		101	%	70 - 130
				Perfluorotetradecanoic acid(PFTEDA)	2022/05/07		92	%	70 - 130
				Perfluorobutanesulfonic acid (PFBS)	2022/05/07		89	%	70 - 130
				Perfluoropentanesulfonic acid PFPes	2022/05/07		94	%	70 - 130
				Perfluorohexanesulfonic acid(PFHxS)	2022/05/07		92	%	70 - 130
				Perfluoroheptanesulfonic acid PFHpS	2022/05/07		91	%	70 - 130
				Perfluorooctanesulfonic acid (PFOS)	2022/05/07		91	%	70 - 130
				Perfluorononanesulfonic acid (PFNS)	2022/05/07		86	%	70 - 130
				Perfluorodecanesulfonic acid (PFDS)	2022/05/07		88	%	70 - 130
				Perfluorooctane Sulfonamide (PFOSA)	2022/05/07		92	%	70 - 130
				6:2 Fluorotelomer sulfonic acid	2022/05/07		91	%	70 - 130
				8:2 Fluorotelomer sulfonic acid	2022/05/07		98	%	70 - 130
7978337	AKH	Spiked Blank DUP		13C2-6:2-Fluorotelomersulfonic Acid	2022/05/07		121	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/05/07		121	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/05/07		125	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/05/07		118	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/05/07		131	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/05/07		115	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/05/07		119	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/05/07		128	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/05/07		130	%	50 - 150
				13C4-Perfluoroheptanoic acid	2022/05/07		129	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/05/07		121	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/05/07		130	%	50 - 150
				13C5-Perfluorononanoic acid	2022/05/07		130	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/05/07		128	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/05/07		88	%	20 - 130

BUREAU  
VERITAS

Bureau Veritas Job #: C2B0224

Report Date: 2022/05/10

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

## QUALITY ASSURANCE REPORT(CONT'D)

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
				18O2-Perfluorohexanesulfonic acid	2022/05/07		130	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/05/07		94	%	70 - 130
				Perfluoropentanoic acid (PFPeA)	2022/05/07		92	%	70 - 130
				Perfluorohexanoic acid (PFHxA)	2022/05/07		94	%	70 - 130
				Perfluoroheptanoic acid (PFHpA)	2022/05/07		94	%	70 - 130
				Perfluorooctanoic acid (PFOA)	2022/05/07		91	%	70 - 130
				Perfluorononanoic acid (PFNA)	2022/05/07		90	%	70 - 130
				Perfluorodecanoic acid (PFDA)	2022/05/07		89	%	70 - 130
				Perfluoroundecanoic acid (PFUnA)	2022/05/07		92	%	70 - 130
				Perfluorododecanoic acid (PFDoA)	2022/05/07		91	%	70 - 130
				Perfluorotridecanoic acid (PFTRDA)	2022/05/07		96	%	70 - 130
				Perfluorotetradecanoic acid(PFTEDA)	2022/05/07		91	%	70 - 130
				Perfluorobutanesulfonic acid (PFBS)	2022/05/07		90	%	70 - 130
				Perfluoropentanesulfonic acid PFPes	2022/05/07		94	%	70 - 130
				Perfluorohexanesulfonic acid(PFHxS)	2022/05/07		93	%	70 - 130
				Perfluoroheptanesulfonic acid PFHpS	2022/05/07		91	%	70 - 130
				Perfluorooctanesulfonic acid (PFOS)	2022/05/07		94	%	70 - 130
				Perfluorononanesulfonic acid (PFNS)	2022/05/07		85	%	70 - 130
				Perfluorodecanesulfonic acid (PFDS)	2022/05/07		89	%	70 - 130
				Perfluorooctane Sulfonamide (PFOSA)	2022/05/07		92	%	70 - 130
				6:2 Fluorotelomer sulfonic acid	2022/05/07		93	%	70 - 130
				8:2 Fluorotelomer sulfonic acid	2022/05/07		96	%	70 - 130
7978337	AKH	RPD		Perfluorobutanoic acid (PFBA)	2022/05/07	0.93		%	30
				Perfluoropentanoic acid (PFPeA)	2022/05/07	1.7		%	30
				Perfluorohexanoic acid (PFHxA)	2022/05/07	0.80		%	30
				Perfluoroheptanoic acid (PFHpA)	2022/05/07	1.6		%	30
				Perfluorooctanoic acid (PFOA)	2022/05/07	0.33		%	30
				Perfluorononanoic acid (PFNA)	2022/05/07	1.9		%	30
				Perfluorodecanoic acid (PFDA)	2022/05/07	2.8		%	30
				Perfluoroundecanoic acid (PFUnA)	2022/05/07	0.96		%	30
				Perfluorododecanoic acid (PFDoA)	2022/05/07	2.7		%	30
				Perfluorotridecanoic acid (PFTRDA)	2022/05/07	5.0		%	30
				Perfluorotetradecanoic acid(PFTEDA)	2022/05/07	0.93		%	30
				Perfluorobutanesulfonic acid (PFBS)	2022/05/07	1.2		%	30
				Perfluoropentanesulfonic acid PFPes	2022/05/07	0.39		%	30
				Perfluorohexanesulfonic acid(PFHxS)	2022/05/07	1.4		%	30
				Perfluoroheptanesulfonic acid PFHpS	2022/05/07	0.64		%	30
				Perfluorooctanesulfonic acid (PFOS)	2022/05/07	2.9		%	30
				Perfluorononanesulfonic acid (PFNS)	2022/05/07	0.95		%	30
				Perfluorodecanesulfonic acid (PFDS)	2022/05/07	0.80		%	30
				Perfluorooctane Sulfonamide (PFOSA)	2022/05/07	0.83		%	30
				6:2 Fluorotelomer sulfonic acid	2022/05/07	2.2		%	30
				8:2 Fluorotelomer sulfonic acid	2022/05/07	1.4		%	30
7978337	AKH	Method Blank		13C2-6:2-Fluorotelomersulfonic Acid	2022/05/07		111	%	50 - 150
				13C2-8:2-Fluorotelomersulfonic Acid	2022/05/07		101	%	50 - 150
				13C2-Perfluorodecanoic acid	2022/05/07		101	%	50 - 150
				13C2-Perfluorododecanoic acid	2022/05/07		100	%	50 - 150
				13C2-Perfluorohexanoic acid	2022/05/07		108	%	50 - 150
				13C2-perfluorotetradecanoic acid	2022/05/07		89	%	50 - 150
				13C2-Perfluoroundecanoic acid	2022/05/07		98	%	50 - 150
				13C3-Perfluorobutanesulfonic acid	2022/05/07		106	%	50 - 150
				13C4-Perfluorobutanoic acid	2022/05/07		106	%	50 - 150



### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
				13C4-Perfluoroheptanoic acid	2022/05/07		108	%	50 - 150
				13C4-Perfluorooctanesulfonic acid	2022/05/07		101	%	50 - 150
				13C4-Perfluorooctanoic acid	2022/05/07		106	%	50 - 150
				13C5-Perfluorononanoic acid	2022/05/07		107	%	50 - 150
				13C5-Perfluoropentanoic acid	2022/05/07		106	%	50 - 150
				13C8-Perfluorooctane Sulfonamide	2022/05/07		52	%	20 - 130
				18O2-Perfluorohexanesulfonic acid	2022/05/07		104	%	50 - 150
				Perfluorobutanoic acid (PFBA)	2022/05/07	<0.67		ng/L	
				Perfluoropentanoic acid (PFPeA)	2022/05/07	<0.52		ng/L	
				Perfluorohexanoic acid (PFHxA)	2022/05/07	<0.70		ng/L	
				Perfluoroheptanoic acid (PFHpA)	2022/05/07	<0.51		ng/L	
				Perfluorooctanoic acid (PFOA)	2022/05/07	<0.49		ng/L	
				Perfluorononanoic acid (PFNA)	2022/05/07	<0.80		ng/L	
				Perfluorodecanoic acid (PFDA)	2022/05/07	<0.64		ng/L	
				Perfluoroundecanoic acid (PFUnA)	2022/05/07	<0.77		ng/L	
				Perfluorododecanoic acid (PFDoA)	2022/05/07	<0.59		ng/L	
				Perfluorotridecanoic acid (PFTRDA)	2022/05/07	<0.48		ng/L	
				Perfluorotetradecanoic acid(PFTEDA)	2022/05/07	<0.37		ng/L	
				Perfluorobutanesulfonic acid (PFBS)	2022/05/07	<0.47		ng/L	
				Perfluoropentanesulfonic acid PFPes	2022/05/07	<0.73		ng/L	
				Perfluorohexanesulfonic acid(PFHxS)	2022/05/07	<0.53		ng/L	
				Perfluoroheptanesulfonic acid PFHpS	2022/05/07	<0.57		ng/L	
				Perfluorooctanesulfonic acid (PFOS)	2022/05/07	<0.43		ng/L	
				Perfluorononanesulfonic acid (PFNS)	2022/05/07	<0.64		ng/L	
				Perfluorodecanesulfonic acid (PFDS)	2022/05/07	<0.53		ng/L	
				Perfluorooctane Sulfonamide (PFOSA)	2022/05/07	<0.81		ng/L	
				6:2 Fluorotelomer sulfonic acid	2022/05/07	<0.59		ng/L	
				8:2 Fluorotelomer sulfonic acid	2022/05/07	<0.75		ng/L	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



Bureau Veritas Job #: C2B0224  
Report Date: 2022/05/10

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA

### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in black ink, appearing to be "Colm McNamara", written over a horizontal line.

Colm McNamara, Senior Analyst, Liquid Chromatography

---

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



CHAIN OF CUSTODY RECORD

ENV COC - 00014v3

Page 1 of 1

26-Apr-22 13:27

Lori Dufour



C2B0224

SBS

ENV-1980



Your Project #: 6206  
Site#: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: N/A

**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/06/15**  
Report #: R7169948  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C2E4101**

**Received: 2022/05/27, 13:40**

Sample Matrix: Water  
# Samples Received: 3

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Low level PFOS and PFOA by SPE/LCMS (1)	3	2022/06/09	2022/06/13	CAM SOP-00894	EPA 537.1 m

**Remarks:**

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Per- and polyfluoroalkyl substances (PFAS) identified as surrogates on the certificate of analysis represent the extracted internal standard.





**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

Your Project #: 6206  
Site#: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: N/A

**Report Date: 2022/06/15**  
Report #: R7169948  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C2E4101**

**Received: 2022/05/27, 13:40**

**Encryption Key**

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Lori Dufour, Project Manager

Email: [Lori.Dufour@bureauveritas.com](mailto:Lori.Dufour@bureauveritas.com)

Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.  
For Service Group specific validation please refer to the Validation Signature Page.



Bureau Veritas Job #: C2E4101  
Report Date: 2022/06/15

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: LB

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SSS614			SSS615	SSS616			
Sampling Date		2022/05/26 12:10			2022/05/26 12:00	2022/05/26 11:50			
	UNITS	INFLUENT (PRW-4)	RDL	MDL	SYSTEM #1 MIDPOINT	SYSTEM #1 EFFLUENT	RDL	MDL	QC Batch

Perfluorinated Compounds									
Perfluorobutanoic acid (PFBA)	ng/L	18	2.0	0.67	4.1	<0.67	2.0	0.67	8043125
Perfluoropentanoic acid (PFPeA)	ng/L	65	2.0	0.52	6.2	<0.52	2.0	0.52	8043125
Perfluorohexanoic acid (PFHxA)	ng/L	65	2.0	0.70	4.6	<0.70	2.0	0.70	8043125
Perfluoroheptanoic acid (PFHpA)	ng/L	36	2.0	0.51	2.2	<0.51	2.0	0.51	8043125
Perfluorooctanoic acid (PFOA)	ng/L	23	2.0	0.49	1.3	<0.49	2.0	0.49	8043125
Perfluorononanoic acid (PFNA)	ng/L	17	2.0	0.80	0.92	<0.80	2.0	0.80	8043125
Perfluorodecanoic acid (PFDA)	ng/L	4.7	2.0	0.64	<0.64	<0.64	2.0	0.64	8043125
Perfluoroundecanoic acid (PFUnA)	ng/L	49	2.0	0.77	2.2	<0.77	2.0	0.77	8043125
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	<0.59	<0.59	2.0	0.59	8043125
Perfluorotridecanoic acid (PFTRDA)	ng/L	<0.48	2.0	0.48	<0.48	<0.48	2.0	0.48	8043125
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	<0.37	<0.37	2.0	0.37	8043125
Perfluorobutanesulfonic acid (PFBS)	ng/L	7.6	2.0	0.47	0.48	<0.47	2.0	0.47	8043125
Perfluoropentanesulfonic acid (PFPS)	ng/L	12	2.0	0.73	<0.73	<0.73	2.0	0.73	8043125
Perfluorohexanesulfonic acid (PFHxS)	ng/L	100	2.0	5.3	4.2	<0.53	2.0	0.53	8043125
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	3.5	2.0	0.57	0.57	<0.57	2.0	0.57	8043125
Perfluorooctanesulfonic acid (PFOS)	ng/L	420	2.0	4.3	17	<0.43	2.0	0.43	8043125
Perfluorononanesulfonic acid (PFNS)	ng/L	0.73	2.0	0.64	<0.64	<0.64	2.0	0.64	8043125
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	<0.53	<0.53	2.0	0.53	8043125
Perfluorooctane Sulfonamide (PFOSA)	ng/L	3.7	4.0	0.81	<0.81	<0.81	4.0	0.81	8043125
6:2 Fluorotelomer sulfonic acid	ng/L	67	4.0	0.59	3.2	<0.59	4.0	0.59	8043125
8:2 Fluorotelomer sulfonic acid	ng/L	47	4.0	0.75	2.3	<0.75	4.0	0.75	8043125

Surrogate Recovery (%)									
13C2-6:2-Fluorotelomersulfonic Acid	%	115	N/A	N/A	134	125	N/A	N/A	8043125
13C2-8:2-Fluorotelomersulfonic Acid	%	118	N/A	N/A	140	128	N/A	N/A	8043125
13C2-Perfluorodecanoic acid	%	103	N/A	N/A	122	121	N/A	N/A	8043125
13C2-Perfluorododecanoic acid	%	92	N/A	N/A	116	112	N/A	N/A	8043125
13C2-Perfluorohexanoic acid	%	111	N/A	N/A	119	134	N/A	N/A	8043125
13C2-perfluorotetradecanoic acid	%	75	N/A	N/A	93	75	N/A	N/A	8043125
13C2-Perfluoroundecanoic acid	%	96	N/A	N/A	119	116	N/A	N/A	8043125
13C3-Perfluorobutanesulfonic acid	%	113	N/A	N/A	140	136	N/A	N/A	8043125
13C4-Perfluorobutanoic acid	%	121	N/A	N/A	142	130	N/A	N/A	8043125
13C4-Perfluoroheptanoic acid	%	118	N/A	N/A	130	135	N/A	N/A	8043125
13C4-Perfluorooctanesulfonic acid	%	89	N/A	N/A	125	122	N/A	N/A	8043125

RDL = Reportable Detection Limit  
QC Batch = Quality Control Batch  
N/A = Not Applicable



**BUREAU  
VERITAS**

Bureau Veritas Job #: C2E4101

Report Date: 2022/06/15

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: LB

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SSS614			SSS615	SSS616			
Sampling Date		2022/05/26 12:10			2022/05/26 12:00	2022/05/26 11:50			
	UNITS	INFLUENT (PRW-4)	RDL	MDL	SYSTEM #1 MIDPOINT	SYSTEM #1 EFFLUENT	RDL	MDL	QC Batch
13C4-Perfluorooctanoic acid	%	116	N/A	N/A	131	131	N/A	N/A	8043125
13C5-Perfluorononanoic acid	%	118	N/A	N/A	134	130	N/A	N/A	8043125
13C5-Perfluoropentanoic acid	%	102	N/A	N/A	138	131	N/A	N/A	8043125
13C8-Perfluorooctane Sulfonamide	%	90	N/A	N/A	89	81	N/A	N/A	8043125
18O2-Perfluorohexanesulfonic acid	%	90	N/A	N/A	123	129	N/A	N/A	8043125
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									



Bureau Veritas Job #: C2E4101  
Report Date: 2022/06/15

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: LB

## TEST SUMMARY

**Bureau Veritas ID:** SSS614  
**Sample ID:** INFLUENT (PRW-4)  
**Matrix:** Water

**Collected:** 2022/05/26  
**Shipped:**  
**Received:** 2022/05/27

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	8043125	2022/06/09	2022/06/13	Xinhe Xing (Helena)

**Bureau Veritas ID:** SSS615  
**Sample ID:** SYSTEM #1 MIDPOINT  
**Matrix:** Water

**Collected:** 2022/05/26  
**Shipped:**  
**Received:** 2022/05/27

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	8043125	2022/06/09	2022/06/13	Xinhe Xing (Helena)

**Bureau Veritas ID:** SSS616  
**Sample ID:** SYSTEM #1 EFFLUENT  
**Matrix:** Water

**Collected:** 2022/05/26  
**Shipped:**  
**Received:** 2022/05/27

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	8043125	2022/06/09	2022/06/13	Xinhe Xing (Helena)



Bureau Veritas Job #: C2E4101  
Report Date: 2022/06/15

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: LB

### GENERAL COMMENTS

Sample SSS614 [INFLUENT (PRW-4)] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

**Results relate only to the items tested.**

BUREAU  
VERITAS

Bureau Veritas Job #: C2E4101

Report Date: 2022/06/15

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: LB

## QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
8043125	XIN	Spiked Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/06/13		109	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/06/13		118	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/06/13		104	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/06/13		99	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/06/13		90	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/06/13		96	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/06/13		100	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/06/13		115	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/06/13		119	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/06/13		103	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/06/13		108	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/06/13		107	%	50 - 150
			13C5-Perfluorononanoic acid	2022/06/13		109	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/06/13		111	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/06/13		62	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/06/13		101	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/06/13		115	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/06/13		114	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/06/13		116	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/06/13		115	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/06/13		114	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/06/13		116	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/06/13		117	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/06/13		118	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/06/13		115	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/06/13		116	%	70 - 130
			Perfluorotetradecanoic acid (PFTEDA)	2022/06/13		113	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/06/13		115	%	70 - 130
			Perfluoropentanesulfonic acid (PFPeS)	2022/06/13		113	%	70 - 130
			Perfluorohexanesulfonic acid (PFHxS)	2022/06/13		119	%	70 - 130
			Perfluoroheptanesulfonic acid (PFHpS)	2022/06/13		116	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/06/13		117	%	70 - 130
			Perfluorononanesulfonic acid (PFNS)	2022/06/13		113	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/06/13		108	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/06/13		110	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/06/13		115	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/06/13		116	%	70 - 130
8043125	XIN	Spiked Blank DUP	13C2-6:2-Fluorotelomersulfonic Acid	2022/06/13		110	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/06/13		107	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/06/13		107	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/06/13		102	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/06/13		96	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/06/13		100	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/06/13		105	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/06/13		118	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/06/13		119	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/06/13		105	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/06/13		106	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/06/13		107	%	50 - 150
			13C5-Perfluorononanoic acid	2022/06/13		112	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/06/13		114	%	50 - 150



BUREAU  
VERITAS

Bureau Veritas Job #: C2E4101

Report Date: 2022/06/15

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: LB

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
8043125	XIN	RPD	13C8-Perfluorooctane Sulfonamide	2022/06/13		69	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/06/13		104	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/06/13		113	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/06/13		110	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/06/13		113	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/06/13		111	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/06/13		112	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/06/13		112	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/06/13		110	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/06/13		113	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/06/13		114	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/06/13		114	%	70 - 130
			Perfluorotetradecanoic acid(PFTEDA)	2022/06/13		110	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/06/13		111	%	70 - 130
			Perfluoropentanesulfonic acid PFPes	2022/06/13		112	%	70 - 130
			Perfluorohexanesulfonic acid(PFHxS)	2022/06/13		116	%	70 - 130
			Perfluoroheptanesulfonic acid PFHpS	2022/06/13		114	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/06/13		115	%	70 - 130
			Perfluorononanesulfonic acid (PFNS)	2022/06/13		107	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/06/13		105	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/06/13		106	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/06/13		113	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/06/13		118	%	70 - 130
			Perfluorobutanoic acid (PFBA)	2022/06/13	1.7		%	30
			Perfluoropentanoic acid (PFPeA)	2022/06/13	3.4		%	30
			Perfluorohexanoic acid (PFHxA)	2022/06/13	3.1		%	30
			Perfluoroheptanoic acid (PFHpA)	2022/06/13	3.4		%	30
			Perfluorooctanoic acid (PFOA)	2022/06/13	2.0		%	30
			Perfluorononanoic acid (PFNA)	2022/06/13	4.0		%	30
			Perfluorodecanoic acid (PFDA)	2022/06/13	5.8		%	30
			Perfluoroundecanoic acid (PFUnA)	2022/06/13	4.3		%	30
			Perfluorododecanoic acid (PFDoA)	2022/06/13	0.55		%	30
			Perfluorotridecanoic acid (PFTRDA)	2022/06/13	1.3		%	30
			Perfluorotetradecanoic acid(PFTEDA)	2022/06/13	2.5		%	30
			Perfluorobutanesulfonic acid (PFBS)	2022/06/13	3.0		%	30
			Perfluoropentanesulfonic acid PFPes	2022/06/13	1.2		%	30
			Perfluorohexanesulfonic acid(PFHxS)	2022/06/13	2.7		%	30
			Perfluoroheptanesulfonic acid PFHpS	2022/06/13	1.1		%	30
			Perfluorooctanesulfonic acid (PFOS)	2022/06/13	2.1		%	30
			Perfluorononanesulfonic acid (PFNS)	2022/06/13	5.8		%	30
			Perfluorodecanesulfonic acid (PFDS)	2022/06/13	2.7		%	30
			Perfluorooctane Sulfonamide (PFOSA)	2022/06/13	3.6		%	30
			6:2 Fluorotelomer sulfonic acid	2022/06/13	1.8		%	30
			8:2 Fluorotelomer sulfonic acid	2022/06/13	1.7		%	30
8043125	XIN	Method Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/06/13		142	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/06/13		143	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/06/13		129	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/06/13		120	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/06/13		132	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/06/13		119	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/06/13		125	%	50 - 150





BUREAU  
VERITAS

Bureau Veritas Job #: C2E4101

Report Date: 2022/06/15

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: LB

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			13C3-Perfluorobutanesulfonic acid	2022/06/13		130	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/06/13		135	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/06/13		132	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/06/13		134	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/06/13		134	%	50 - 150
			13C5-Perfluorononanoic acid	2022/06/13		140	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/06/13		130	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/06/13		84	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/06/13		127	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/06/13	<0.67		ng/L	
			Perfluoropentanoic acid (PFPeA)	2022/06/13	<0.52		ng/L	
			Perfluorohexanoic acid (PFHxA)	2022/06/13	<0.70		ng/L	
			Perfluoroheptanoic acid (PFHpA)	2022/06/13	<0.51		ng/L	
			Perfluorooctanoic acid (PFOA)	2022/06/13	<0.49		ng/L	
			Perfluorononanoic acid (PFNA)	2022/06/13	<0.80		ng/L	
			Perfluorodecanoic acid (PFDA)	2022/06/13	<0.64		ng/L	
			Perfluoroundecanoic acid (PFUnA)	2022/06/13	<0.77		ng/L	
			Perfluorododecanoic acid (PFDoA)	2022/06/13	<0.59		ng/L	
			Perfluorotridecanoic acid (PFTRDA)	2022/06/13	<0.48		ng/L	
			Perfluorotetradecanoic acid (PFTEDA)	2022/06/13	<0.37		ng/L	
			Perfluorobutanesulfonic acid (PFBS)	2022/06/13	<0.47		ng/L	
			Perfluoropentanesulfonic acid (PFPeS)	2022/06/13	<0.73		ng/L	
			Perfluorohexanesulfonic acid (PFHxS)	2022/06/13	<0.53		ng/L	
			Perfluoroheptanesulfonic acid (PFHpS)	2022/06/13	<0.57		ng/L	
			Perfluorooctanesulfonic acid (PFOS)	2022/06/13	<0.43		ng/L	
			Perfluorononanesulfonic acid (PFNS)	2022/06/13	<0.64		ng/L	
			Perfluorodecanesulfonic acid (PFDS)	2022/06/13	<0.53		ng/L	
			Perfluorooctane Sulfonamide (PFOSA)	2022/06/13	<0.81		ng/L	
			6:2 Fluorotelomer sulfonic acid	2022/06/13	<0.59		ng/L	
			8:2 Fluorotelomer sulfonic acid	2022/06/13	<0.75		ng/L	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



Bureau Veritas Job #: C2E4101  
Report Date: 2022/06/15

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: LB

### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in black ink, appearing to read "Colm McNamara", written over a horizontal line.

Colm McNamara, Senior Analyst, Liquid Chromatography

---

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



**ATR**  
6740 Cam  
Phone: 90

6740 Campbell Road, Mississauga, Ontario L5N 2L8  
Phone: 905-817-5700 Fax: 905-817-5779 Toll Free: 800-563-6266

## ENV COC - 00014v3

Page 1 of 1

<b>Invoice Information</b>				<b>Report Information (if differs from invoice)</b>				<b>Project Information</b>							
Company : Barnstable County				Company: BETA Group, Inc				Quotation #:							
Contact Name: Priscilla Ellis/ Steve Tebo				Contact Name: Roger Thibault				P.O. # / AFE#:							
Street Address: 3195 Main St				Street Address: 701 George Washington Hwy				Project #:				6206			
City: Barnstable		Prov:		City: Lincoln		Prov:		Site #:		BFTA					
Postal Code:				Postal Code:				Site Location:		Barnstable, MA					
Phone:				Phone:				Site Location Province:							
Email: pellis@barnstablecounty.org				Email: Rthibault@BETA-Inc.com; Lbouley@BETA-Inc.com				Sampled By:				Laura Bouley			
Copies: stebo@barnstablecounty.org				Copies: stebo@barnstablecounty.org											

Regulatory Criteria										Regular Turnaround Time (TAT)											
<input type="checkbox"/> Table 1 <input type="checkbox"/> Res/Park <input type="checkbox"/> Med/Fine <input type="checkbox"/> Table 2 <input type="checkbox"/> Ind/Comm <input type="checkbox"/> Course <input type="checkbox"/> Table 3 <input type="checkbox"/> Agri/other <input type="checkbox"/> For RSC <input type="checkbox"/> Table _____ OTHER: _____ <input type="checkbox"/> CCME <input type="checkbox"/> Reg 406, Table: <input type="checkbox"/> Reg 558* <input type="checkbox"/> Sanitary Sewer Bylaw <input type="checkbox"/> *min 3 day TAT <input type="checkbox"/> Storm Sewer Bylaw <input type="checkbox"/> MISA <input type="checkbox"/> Municipality <input type="checkbox"/> IPWQO <input type="checkbox"/> Other: _____										Regular Turnaround Time (TAT) <input checked="" type="checkbox"/> 5 to 7 Day <input type="checkbox"/> 10 Day Rush Turnaround Time (TAT) Surcharges apply <input type="checkbox"/> Same Day <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 4 Day											
Include Criteria on Certificate of Analysis (check if yes): <input type="checkbox"/>																					

SAMPLES MUST BE KEPT COOL (<10°C) FROM TIME OF SAMPLING UNTIL DELIVERY TO BUREAU VERITAS

	Sample Identification	Date Sampled			Time (24hr)		Matrix	FIELD FILTERED	FIELD PRESERVED	LAB FILTRATION REQUIRED	BTEX / F1	P2 - FA	VOCs	Reg 153 metals and Inorganics	Reg 153 ICPMS metals	Reg 153 metals (Hr, Cr, V, ICPMS metal, HWS, B)	US EPA 537m (PFAS)																			# OF CONTAINERS SUBMITTED	HOLD - DO NOT ANALYZE	Comments
		YY	MM	DD	HH	MM																																
1	Influent (PRW-4)	22	05	26	12	10	Water - Ground										X																		2	Use Lower		
2	System #1 Midpoint	22	05	26	12	00	Water - Ground										X																		2	RDL values		
3	System #1 Effluent	22	05	26	11	50	Water - Ground										X																		2	for all samples		
4																																						
5																																						
6																																						
7																																						
8																																						
9																																						
10																																						
11																																						
12																																						

\*UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO BUREAU VERITAS STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS AND CONDITIONS WHICH ARE AVAILABLE FOR VIEWING AT WWW.BVNA.COM/TERMS-AND-CONDITIONS OR BY CALLING THE LABORATORY LISTED ABOVE TO OBTAIN A COPY

LAB USE ONLY		Yes	No	°C	1	2	3	LAB USE ONLY		Yes	No	°C	1	2	3	LAB USE ONLY		Yes	No	°C	1	2	3	Special Instructions
Seal present	Seal intact	Cooling media present	Seal present					Seal intact	Cooling media present	Seal present	Seal intact					Cooling media present								
Relinquished by: (Signature/ Print)				Date	YY	MM																		



Your Project #: 6206  
Site#: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: n/a

**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

**Report Date: 2022/07/12**  
Report #: R7206847  
Version: 2 - Revision

**CERTIFICATE OF ANALYSIS – REVISED REPORT**

**BUREAU VERITAS JOB #: C2H2503**

**Received: 2022/06/22, 12:11**

Sample Matrix: Water  
# Samples Received: 3

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Low level PFOS and PFOA by SPE/LCMS (1)	3	2022/07/05	2022/07/06	CAM SOP-00894	EPA 537.1 m

**Remarks:**

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Per- and polyfluoroalkyl substances (PFAS) identified as surrogates on the certificate of analysis represent the extracted internal standard.



**Attention: Steven Tebo**

Barnstable County  
3195 Main Street  
PO Box 427  
Barnstable, MA  
USA 02630

Your Project #: 6206  
Site#: BFTA  
Site Location: BARNSTABLE, MA  
Your C.O.C. #: n/a

**Report Date: 2022/07/12**  
Report #: R7206847  
Version: 2 - Revision

**CERTIFICATE OF ANALYSIS – REVISED REPORT**

**BUREAU VERITAS JOB #: C2H2503**

**Received: 2022/06/22, 12:11**

**Encryption Key**

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Lori Dufour, Project Manager

Email: [Lori.Dufour@bureauveritas.com](mailto:Lori.Dufour@bureauveritas.com)

Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.  
For Service Group specific validation please refer to the Validation Signature Page.



Bureau Veritas Job #: C2H2503  
Report Date: 2022/07/12

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: LB

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SYW687			SYW688			
Sampling Date		2022/06/21 11:45			2022/06/21 11:55			
COC Number		n/a			n/a			
	UNITS	INFLUENT (PRW-4)	RDL	MDL	SYSTEM #1 MIDPOINT	RDL	MDL	QC Batch
<b>Perfluorinated Compounds</b>								
Perfluorobutanoic acid (PFBA)	ng/L	17	2.0	0.67	8.8	2.0	0.67	8090955
Perfluoropentanoic acid (PFPeA)	ng/L	64	2.0	0.52	24	2.0	0.52	8090955
Perfluorohexanoic acid (PFHxA)	ng/L	62	2.0	0.70	21	2.0	0.70	8090955
Perfluoroheptanoic acid (PFHpA)	ng/L	35	2.0	0.51	12	2.0	0.51	8090955
Perfluorooctanoic acid (PFOA)	ng/L	23	2.0	0.49	7.5	2.0	0.49	8090955
Perfluorononanoic acid (PFNA)	ng/L	19	2.0	0.80	6.1	2.0	0.80	8090955
Perfluorodecanoic acid (PFDA)	ng/L	4.8	2.0	0.64	1.8	2.0	0.64	8090955
Perfluoroundecanoic acid (PFUnA)	ng/L	47	2.0	0.77	13	2.0	0.77	8090955
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	<0.59	2.0	0.59	8090955
Perfluorotridecanoic acid (PFTRDA)	ng/L	<0.48	2.0	0.48	<0.48	2.0	0.48	8090955
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	<0.37	2.0	0.37	8090955
Perfluorobutanesulfonic acid (PFBS)	ng/L	8.5	2.0	0.47	2.8	2.0	0.47	8090955
Perfluoropentanesulfonic acid PFPeS	ng/L	13	2.0	0.73	3.6	2.0	0.73	8090955
Perfluorohexanesulfonic acid (PFHxS)	ng/L	110	20	5.3	30	2.0	0.53	8090955
Perfluoroheptanesulfonic acid PFHpS	ng/L	3.3	2.0	0.57	1.3	2.0	0.57	8090955
Perfluorooctanesulfonic acid (PFOS)	ng/L	430	20	4.3	110	20	4.3	8090955
Perfluorononanesulfonic acid (PFNS)	ng/L	1.4	2.0	0.64	<0.64	2.0	0.64	8090955
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	<0.53	2.0	0.53	8090955
Perfluorooctane Sulfonamide (PFOSA)	ng/L	4.0	4.0	0.81	1.3	4.0	0.81	8090955
6:2 Fluorotelomer sulfonic acid	ng/L	64	4.0	0.59	19	4.0	0.59	8090955
8:2 Fluorotelomer sulfonic acid	ng/L	39	4.0	0.75	11	4.0	0.75	8090955
<b>Surrogate Recovery (%)</b>								
13C2-6:2-Fluorotelomersulfonic Acid	%	75	N/A	N/A	91	N/A	N/A	8090955
13C2-8:2-Fluorotelomersulfonic Acid	%	81	N/A	N/A	90	N/A	N/A	8090955
13C2-Perfluorodecanoic acid	%	86	N/A	N/A	100	N/A	N/A	8090955
13C2-Perfluorododecanoic acid	%	80	N/A	N/A	90	N/A	N/A	8090955
13C2-Perfluorohexanoic acid	%	91	N/A	N/A	103	N/A	N/A	8090955
13C2-perfluorotetradecanoic acid	%	69	N/A	N/A	70	N/A	N/A	8090955
13C2-Perfluoroundecanoic acid	%	81	N/A	N/A	94	N/A	N/A	8090955
13C3-Perfluorobutanesulfonic acid	%	96	N/A	N/A	105	N/A	N/A	8090955
13C4-Perfluorobutanoic acid	%	100	N/A	N/A	112	N/A	N/A	8090955
13C4-Perfluoroheptanoic acid	%	97	N/A	N/A	106	N/A	N/A	8090955
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable								



Bureau Veritas Job #: C2H2503  
Report Date: 2022/07/12

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: LB

### RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SYW687			SYW688			
Sampling Date		2022/06/21 11:45			2022/06/21 11:55			
COC Number		n/a			n/a			
	UNITS	INFLUENT (PRW-4)	RDL	MDL	SYSTEM #1 MIDPOINT	RDL	MDL	QC Batch
13C4-Perfluorooctanesulfonic acid	%	91	N/A	N/A	97	N/A	N/A	8090955
13C4-Perfluorooctanoic acid	%	95	N/A	N/A	105	N/A	N/A	8090955
13C5-Perfluorononanoic acid	%	90	N/A	N/A	103	N/A	N/A	8090955
13C5-Perfluoropentanoic acid	%	87	N/A	N/A	102	N/A	N/A	8090955
13C8-Perfluorooctane Sulfonamide	%	59	N/A	N/A	63	N/A	N/A	8090955
18O2-Perfluorohexanesulfonic acid	%	101	N/A	N/A	108	N/A	N/A	8090955
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable								





### RESULTS OF ANALYSES OF WATER

<b>Bureau Veritas ID</b>		SYW689			
<b>Sampling Date</b>		2022/06/21 12:05			
<b>COC Number</b>		n/a			
	<b>UNITS</b>	<b>SYSTEM #1 EFFLUENT</b>	<b>RDL</b>	<b>MDL</b>	<b>QC Batch</b>
<b>Perfluorinated Compounds</b>					
Perfluorobutanoic acid (PFBA)	ng/L	2.0	2.0	0.67	8090955
Perfluoropentanoic acid (PFPeA)	ng/L	1.0	2.0	0.52	8090955
Perfluorohexanoic acid (PFHxA)	ng/L	0.73	2.0	0.70	8090955
Perfluoroheptanoic acid (PFHpA)	ng/L	<0.51	2.0	0.51	8090955
Perfluorooctanoic acid (PFOA)	ng/L	<0.49	2.0	0.49	8090955
Perfluorononanoic acid (PFNA)	ng/L	<0.80	2.0	0.80	8090955
Perfluorodecanoic acid (PFDA)	ng/L	<0.64	2.0	0.64	8090955
Perfluoroundecanoic acid (PFUnA)	ng/L	<0.77	2.0	0.77	8090955
Perfluorododecanoic acid (PFDoA)	ng/L	<0.59	2.0	0.59	8090955
Perfluorotridecanoic acid (PFTRDA)	ng/L	<0.48	2.0	0.48	8090955
Perfluorotetradecanoic acid (PFTEDA)	ng/L	<0.37	2.0	0.37	8090955
Perfluorobutanesulfonic acid (PFBS)	ng/L	<0.47	2.0	0.47	8090955
Perfluoropentanesulfonic acid (PFPeS)	ng/L	<0.73	2.0	0.73	8090955
Perfluorohexanesulfonic acid (PFHxS)	ng/L	<0.53	2.0	0.53	8090955
Perfluoroheptanesulfonic acid (PFHpS)	ng/L	<0.57	2.0	0.57	8090955
Perfluorooctanesulfonic acid (PFOS)	ng/L	<0.43	2.0	0.43	8090955
Perfluorononanesulfonic acid (PFNS)	ng/L	<0.64	2.0	0.64	8090955
Perfluorodecanesulfonic acid (PFDS)	ng/L	<0.53	2.0	0.53	8090955
Perfluorooctane Sulfonamide (PFOSA)	ng/L	<0.81	4.0	0.81	8090955
6:2 Fluorotelomer sulfonic acid	ng/L	<0.59	4.0	0.59	8090955
8:2 Fluorotelomer sulfonic acid	ng/L	<0.75	4.0	0.75	8090955
<b>Surrogate Recovery (%)</b>					
13C2-6:2-Fluorotelomersulfonic Acid	%	90	N/A	N/A	8090955
13C2-8:2-Fluorotelomersulfonic Acid	%	96	N/A	N/A	8090955
13C2-Perfluorodecanoic acid	%	106	N/A	N/A	8090955
13C2-Perfluorododecanoic acid	%	94	N/A	N/A	8090955
13C2-Perfluorohexanoic acid	%	105	N/A	N/A	8090955
13C2-perfluorotetradecanoic acid	%	75	N/A	N/A	8090955
13C2-Perfluoroundecanoic acid	%	97	N/A	N/A	8090955
13C3-Perfluorobutanesulfonic acid	%	110	N/A	N/A	8090955
13C4-Perfluorobutanoic acid	%	110	N/A	N/A	8090955
13C4-Perfluoroheptanoic acid	%	108	N/A	N/A	8090955
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable					



Bureau Veritas Job #: C2H2503  
Report Date: 2022/07/12

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: LB

### RESULTS OF ANALYSES OF WATER

<b>Bureau Veritas ID</b>		SYW689			
<b>Sampling Date</b>		2022/06/21 12:05			
<b>COC Number</b>		n/a			
	<b>UNITS</b>	<b>SYSTEM #1 EFFLUENT</b>	<b>RDL</b>	<b>MDL</b>	<b>QC Batch</b>
13C4-Perfluorooctanesulfonic acid	%	106	N/A	N/A	8090955
13C4-Perfluorooctanoic acid	%	106	N/A	N/A	8090955
13C5-Perfluorononanoic acid	%	105	N/A	N/A	8090955
13C5-Perfluoropentanoic acid	%	103	N/A	N/A	8090955
13C8-Perfluorooctane Sulfonamide	%	57	N/A	N/A	8090955
18O2-Perfluorohexanesulfonic acid	%	114	N/A	N/A	8090955
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable					



Bureau Veritas Job #: C2H2503  
Report Date: 2022/07/12

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: LB

## TEST SUMMARY

**Bureau Veritas ID:** SYW687  
**Sample ID:** INFLUENT (PRW- 4)  
**Matrix:** Water

**Collected:** 2022/06/21  
**Shipped:**  
**Received:** 2022/06/22

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	8090955	2022/07/05	2022/07/06	Lovelpreet Thind

**Bureau Veritas ID:** SYW688  
**Sample ID:** SYSTEM #1 MIDPOINT  
**Matrix:** Water

**Collected:** 2022/06/21  
**Shipped:**  
**Received:** 2022/06/22

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	8090955	2022/07/05	2022/07/06	Lovelpreet Thind

**Bureau Veritas ID:** SYW689  
**Sample ID:** SYSTEM #1 EFFLUENT  
**Matrix:** Water

**Collected:** 2022/06/21  
**Shipped:**  
**Received:** 2022/06/22

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Low level PFOS and PFOA by SPE/LCMS	LCMS	8090955	2022/07/05	2022/07/06	Lovelpreet Thind



Bureau Veritas Job #: C2H2503  
Report Date: 2022/07/12

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: LB

### GENERAL COMMENTS

Revised Report (2022/07/12): Updated reporting requirements to reflect < MDL.

Sample SYW687 [INFLUENT (PRW- 4)] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

Sample SYW688 [SYSTEM #1 MIDPOINT] : Per- and polyfluoroalkyl substances (PFAS): Due to high concentrations of the target analytes, sample required dilution. Detection limits were adjusted accordingly.

**Results relate only to the items tested.**

BUREAU  
VERITAS

Bureau Veritas Job #: C2H2503

Report Date: 2022/07/12

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: LB

## QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
8090955	LOV	Spiked Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/07/06		89	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/07/06		90	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/07/06		98	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/07/06		92	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/07/06		98	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/07/06		85	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/07/06		93	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/07/06		98	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/07/06		104	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/07/06		97	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/07/06		96	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/07/06		96	%	50 - 150
			13C5-Perfluorononanoic acid	2022/07/06		96	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/07/06		98	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/07/06		28	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/07/06		98	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/07/06		115	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/07/06		114	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/07/06		109	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/07/06		111	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/07/06		111	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/07/06		104	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/07/06		111	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/07/06		112	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/07/06		110	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/07/06		120	%	70 - 130
			Perfluorotetradecanoic acid (PFTEDA)	2022/07/06		109	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/07/06		113	%	70 - 130
			Perfluoropentanesulfonic acid (PFPeS)	2022/07/06		114	%	70 - 130
			Perfluorohexanesulfonic acid (PFHxS)	2022/07/06		110	%	70 - 130
			Perfluoroheptanesulfonic acid (PFHpS)	2022/07/06		106	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/07/06		107	%	70 - 130
			Perfluorononanesulfonic acid (PFNS)	2022/07/06		105	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/07/06		105	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/07/06		109	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/07/06		109	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/07/06		111	%	70 - 130
8090955	LOV	Spiked Blank DUP	13C2-6:2-Fluorotelomersulfonic Acid	2022/07/06		86	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/07/06		87	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/07/06		88	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/07/06		85	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/07/06		92	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/07/06		78	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/07/06		87	%	50 - 150
			13C3-Perfluorobutanesulfonic acid	2022/07/06		96	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/07/06		100	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/07/06		93	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/07/06		89	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/07/06		90	%	50 - 150
			13C5-Perfluorononanoic acid	2022/07/06		91	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/07/06		95	%	50 - 150



**BUREAU  
VERITAS**

Bureau Veritas Job #: C2H2503

Report Date: 2022/07/12

Barnstable County

Client Project #: 6206

Site Location: BARNSTABLE, MA

Sampler Initials: LB

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
8090955	LOV	RPD	13C8-Perfluorooctane Sulfonamide	2022/07/06		26	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/07/06		89	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/07/06		120	%	70 - 130
			Perfluoropentanoic acid (PFPeA)	2022/07/06		116	%	70 - 130
			Perfluorohexanoic acid (PFHxA)	2022/07/06		116	%	70 - 130
			Perfluoroheptanoic acid (PFHpA)	2022/07/06		115	%	70 - 130
			Perfluorooctanoic acid (PFOA)	2022/07/06		117	%	70 - 130
			Perfluorononanoic acid (PFNA)	2022/07/06		109	%	70 - 130
			Perfluorodecanoic acid (PFDA)	2022/07/06		118	%	70 - 130
			Perfluoroundecanoic acid (PFUnA)	2022/07/06		114	%	70 - 130
			Perfluorododecanoic acid (PFDoA)	2022/07/06		114	%	70 - 130
			Perfluorotridecanoic acid (PFTRDA)	2022/07/06		125	%	70 - 130
			Perfluorotetradecanoic acid(PFTEDA)	2022/07/06		113	%	70 - 130
			Perfluorobutanesulfonic acid (PFBS)	2022/07/06		115	%	70 - 130
			Perfluoropentanesulfonic acid PFPes	2022/07/06		112	%	70 - 130
			Perfluorohexanesulfonic acid(PFHxS)	2022/07/06		123	%	70 - 130
			Perfluoroheptanesulfonic acid PFHpS	2022/07/06		110	%	70 - 130
			Perfluorooctanesulfonic acid (PFOS)	2022/07/06		111	%	70 - 130
			Perfluorononanesulfonic acid (PFNS)	2022/07/06		107	%	70 - 130
			Perfluorodecanesulfonic acid (PFDS)	2022/07/06		112	%	70 - 130
			Perfluorooctane Sulfonamide (PFOSA)	2022/07/06		117	%	70 - 130
			6:2 Fluorotelomer sulfonic acid	2022/07/06		119	%	70 - 130
			8:2 Fluorotelomer sulfonic acid	2022/07/06		110	%	70 - 130
			Perfluorobutanoic acid (PFBA)	2022/07/06	4.7		%	30
			Perfluoropentanoic acid (PFPeA)	2022/07/06	1.8		%	30
			Perfluorohexanoic acid (PFHxA)	2022/07/06	7.0		%	30
			Perfluoroheptanoic acid (PFHpA)	2022/07/06	3.6		%	30
			Perfluorooctanoic acid (PFOA)	2022/07/06	5.3		%	30
			Perfluorononanoic acid (PFNA)	2022/07/06	4.4		%	30
			Perfluorodecanoic acid (PFDA)	2022/07/06	6.5		%	30
			Perfluoroundecanoic acid (PFUnA)	2022/07/06	1.9		%	30
			Perfluorododecanoic acid (PFDoA)	2022/07/06	3.5		%	30
			Perfluorotridecanoic acid (PFTRDA)	2022/07/06	4.4		%	30
			Perfluorotetradecanoic acid(PFTEDA)	2022/07/06	3.5		%	30
			Perfluorobutanesulfonic acid (PFBS)	2022/07/06	2.0		%	30
			Perfluoropentanesulfonic acid PFPes	2022/07/06	1.3		%	30
			Perfluorohexanesulfonic acid(PFHxS)	2022/07/06	11		%	30
			Perfluoroheptanesulfonic acid PFHpS	2022/07/06	3.6		%	30
			Perfluorooctanesulfonic acid (PFOS)	2022/07/06	4.0		%	30
			Perfluorononanesulfonic acid (PFNS)	2022/07/06	1.4		%	30
			Perfluorodecanesulfonic acid (PFDS)	2022/07/06	6.2		%	30
			Perfluorooctane Sulfonamide (PFOSA)	2022/07/06	7.4		%	30
			6:2 Fluorotelomer sulfonic acid	2022/07/06	8.5		%	30
			8:2 Fluorotelomer sulfonic acid	2022/07/06	0.51		%	30
8090955	LOV	Method Blank	13C2-6:2-Fluorotelomersulfonic Acid	2022/07/06		88	%	50 - 150
			13C2-8:2-Fluorotelomersulfonic Acid	2022/07/06		89	%	50 - 150
			13C2-Perfluorodecanoic acid	2022/07/06		85	%	50 - 150
			13C2-Perfluorododecanoic acid	2022/07/06		80	%	50 - 150
			13C2-Perfluorohexanoic acid	2022/07/06		89	%	50 - 150
			13C2-perfluorotetradecanoic acid	2022/07/06		63	%	50 - 150
			13C2-Perfluoroundecanoic acid	2022/07/06		81	%	50 - 150



### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			13C3-Perfluorobutanesulfonic acid	2022/07/06		88	%	50 - 150
			13C4-Perfluorobutanoic acid	2022/07/06		96	%	50 - 150
			13C4-Perfluoroheptanoic acid	2022/07/06		90	%	50 - 150
			13C4-Perfluorooctanesulfonic acid	2022/07/06		89	%	50 - 150
			13C4-Perfluorooctanoic acid	2022/07/06		86	%	50 - 150
			13C5-Perfluorononanoic acid	2022/07/06		86	%	50 - 150
			13C5-Perfluoropentanoic acid	2022/07/06		91	%	50 - 150
			13C8-Perfluorooctane Sulfonamide	2022/07/06		81	%	20 - 130
			18O2-Perfluorohexanesulfonic acid	2022/07/06		91	%	50 - 150
			Perfluorobutanoic acid (PFBA)	2022/07/06	<0.67		ng/L	
			Perfluoropentanoic acid (PFPeA)	2022/07/06	<0.52		ng/L	
			Perfluorohexanoic acid (PFHxA)	2022/07/06	<0.70		ng/L	
			Perfluoroheptanoic acid (PFHpA)	2022/07/06	<0.51		ng/L	
			Perfluorooctanoic acid (PFOA)	2022/07/06	<0.49		ng/L	
			Perfluorononanoic acid (PFNA)	2022/07/06	<0.80		ng/L	
			Perfluorodecanoic acid (PFDA)	2022/07/06	<0.64		ng/L	
			Perfluoroundecanoic acid (PFUnA)	2022/07/06	<0.77		ng/L	
			Perfluorododecanoic acid (PFDoA)	2022/07/06	<0.59		ng/L	
			Perfluorotridecanoic acid (PFTRDA)	2022/07/06	<0.48		ng/L	
			Perfluorotetradecanoic acid (PFTEDA)	2022/07/06	<0.37		ng/L	
			Perfluorobutanesulfonic acid (PFBS)	2022/07/06	<0.47		ng/L	
			Perfluoropentanesulfonic acid (PFPeS)	2022/07/06	<0.73		ng/L	
			Perfluorohexanesulfonic acid (PFHxS)	2022/07/06	<0.53		ng/L	
			Perfluoroheptanesulfonic acid (PFHpS)	2022/07/06	<0.57		ng/L	
			Perfluorooctanesulfonic acid (PFOS)	2022/07/06	<0.43		ng/L	
			Perfluorononanesulfonic acid (PFNS)	2022/07/06	<0.64		ng/L	
			Perfluorodecanesulfonic acid (PFDS)	2022/07/06	<0.53		ng/L	
			Perfluorooctane Sulfonamide (PFOSA)	2022/07/06	<0.81		ng/L	
			6:2 Fluorotelomer sulfonic acid	2022/07/06	<0.59		ng/L	
			8:2 Fluorotelomer sulfonic acid	2022/07/06	<0.75		ng/L	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.





Bureau Veritas Job #: C2H2503  
Report Date: 2022/07/12

Barnstable County  
Client Project #: 6206  
Site Location: BARNSTABLE, MA  
Sampler Initials: LB

### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in black ink, appearing to read "Sin Chii Chia".

---

Sin Chii Chia, Scientific Specialist

---

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



## **APPENDIX D**

### **PUBLIC NOTIFICATIONS**



August 2022

Mark S. Ells, Town Manager  
Town of Barnstable  
200 Main Street  
Hyannis, MA 02601

RE: Immediate Response Action Status and Remedial Monitoring Report #63  
**The Former Barnstable County Fire and Rescue Training Academy**  
**155 South Flint Rock Road**  
**Barnstable, Massachusetts**  
**DEP Release Tracking No. 4-26179**  
Project File #6206

Dear Mr. Ells,

As required by the Massachusetts Contingency Plan (MCP) 310 CMR 40.1403(3)(e) and 40.1403(6), BETA Group, Inc.(BETA) is notifying you on behalf of our client, Barnstable County, that an Immediate Response Action (IRA) Status and Remedial Monitoring Report (RMR) No. 63 is being submitted to the Massachusetts Department of Environmental Protection – Bureau of Waste Site Cleanup (MassDEP – BWSC) for the release Site referenced as the former Barnstable County Fire and Rescue Training Academy (FTA) located at 155 South Flint Rock Road in Barnstable, Massachusetts (the Disposal Site or Site). This Report summarizes the IRA activities that occurred during the January 2022 to June 2022 six-month reporting period.

A release of poly- and perfluoroalkyl substances (PFAS) attributable to historic training with aqueous film-forming foams (AFFF) has been documented at the Site. In August 2016, MassDEP Southeast Regional Office issued a Notice of Responsibility (NOR) to Barnstable County, as the owner and operator of the Barnstable County Fire and Rescue Training Academy (BCFRTA) at that time, that the detection of elevated concentrations of PFAS in groundwater at the Site constituted a release under the MCP. MassDEP issued Release Tracking Number (RTN) 4-26179 to this release. As summarized in the NOR, based on the detected PFAS concentrations in soil and groundwater at the BCFRTA and the inferred groundwater flow, MassDEP determined that the releases of PFAS from the use of aqueous film-forming foam (AFFF) at the BCFRTA is a source of PFAS detected in the Mary Dunn public water supply wells.

In addition to on-going Immediate Response Actions at the Site, the MCP Phase II Comprehensive Site Assessment is underway.

During the January 2022 to June 2022 reporting period, two treatment systems, GWTS #1 and GWTS#2, were in operation for all, or portions of the 6-month period. The primary treatment system (GWTS #1) was in operation approximately 168 days and secondary system (GWTS #2) was in operation for approximately 47 days. The overall (average) system flow rate and gallons of groundwater treated, based on the available Effluent flow totalizer readings for both systems, was approximately 4.34 million gallons.

The IRA Status and RMR document is available electronically via the searchable sites database of the

MassGOV / MassDEP website via the following link:

<https://eeaonline.eea.state.ma.us/portal#!/wastesite/4-0026179>

At this time, IRA activities are ongoing. Continuing IRA activities will include operation and monitoring of the on-Site Groundwater Pump and Treatment Systems (GWPTS), including performance sampling of GWTS #1 and #2, review and evaluation of the on-Site GWPTS operation and maintenance activities as they affect groundwater treatment, and quarterly groundwater monitoring. Additional details regarding the continuing IRA activities are included in the IRA Status and RMR No. 63 report document.


*Change in Procedure for Filing Status Reports*

In December 2021, MassDEP communicated to the County and BETA that based on the current project status, monthly submissions of IRA status and remedial monitoring reports (RMR) would no longer be required. Upon further discussion with MassDEP in January 2022, it was established that a six-month submittal schedule for IRA Status and RMR reports will be acceptable. The first six-month status report submission under this new schedule is the referenced IRA Status and RMR No. 63 document.

Approximately quarterly, updates regarding clean up and remediation activities of the PFAS release at the Site will be provided to the public, more specifically those listed on the Public Involvement mailing list. These updates will be in the form of written notices and/or public meetings.

If you have any questions or comments, please do not hesitate to contact our office.

Sincerely,  
BETA Group, Inc.



Roger P. Thibault, P.E., LSP  
Associate/Project Manager

Copies: Mass Department of Environmental Protection  
Southeast Regional Office  
20 Riverside Drive  
Lakeville, MA 02347

Thomas McKean, Director  
Town of Barnstable Health Division  
200 Main Street  
Hyannis, MA 02601

Hans Keijser, Supervisor  
Town of Barnstable Water Supply Division  
47 Old Yarmouth Road  
Hyannis, MA 02601